

The Pride Survey Plus for Grades 6-12 Detailed Full Report

2021-22 Knox County Schools

Mount Vernon, OH

January 2022



PRIDE SURVEYS
2140 Newmarket Pkwy. #116
Marietta, GA 30067
☎ 800.279.6361
☎ 770.726.9327
www.pridesurveys.com

Contents

- 1 Introduction 15**
 - 1.1 How To Use Your Data 16
 - 1.2 2021-2022 Use vs. 2019-2020 Use 16
 - 1.2.1 Pride National Summary 16
 - 1.2.2 Annual Use 17
 - 1.2.3 Monthly Use 18

- 2 Summary 21**
 - 2.1 Core Measures 21
 - 2.2 Annual and Monthly Use 22
 - 2.3 Where Students Use 22
 - 2.4 When Students Use 22
 - 2.5 Risk Factors 23
 - 2.6 Protective Factors 23

- 3 Graphics 24**
 - 3.1 Frequency of Use 25
 - 3.1.1 Annual Use 25
 - 3.1.2 Past 30-Day Use 30
 - 3.2 Perception of Risk 35
 - 3.3 Perception of Parental and Friend Disapproval 43
 - 3.3.1 Perception of Parental Disapproval 43
 - 3.3.2 Perception of Friends' Disapproval 50
 - 3.4 Average Age of Onset of Use 57
 - 3.5 Student Information 72
 - 3.6 Availability and Sources 83
 - 3.7 Where & When Do You Use 92

3.7.1	Where Do You Use	92
3.7.2	When Do You Use	99
3.8	Drug Use by Gender	106
3.9	Risk and Protective Factors – Cross Tabulations	122
3.9.1	Attend Church or Synagogue	123
3.9.2	Take Part in Community Activities	124
3.9.3	Make Good Grades	125
3.9.4	Take Part in Sports Teams	126
3.9.5	Take Part in School Activities	127
3.9.6	Get Into Trouble at School	128
3.9.7	Teachers Talk About Dangers of Drugs	129
3.9.8	Parents Talk About Dangers of Drugs	130
3.9.9	Parents Set Clear Rules	131
3.9.10	Parents Punish for Breaking Rules	132
3.10	Safety and Health – Cross Tabulations	133
3.11	Carrying a Gun to School	134
3.12	Involvement in Gangs	135
3.13	Thinking About Suicide	136
3.14	Being Overweight	137
3.15	Threatening/Harmful Behaviors	138
3.16	Trouble with Police	139
3.17	Personal Safety	140
4	Percentage Tables	141
4.1	Personal & Family Information	142
4.2	Student Information	146
4.3	Within The Past Year How Often Have You...	156
4.4	How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?	164
4.5	Do You Feel The Following Are Harmful To Your Health?	165
4.6	During the past 30 days:	168
4.7	E-Cigarette Sources, Brand and Tobacco Sources	170
4.8	At What Age Did You First...	172
4.9	Opioid Painkiller Use	179
4.10	How Wrong Do Your Parents Feel It Would Be For You To...	180
4.11	How Wrong Do Your Friends Feel It Would Be For You To...	182
4.12	Where Do You Usually Use...	184
4.13	When Do You Usually Use...	187

4.14	Attempted Suicide Injury	190
4.15	What Effect Do You Most Often Get When You Use	191
4.16	Vehicle Safety	193
4.17	In My School, I Feel Safe.....	195
4.18	While At School Have You...(Past Year)	198
4.19	How Easy Is It To Get...	203
4.20	Additional Questions	205
4.21	Frequency of Use	213
5	Narrative Report	222
5.1	Introduction	222
5.1.1	The Pride Surveys	222
5.1.2	The Report	223
5.2	Gateway Drugs	223
5.2.1	Tobacco	224
5.2.2	Alcohol	225
5.2.3	Marijuana	228
5.3	Other Illicit Drugs	230
5.4	The Media and Data Presentation	230
5.4.1	Community Awareness	230
5.4.2	The Media	231
5.4.3	Presentations to School/Community Groups	233
5.4.4	Sample Press Release	236
6	Drug-Free Communities Support Program Core Measures	238
6.1	Drug-Free Communities Support Program	238

List of Tables

1.1	Number of Students Surveyed	16
1.2	Annual Use – 2021-2022 vs 2019-2020 – DFC Drugs	17
1.3	Annual Use – 2021-2022 vs 2019-2020 – Illicit Drugs	17

1.4	Annual Use – 2021-2022 vs 2019-2020 – Illicit Drugs (cont.)	18
1.5	Monthly Use – 2021-2022 vs 2019-2020 – DFC Drugs	18
1.6	Monthly Use – 2021-2022 vs 2019-2020 – Illicit Drugs	19
1.7	Monthly Use – 2021-2022 vs 2019-2020 – Illicit Drugs (cont.)	19
2.1	Core Measures for All Students	21
2.2	Percentage of Students Who Report Using Drugs	22
2.3	Where Do Students Report Using	22
2.4	When Do Students Report Using	22
2.5	Percentage Of Students At Risk	23
2.6	Percentage Of Students Protected	23
3.1	Attend Church or Synagogue	123
3.2	Take Part in Community Activities	124
3.3	Make Good Grades	125
3.4	Take Part in Sports Teams	126
3.5	Take Part in School Activities	127
3.6	Get Into Trouble at School	128
3.7	Teachers Talk About Dangers of Drugs	129
3.8	Parents Talk About Dangers of Drugs	130
3.9	Parents Set Clear Rules	131
3.10	Parents Punish for Breaking Rules	132
4.1	Ethnic Origin	142
4.2	Sex	142
4.3	Age	143
4.4	Do you live with...	143
4.5	Do you have a job?	143
4.6	Does your father have a job?	144
4.7	Does your mother have a job?	144
4.8	What is the educational level of your father?	144
4.9	What is the educational level of your mother?	145
4.10	Do you make good grades?	146
4.11	Do you get into trouble at school?	146
4.12	Do you take part in school sports teams?	146
4.13	Do you take part in school activities such as band, clubs, etc.?	147
4.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?	147

4.15	Do you attend church, synagogue, etc.?	147
4.16	Do your parents talk with you about the problems of tobacco, alcohol and drug use?	148
4.17	Do your teachers talk with you about the problems of tobacco, alcohol and drug use?	148
4.18	Have you skipped school without your parents' permission in the past year?	148
4.19	Does your school set clear rules on using drugs at school?	149
4.20	Does your school set clear rules on bullying or threatening other students at school?	149
4.21	Do your parents set clear rules for you?	149
4.22	Do your parents punish you when you break the rules?	150
4.23	Have you been in trouble with the police?	150
4.24	Do you take part in gang activities?	150
4.25	Have you thought about committing suicide?	151
4.26	Do your friends use tobacco (cigarettes, etc.)?	151
4.27	Do your friends use alcohol (beer, liquor, etc.)?	151
4.28	Do your friends use marijuana (pot, hash, etc.)?	152
4.29	Do your friends use prescription drugs not prescribed to them?	152
4.30	Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?	153
4.31	Do you think that you are overweight?	153
4.32	Has a doctor told you that you are overweight?	153
4.33	Have you bought or sold drugs AT school?	153
4.34	Have you bought or sold drugs when NOT at school?	154
4.35	Have you carried a gun for protection or as a weapon when NOT at school in the past year?	154
4.36	Do you own a cell phone?	154
4.37	In the past year have you tried to cut down on the time you were on your cell phone?	154
4.38	Do you think that any of your friends use their cell phones too much?	155
4.39	Within the past year how often have you used tobacco (cigarettes, cigars, dip, etc.)?	156
4.40	Within the past year how often have you drunk alcohol (beer, coolers, liquor, etc.)?	156
4.41	Within the past year how often have you smoked marijuana (pot, hash, etc.)?	157
4.42	Within the past year how often have you used cocaine (crack, etc.)?	157
4.43	Within the past year how often have you used inhalants (glue, gas, etc.)?	158
4.44	Within the past year how often have you used hallucinogens (PCP, LSD, etc.)?	158
4.45	Within the past year how often have you used heroin (opiates)?	159
4.46	Within the past year how often have you used steroids?	159
4.47	Within the past year how often have you used ecstasy (MDMA, Molly)?	160
4.48	Within the past year how often have you used meth (crystal, ice, crank, etc.)?	160
4.49	Within the past year how often have you used prescription drugs not prescribed to you (such as Ritalin, Xanax or OxyContin)??	161
4.50	Within the past year how often have you used over-the-counter drugs (to get high)?	161

4.51	Within the past year how often have you used synthetic marijuana (K2, Spice, etc.)?	162
4.52	Within the past year how often have you used an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products? ...	162
4.53	Within the past year how often have you used prescription opioid painkillers for any reason (OxyContin, Vicodin, Percocet, Codeine, etc.)?	163
4.54	Within the past year how often have you used any illicit drug?	163
4.55	How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	164
4.56	How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?	165
4.57	How much do you think people risk harming themselves physically or in other ways if they use an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products?	165
4.58	How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?	165
4.59	How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?	166
4.60	How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?	166
4.61	How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?	166
4.62	How much do you think people risk harming themselves physically or in other ways if they use prescription opioid painkillers to get high (OxyContin, Vicodin, Percocet, Codeine, etc)?	167
4.63	During the past 30 days did you smoke part or all of a cigarette?	168
4.64	During the past 30 days have you used an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech etc.) excluding marijuana products?	168
4.65	During the past 30 days did you drink one or more drinks of an alcoholic beverage?	168
4.66	During the past 30 days have you used marijuana or hashish?	168
4.67	During the past 30 days have you used prescription drugs not prescribed to you?	169
4.68	During the past 30 days have you used over-the-counter drugs (to get high)?	169
4.69	During the past 30 days have you used inhalants (glue, gas, etc.)?	169
4.70	During the past 30 days have you used prescription opioid painkillers to get high (OxyContin, Vicodin, Percocet, Codeine, etc)?	169
4.71	During the past 30 days, where did you get or buy the e-cigarette, vape pen, or e-liquid rig, that you have used? (Select one or more responses)	170
4.72	If you have ever used a vaporizer which brand did you use?	171
4.73	During the past 30 days, where did you get any tobacco products? (Select one or more responses)	171
4.74	At what age did you first use tobacco?	172
4.75	At what age did you first drink alcohol?	172
4.76	At what age did you first smoke marijuana?	173
4.77	At what age did you first use cocaine?	173
4.78	At what age did you first use inhalants?	174
4.79	At what age did you first use hallucinogens?	174
4.80	At what age did you first use heroin?	175

4.81	At what age did you first use steroids?	175
4.82	At what age did you first use ecstasy?	176
4.83	At what age did you first use meth?	176
4.84	At what age did you first use prescription drugs not prescribed to you?	177
4.85	At what age did you first use over-the-counter drugs (to get high)?	177
4.86	At what age did you first use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?	178
4.87	At what age did you first use prescription opioid painkillers to get high?	178
4.88	In your lifetime, on how many occasions have you been prescribed an opioid pain killer by your doctor/dentist for any reason?	179
4.89	If you have been prescribed opioid pain killers have you ever taken more than you were prescribed because you liked the feeling?	179
4.90	Have you ever taken prescription opioid pain killers that were not prescribed to you just because you wanted to?	179
4.91	How wrong do your parents feel it would be for you to smoke tobacco?	180
4.92	How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	180
4.93	How wrong do your parents feel it would be for you to smoke marijuana?	180
4.94	How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?	181
4.95	How wrong do your parents feel it would be for you to use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?	181
4.96	How wrong do your parents feel it would be for you to use prescription opioid painkillers to get high?	181
4.97	How wrong do your friends feel it would be for you to smoke tobacco?	182
4.98	How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	182
4.99	How wrong do your friends feel it would be for you to smoke marijuana?	182
4.100	How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?	183
4.101	How wrong do your friends feel it would be for you to use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?	183
4.102	How wrong do your friends feel it would be for you to use prescription opioid painkillers to get high?	183
4.103	Where do you usually use tobacco?	184
4.104	Where do you usually drink alcohol?	184
4.105	Where do you usually smoke marijuana?	185
4.106	Where do you usually use prescription drugs not prescribed to you?	185
4.107	Where do you usually use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?	185
4.108	Where do you usually use prescription opioid painkillers to get high?	186
4.109	When do you usually use tobacco?	187
4.110	When do you usually drink alcohol?	187
4.111	When do you usually smoke marijuana?	188
4.112	When do you usually use prescription drugs not prescribed to you?	188
4.113	When do you usually use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?	188
4.114	When do you usually use prescription opioid painkillers to get high?	189
4.115	If you attempted suicide in the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?	190

4.116	What effect do you most often get when you drink alcohol?	191
4.117	What effect do you most often get when you smoke marijuana?	191
4.118	What effect do you most often get when you use prescription drugs not prescribed to you?	191
4.119	What effect do you most often get when you use prescription opioid painkillers to get high?	192
4.120	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	193
4.121	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	193
4.122	During the past 30 days, how many times did you drive a car or other vehicle when you had been using marijuana?	193
4.123	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?	194
4.124	How often do you wear a seatbelt when driving a car?	194
4.125	How often do you wear a seatbelt when riding in a car driven by someone else?	194
4.126	In my school, I feel safe in the classroom.	195
4.127	In my school, I feel safe in the cafeteria.	195
4.128	In my school, I feel safe in the halls.	195
4.129	In my school, I feel safe in the bathroom.	196
4.130	In my school, I feel safe in the gym.	196
4.131	In my school, I feel safe on the school bus.	196
4.132	In my school, I feel safe at school events.	197
4.133	In my school, I feel safe in the parking lot.	197
4.134	In my school, I feel safe on the way to or from school.	197
4.135	In the past year, while at school have you used the Internet or a cell phone to threaten or embarrass someone else by posting mean messages or photos of them?	198
4.136	In the past year, while at school have you been threatened or embarrassed by someone using the Internet or a cell phone to post mean messages or photos of you?	198
4.137	In the past year, while at school have you carried a handgun?	198
4.138	In the past year, while at school have you carried a knife, club or other weapon?	199
4.139	In the past year, while at school have you threatened a student with a handgun, knife or club?	199
4.140	In the past year, while at school have you threatened to hurt a student by hitting, slapping or kicking?	199
4.141	In the past year, while at school have you hurt a student by using a handgun, knife or club?	200
4.142	In the past year, while at school have you hurt a student by hitting, slapping or kicking?	200
4.143	In the past year, while at school have you been threatened with a handgun, knife or club by a student?	200
4.144	In the past year, while at school have you had a student threaten to hit, slap or kick you?	201
4.145	In the past year, while at school have you been afraid a student may hurt you?	201
4.146	In the past year, while at school have you been hurt by a student using a handgun, knife or club?	201
4.147	In the past year, while at school have you been hurt by a student who hit, slapped or kicked you?	202
4.148	How easy is it to get tobacco?	203
4.149	How easy is it to get alcohol?	203

4.150	How easy is it to get marijuana?	203
4.151	How easy is it to get prescription drugs not prescribed to you?	204
4.152	How easy is it to get e-cigarettes, vape pens, or e-liquid rigs excluding marijuana products?	204
4.153	How easy is it to get prescription opioid painkillers?	204
4.154	How safe would/do you feel returning to school at this time?	205
4.155	Do you prefer online classes or learning in school?	205
4.156	Do you have enough access to school counseling services (ex., counselors who can help with mental health, feelings, or problems students may be experiencing)?	205
4.157	How has your relationship with the family you live with been affected during the Coronavirus (COVID-19) pandemic?	206
4.158	Do you follow social distancing guidelines and try to stay 6 feet apart from other people not in your household?	206
4.159	Do your friends follow social distancing guidelines and stay 6 feet apart?	206
4.160	Do you and your friends wear masks or face coverings when you are together?	207
4.161	Since the pandemic started, have you felt more sad or hopeless than usual?	207
4.162	During the past 30 days, about how often did you feel nervous?	207
4.163	During the past 30 days, about how often did you feel hopeless?	208
4.164	During the past 30 days, about how often did you feel restless or fidgety?	208
4.165	During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?	208
4.166	During the past 30 days, about how often did you feel that everything was an effort?	209
4.167	During the past 30 days, about how often did you feel worthless?	209
4.168	I feel that... I know where to go if you have questions about how to practice safe sex?	209
4.169	I feel that... I feel pressure from my peers to engage in sexual activity?	210
4.170	I feel that... I feel pressure from social media to engage in sexual activity.	210
4.171	Have you shared nudes or inappropriate videos on social media or via text?	210
4.172	I am comfortable talking to my parents about the details of my personal, sexual health.	210
4.173	I feel satisfied with the way my body looks right now.	211
4.174	How many times in the past year have you used bystander skills (delegated, distracted or been direct to intervene) to help a friend or classmate?	211
4.175	How often in the last 12 months have you experienced dating abuse, including physical, sexual, emotional/verbal, digital, or financial, by someone you have dated or went out with?	211
4.176	How often in the past 30 days has an adult given you or your friends alcohol (beer, wine, hard liquor)?	212
4.177	On an average school night, how many hours of sleep do you get?	212
4.178	Past 30-day use: cigarettes?	214
4.179	Past 30-day use: e-cigarettes?	214
4.180	Past 30-day use: alcohol?	214
4.181	Past 30-day use: marijuana?	214
4.182	Past 30-day use: cocaine?	215
4.183	Past 30-day use: inhalants?	215

4.184	Past 30-day use: hallucinogens?	215
4.185	Past 30-day use: heroin?	215
4.186	Past 30-day use: steroids?	216
4.187	Past 30-day use: ecstasy?	216
4.188	Past 30-day use: meth?	216
4.189	Past 30-day use: prescription drugs?	216
4.190	Past 30-day use: over-the-counter drugs?	217
4.191	Past 30-day use: opioid painkillers?	217
4.192	Past 30-day use: any illicit drug?	217
4.193	Frequency of use: tobacco?	218
4.194	Frequency of use: e-cigarettes?	218
4.195	Frequency of use: alcohol?	218
4.196	Frequency of use: marijuana?	218
4.197	Frequency of use: cocaine?	219
4.198	Frequency of use: inhalants?	219
4.199	Frequency of use: hallucinogens?	219
4.200	Frequency of use: heroin?	219
4.201	Frequency of use: steroids?	220
4.202	Frequency of use: ecstasy?	220
4.203	Frequency of use: meth?	220
4.204	Frequency of use: prescription drugs?	220
4.205	Frequency of use: over-the-counter drugs?	221
4.206	Frequency of use: opioid painkillers?	221
4.207	Frequency of use: any illicit drug?	221
5.1	30-Day Use of Tobacco	224
5.2	Reported Location of Tobacco Use For Your Students	225
5.3	Reported Times of Tobacco Use For Your Students	225
5.4	30-Day Use of Alcohol	225
5.5	Pct of Students Reporting <i>Fairly Easy</i> or <i>Very Easy</i> to Get Tobacco and Alcohol	227
6.1	Core Measure for 30-Day Use by Grade	239
6.2	Core Measure for 30-Day Use by Sex	239
6.3	Core Measure of Perception of Risk by Grade	240
6.4	Core Measure of Perception of Risk by Sex	240
6.5	Core Measure of Parental Disapproval by Grade	241
6.6	Core Measure of Parental Disapproval by Sex	241

6.7	Core Measure of Friends Disapproval by Grade	242
6.8	Core Measure of Friends Disapproval by Sex	242
6.9	Core Measure of Age of Onset by Grade	243
6.10	Core Measure of Age of Onset by Sex	243
6.11	Students Perception of Availability by Grade	244
6.12	Students Perception of Availability by Sex	244

List of Figures

3.1	Annual Use	26
3.2	Annual Use	27
3.3	Annual Use	28
3.4	Annual Use	29
3.5	Past 30-Day Use	31
3.6	Past 30-Day Use	32
3.7	Past 30-Day Use	33
3.8	Past 30-Day Use	34
3.9	Perception of Risk	36
3.10	Perception of Risk	37
3.11	Perception of Risk	38
3.12	Perception of Risk	39
3.13	Perception of Risk	40
3.14	Perception of Risk	41
3.15	Perception of Risk	42
3.16	Perception of Parental Disapproval	44
3.17	Perception of Parental Disapproval	45
3.18	Perception of Parental Disapproval	46
3.19	Perception of Parental Disapproval	47
3.20	Perception of Parental Disapproval	48
3.21	Perception of Parental Disapproval	49
3.22	Perception of Friends' Disapproval	51

3.23	Perception of Friends' Disapproval	52
3.24	Perception of Friends' Disapproval	53
3.25	Perception of Friends' Disapproval	54
3.26	Perception of Friends' Disapproval	55
3.27	Perception of Friends' Disapproval	56
3.28	Average Age of Onset of Use	58
3.29	Average Age of Onset of Use	59
3.30	Average Age of Onset of Use	60
3.31	Average Age of Onset of Use	61
3.32	Average Age of Onset of Use	62
3.33	Average Age of Onset of Use	63
3.34	Average Age of Onset of Use	64
3.35	Average Age of Onset of Use	65
3.36	Average Age of Onset of Use	66
3.37	Average Age of Onset of Use	67
3.38	Average Age of Onset of Use	68
3.39	Average Age of Onset of Use	69
3.40	Average Age of Onset of Use	70
3.41	Average Age of Onset of Use	71
3.42	Attend Church or Synagogue	73
3.43	Take Part in Community Activities	74
3.44	Make Good Grades	75
3.45	Take Part in Sports Teams	76
3.46	Take Part in School Activities	77
3.47	Get in Trouble at School	78
3.48	Teachers Talk About the Dangers of Drugs	79
3.49	Parents Talk About the Dangers of Drugs	80
3.50	Parents Set Clear Rules	81
3.51	Parents Punish for Breaking Rules	82
3.52	Availability	84
3.53	Availability	85
3.54	Availability	86
3.55	Availability	87
3.56	Availability	88
3.57	Availability	89
3.58	Sources Of Tobacco Products	90

3.59	Sources Of E-Cigarette Products	91
3.60	Where Do You Use	93
3.61	Where Do You Use	94
3.62	Where Do You Use	95
3.63	Where Do You Use	96
3.64	Where Do You Use	97
3.65	Where Do You Use	98
3.66	When Do You Use	100
3.67	When Do You Use	101
3.68	When Do You Use	102
3.69	When Do You Use	103
3.70	When Do You Use	104
3.71	When Do You Use	105
3.72	Annual Use by Gender	107
3.73	Annual Use by Gender	108
3.74	Annual Use by Gender	109
3.75	Annual Use by Gender	110
3.76	Annual Use by Gender	111
3.77	Annual Use by Gender	112
3.78	Annual Use by Gender	113
3.79	Annual Use by Gender	114
3.80	Annual Use by Gender	115
3.81	Annual Use by Gender	116
3.82	Annual Use by Gender	117
3.83	Annual Use by Gender	118
3.84	Annual Use by Gender	119
3.85	Annual Use by Gender	120
3.86	Annual Use by Gender	121
3.87	Attend Church or Synagogue	123
3.88	Take Part in Community Activities	124
3.89	Make Good Grades	125
3.90	Take Part in Sports Teams	126
3.91	Take Part in School Activities	127
3.92	Get Into Trouble at School	128
3.93	Teachers Talk About Dangers of Drugs	129
3.94	Parents Talk About Dangers of Drugs	130

3.95	Parents Set Clear Rules	131
3.96	Parents Punish for Breaking Rules	132
3.97	Drug Use of Students Who Reported Carrying a Gun to School	134
3.98	Drug Use of Students Who Reported Involvement in Gangs	135
3.99	Drug Use of Students Who Reported Thinking About Suicide	136
3.100	Drug Use of Students Who Reported Being Overweight	137
3.101	Drug Use of Students Who Reported Threatening/Harmful Behaviors	138
3.102	Drug Use of Students Who Reported Trouble with Police	139
5.103	30-Day Use of Alcohol	226
5.104	Location of Any Alcohol Use	226
5.105	Time of Any Alcohol Use	226
5.106	Past 30-Day Use of Marijuana	228
5.107	Location of Marijuana Use	229
5.108	Time of Any Marijuana Use	229
5.109	Friends' Use of Marijuana	229

Chapter 1

Introduction

This report contains the data collected in your school(s) using the ***The Pride Survey Plus for Grades 6-12***. The report is organized as follows:

1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug-Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug-Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration.

- E-Cigarettes refer to "e-cigarette, vape pen, e-liquid rig, (Juil, N2, Joytech, etc.) excluding marijuana products"
- Prescription Drugs refer to "prescription drugs not prescribed to you (such as Ritalin, Xanax or OxyContin)"
- Opioid Pain Killers refer to "prescription opioid pain killers to get high (OxyContin, Vicodin, Percocet, Codeine, etc.)"

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

Table 1.1: Number of Students Surveyed

Grade	Grade Total	Male	Female
6	142	72	64
7	76	32	44
8	120	56	62
9	80	37	42
10	163	92	69
11	59	39	18
12	220	122	92
6-8	338	160	170
9-12	522	290	221
Total	860	450	391

1.2 2021-2022 Use vs. 2019-2020 Use

1.2.1 Pride National Summary

The Pride National Summary for a particular school year is a compilation of all the data collected during that school year. The number of states and the number of questionnaires from each state will vary from year to year. While sampling is done to prevent any one state from overwhelming the summary, Pride does not claim that the results are statistically representative of the nation as a whole. However, historically the results from the Pride National Summary have tracked within a few (typically 2 to 3) percentage points of the results from the National Institute on Drug Abuse annual survey which is a nationally representative study.

1.2.2 Annual Use

The following tables compare 2021-2022 annual use figures to the 2019-2020 Pride Summary for all schools. A negative figure in the diff row indicates that 2021-2022 percentages for annual use are below 2019-2020 national percentages and a positive figure in the diff row indicates that 2021-2022 percentages for annual use are above 2019-2020 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

Table 1.2: Annual Use – 2021-2022 vs 2019-2020 – DFC Drugs

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Tobacco							
2021-2022	0.7	1.3	1.7	3.8	14.1	11.9	25.9
2019-2020 NS	2.0	3.2	6.1	7.1	12.6	14.7	22.3
diff	-1.3	-1.9	-4.4	-3.3	1.5	-2.8	3.6
Alcohol							
2021-2022	0.7	3.9	10.0	16.3	32.7	22.0	49.1
2019-2020 NS	5.3	8.8	17.4	22.6	35.1	43.0	54.2
diff	-4.6	-4.9	-7.4	-6.3	-2.4	-21.0	-5.1
Marijuana							
2021-2022	0.0	0.0	1.7	3.8	11.1	15.3	25.5
2019-2020 NS	1.2	2.6	5.8	10.4	17.2	25.1	29.4
diff	-1.2	-2.6	-4.1	-6.6	-6.1	-9.8	-3.9
Prescription Drugs							
2021-2022	0.0	0.0	0.8	0.0	1.8	3.4	3.2
2019-2020 NS	1.6	1.4	2.2	3.0	3.3	3.7	5.5
diff	-1.6	-1.4	-1.4	-3.0	-1.5	-0.3	-2.3

Table 1.3: Annual Use – 2021-2022 vs 2019-2020 – Illicit Drugs

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Cocaine							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.9
2019-2020 NS	0.4	0.3	0.5	0.9	1.4	1.5	3.1
diff	-0.4	1.0	-0.5	-0.9	-0.8	-1.5	-2.2
Inhalants							
2021-2022	0.0	1.3	0.0	0.0	0.6	3.4	0.5
2019-2020 NS	2.1	2.1	2.2	1.7	1.9	1.9	2.5
diff	-2.1	-0.8	-2.2	-1.7	-1.3	1.5	-2.0
Hallucinogens							
2021-2022	0.0	1.3	0.0	0.0	1.8	3.4	4.1
2019-2020 NS	0.5	0.4	0.7	1.3	2.4	3.1	4.8
diff	-0.5	0.9	-0.7	-1.3	-0.6	0.3	-0.7
Heroin							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.5	0.3	0.4	0.6	1.0	0.9	1.6
diff	-0.5	1.0	-0.4	-0.6	-0.4	-0.9	-1.1
Steroids							
2021-2022	0.0	0.0	0.8	0.0	0.6	0.0	3.2
2019-2020 NS	1.6	0.9	0.9	1.3	1.4	1.6	1.5
diff	-1.6	-0.9	-0.1	-1.3	-0.8	-1.6	1.7

Table 1.4: Annual Use – 2021-2022 vs 2019-2020 – Illicit Drugs (cont.)

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Ecstasy							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.5	0.5	0.6	1.0	1.7	1.8	2.6
diff	-0.5	0.8	-0.6	-1.0	-1.1	-1.8	-2.1
Meth							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.6	0.4	0.4	0.7	1.1	1.1	1.4
diff	-0.6	0.9	-0.4	-0.7	-0.5	-1.1	-0.9
Over-the-Counter Drugs							
2021-2022	0.0	1.3	0.0	0.0	2.5	1.7	1.8
2019-2020 NS	0.8	1.1	1.7	2.2	2.8	2.6	3.5
diff	-0.8	0.2	-1.7	-2.2	-0.3	-0.9	-1.7
Illicit Drugs							
2021-2022	2.1	2.6	3.3	5.0	15.3	23.7	28.6
2019-2020 NS	6.3	7.3	11.3	14.9	20.7	28.2	33.1
diff	-4.2	-4.7	-8.0	-9.9	-5.4	-4.5	-4.5

1.2.3 Monthly Use

The following tables compare 2021-2022 monthly use figures to the 2019-2020 Pride Summary for all schools. A negative figure in the diff row indicates that 2021-2022 percentages for monthly use are below 2019-2020 national percentages and a positive figure in the diff row indicates that 2021-2022 percentages for monthly use are above 2019-2020 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

Table 1.5: Monthly Use – 2021-2022 vs 2019-2020 – DFC Drugs

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Cigarettes							
2021-2022	0.0	0.0	0.8	2.5	4.3	5.1	11.0
2019-2020 NS	NA	NA	NA	NA	NA	NA	NA
diff	NA	NA	NA	NA	NA	NA	NA
Alcohol							
2021-2022	0.7	2.6	4.2	12.7	21.1	16.9	35.8
2019-2020 NS	2.6	4.2	8.7	11.2	19.4	25.8	35.6
diff	-1.9	-1.6	-4.5	1.5	1.7	-8.9	0.2
Marijuana							
2021-2022	0.7	1.3	0.8	2.5	9.9	10.2	17.4
2019-2020 NS	1.0	1.7	3.7	7.2	11.2	16.4	18.7
diff	-0.3	-0.4	-2.9	-4.7	-1.3	-6.2	-1.3
Prescription Drugs							
2021-2022	0.0	0.0	0.0	0.0	1.9	1.7	2.3
2019-2020 NS	1.2	1.4	1.6	2.1	2.2	2.4	3.2
diff	-1.2	-1.4	-1.6	-2.1	-0.3	-0.7	-0.9

Table 1.6: Monthly Use – 2021-2022 vs 2019-2020 – Illicit Drugs

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Cocaine							
2021-2022	0.0	0.0	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.3	0.2	0.2	0.5	0.9	1.0	1.4
diff	-0.3	-0.2	-0.2	-0.5	-0.3	-1.0	-0.9
Inhalants							
2021-2022	0.0	0.0	0.0	0.0	1.2	1.7	1.4
2019-2020 NS	1.4	1.7	1.3	1.0	1.1	1.4	1.2
diff	-1.4	-1.7	-1.3	-1.0	0.1	0.3	0.2
Hallucinogens							
2021-2022	0.0	0.0	0.0	0.0	1.2	0.0	0.9
2019-2020 NS	0.3	0.2	0.3	0.7	1.1	1.3	1.7
diff	-0.3	-0.2	-0.3	-0.7	0.1	-1.3	-0.8
Heroin							
2021-2022	0.0	0.0	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.3	0.2	0.1	0.4	0.8	0.7	1.1
diff	-0.3	-0.2	-0.1	-0.4	-0.2	-0.7	-0.6
Steroids							
2021-2022	0.0	0.0	0.0	0.0	0.6	0.0	1.8
2019-2020 NS	0.7	0.3	0.4	0.6	0.9	0.9	1.0
diff	-0.7	-0.3	-0.4	-0.6	-0.3	-0.9	0.8

Table 1.7: Monthly Use – 2021-2022 vs 2019-2020 – Illicit Drugs (cont.)

DRUG/Location	6th	7th	8th	9th	10th	11th	12th
Ecstasy							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.4	0.3	0.2	0.6	1.0	0.9	1.3
diff	-0.4	1.0	-0.2	-0.6	-0.4	-0.9	-0.8
Meth							
2021-2022	0.0	1.3	0.0	0.0	0.6	0.0	0.5
2019-2020 NS	0.4	0.3	0.2	0.5	0.8	0.8	1.1
diff	-0.4	1.0	-0.2	-0.5	-0.2	-0.8	-0.6
Over-the-Counter Drugs							
2021-2022	0.0	1.3	0.0	0.0	1.2	1.7	0.9
2019-2020 NS	0.6	0.7	0.9	1.2	1.7	1.4	2.2
diff	-0.6	0.6	-0.9	-1.2	-0.5	0.3	-1.3
Illicit Drugs							
2021-2022	0.7	1.3	0.8	2.5	11.7	15.3	18.2
2019-2020 NS	3.3	4.5	5.8	9.0	12.6	17.9	20.2
diff	-2.6	-3.2	-5.0	-6.5	-0.9	-2.6	-2.0

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems.

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please contact:

Pride Surveys

2140 Newmarket Pkwy SE

Suite 116

Marietta, GA 30067

1-800-279-6361

1-770-726-9327

info@pridesurveys.com

www.pridesurveys.com

The following information is for **Pride Surveys** internal use only.

- Data Files: up215023-5027
- Filter:

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- **Reported 30-day Use** - the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** - the percentage of students who reported that a drug was *Moderate Risk* or *Great Risk*,
- **Perception of Parental Disapproval of Use** - the percentage of students who reported that their parents would feel if was *Wrong* or *Very Wrong* to use,
- **Perception of Friends' Disapproval of Use** - the percentage of students who reported that their friends would feel if was *Wrong* or *Very Wrong* to use,

for the drug categories of cigarettes, alcohol, marijuana, and prescription drugs for 30-day use and perception of risk and tobacco, alcohol, marijuana, and prescription drugs for parental and friends disapproval. The chapter entitled *Drug-Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

Measure	Cig/Tob	Alcohol	Marijuana	Presc. Drugs
Past 30-Day Use	4.3	16.4	7.6	1.1
Perceived Risk	88.2	64.6	57.2	88.0
Parental Disapproval	87.3	83.0	84.9	95.1
Friends Disapproval	72.3	69.7	69.5	87.1

2.2 Annual and Monthly Use

Table 2.2: Percentage of Students Who Report Using Drugs

DRUG	ANNUAL	MONTHLY
Tobacco	10.9	6.9
Cigarettes	–	4.3
E-cigarettes	14.4	14.0
Alcohol	23.6	16.4
Marijuana	10.2	7.6
Cocaine	0.5	0.2
Inhalants	0.6	0.7
Hallucinogens	1.7	0.5
Heroin	0.3	0.2
Steroids	1.0	0.6
Ecstasy	0.3	0.3
Meth	0.3	0.3
Prescription Drugs	1.5	1.1
Over-the-Counter Drugs	1.2	0.7
Opioid Pain Killers	1.3	0.6
Any Illicit Drug	13.4	8.5

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

DRUG	AT HOME	AT SCHOOL	IN A CAR	FRIENDS' HOUSE	OTHER
Tobacco	5.2	1.0	3.5	4.3	2.6
E-Cigarettes	8.6	2.9	7.1	9.0	4.2
Alcohol	15.8	0.5	0.9	9.8	4.0
Marijuana	4.8	0.7	2.6	6.2	1.7
Prescription Drugs	0.8	0.1	0.3	0.2	0.2
Opioid Pain Killers	0.5	0.1	0.2	0.2	0.2

2.4 When Students Use

Table 2.4: When Do Students Report Using

DRUG	BEFORE SCHOOL	DURING SCHOOL	AFTER SCHOOL	WEEK NIGHT	WEEK END
Tobacco	2.4	0.7	3.6	3.3	5.0
E-Cigarettes	6.5	3.3	8.4	7.2	9.3
Alcohol	0.8	0.2	2.6	3.1	18.0
Marijuana	1.5	0.8	2.8	2.9	7.0
Prescription Drugs	0.2	0.0	0.3	0.2	0.6
Opioid Pain Killers	0.3	0.0	0.2	0.0	0.2

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

FACTOR	PCT AT RISK
Guns NOT at School	6.1
Guns AT School	1.8
Gang Activity	0.6
Contemplate Suicide	10.0
Trouble With Police	15.0
Threaten A Student With a Gun, Knife or Club	0.7
Threaten To Hurt A Student By Hitting, Slapping or Kicking	13.0
Hurt A Student With A Gun, Knife or Club	0.2
Hurt A Student By Hitting, Slapping or Kicking	9.1
Been Threatened With a Gun, Knife or Club	3.9
Had A Student Threaten To Hit, Slap or Kick	24.5
Been Afraid A Student May Hurt You	23.0
Been Hurt By A Student With A Gun, Knife or Club	0.4
Been Hurt By A Student By Hitting, Slapping or Kicking	13.1

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

FACTOR	PCT PROTECTED
Make Good Grades	80.2
Attend Church or Synagogue	28.9
Take Part in Community Activities	18.1
Take Part in School Activities	37.1
Teachers Talk About the Dangers of Drugs	20.1
Parents Talk About the Dangers of Drugs	31.8

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use

3.1.1 Annual Use


The following section contains graphs depicting the percentage of students who reported any use within the past year of various drugs broken down by grade level.

Annual Use




Source: Pride Surveys

Annual Use




Source: Pride Surveys

Annual Use



Source: Pride Surveys

Annual Use




Source: Pride Surveys

3.1.2 Past 30-Day Use


The following section contains graphs depicting the percentage of students who reported past 30-day use of various drugs broken down by grade level.

Past 30-Day Use




Source: Pride Surveys

Past 30-Day Use




Source: Pride Surveys

Past 30-Day Use



Source: Pride Surveys

Past 30-Day Use




Source: Pride Surveys

3.2 Perception of Risk


The following section contains graphs depicting how students responded to the questions on the risk of using certain drugs broken down by grade level.

Perception of Risk One Or More Packs Of Cigarettes/Day



Source: Pride Surveys


Perception of Risk Use E-Cigarettes



Source: Pride Surveys


Perception of Risk

Five Or More Drinks of Alcohol 1-2/Week




Source: Pride Surveys

Perception of Risk 1-2 Drinks Of Alcohol Nearly Every Day




Source: Pride Surveys

Perception of Risk Smoke Marijuana 1-2/Week




Source: Pride Surveys

Perception of Risk Prescription Drugs Not Prescribed To You



Source: Pride Surveys

Perception of Risk Opioid Pain Killers To Get High




Source: Pride Surveys

3.3 Perception of Parental and Friend Disapproval

3.3.1 Perception of Parental Disapproval


The following section contains graphs depicting how students responded to the questions on parental disapproval of using certain drugs broken down by grade level.

Perception of Parental Disapproval Smoke Tobacco




Source: Pride Surveys

Perception of Parental Disapproval Use E-Cigarettes




Source: Pride Surveys

Perception of Parental Disapproval Drink Alcohol Nearly Every Day




Source: Pride Surveys

Perception of Parental Disapproval Smoke Marijuana




Source: Pride Surveys

Perception of Parental Disapproval Use Prescription Drugs Not Prescribed To You



Source: Pride Surveys

Perception of Parental Disapproval Use Opioid Pain Killers To Get High




Source: Pride Surveys

3.3.2 Perception of Friends' Disapproval


The following section contains graphs depicting how students responded to the questions on friends' disapproval of using certain drugs broken down by grade level.

Perception of Friends' Disapproval Smoke Tobacco




Source: Pride Surveys

Perception of Friends' Disapproval Use E-Cigarettes




Source: Pride Surveys

Perception of Friends' Disapproval Drink Alcohol Nearly Every Day




Source: Pride Surveys

Perception of Friends' Disapproval Smoke Marijuana




Source: Pride Surveys

Perception of Friends' Disapproval Use Prescription Drugs Not Prescribed To You



Source: Pride Surveys

Perception of Friends' Disapproval Use Opioid Pain Killers To Get High




Source: Pride Surveys

3.4 Average Age of Onset of Use


The following section contains graphs depicting the average age of onset of use (i.e. first use) for only those students who reported using certain drugs broken down by grade level.

Average Age of Onset of Use Tobacco




Source: Pride Surveys

Average Age of Onset of Use E-Cigarette




Source: Pride Surveys

Average Age of Onset of Use Alcohol




Source: Pride Surveys

Average Age of Onset of Use Marijuana




Source: Pride Surveys

Average Age of Onset of Use Cocaine




Source: Pride Surveys

Average Age of Onset of Use Inhalants




Source: Pride Surveys

Average Age of Onset of Use Hallucinogens




Source: Pride Surveys

Average Age of Onset of Use Heroin




Source: Pride Surveys

Average Age of Onset of Use Steroids




Source: Pride Surveys

Average Age of Onset of Use Ecstasy




Source: Pride Surveys

Average Age of Onset of Use Meth




Source: Pride Surveys

Average Age of Onset of Use Prescription Drugs Not Prescribed To You




Source: Pride Surveys

Average Age of Onset of Use Prescription Opioid Pain Killers To Get High



Source: Pride Surveys

Average Age of Onset of Use Over-the-Counter Drugs




Source: Pride Surveys

3.5 Student Information


The following section contains graphs depicting how students responded to questions that past analysis indicates are correlated with substance use broken down by grade level.

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules



Source: Pride Surveys

Parents Punish for Breaking Rules




Source: Pride Surveys

3.6 Availability and Sources


The following section contains graphs depicting how students responded to questions on both the availability of certain drugs broken down by grade level as well as sources for tobacco and e-cigarette products broken down by grade groups.

Availability Tobacco




Source: Pride Surveys

Availability E-Cigarettes




Source: Pride Surveys

Availability Alcohol



Source: Pride Surveys


Availability Marijuana



Source: Pride Surveys

Availability


Prescription Drugs Not Prescribed To You



Source: Pride Surveys


Availability

Prescription Opioid Pain Killers To Get High




Source: Pride Surveys

Sources Of Tobacco Products



Source: Pride Surveys

Sources Of E-Cigarette Products




Source: Pride Surveys

3.7 Where & When Do You Use

3.7.1 Where Do You Use


The following section contains graphs depicting how students responded to questions on where they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *At School* is typically the least popular location for drug use.

Where Do You Use Tobacco




Source: Pride Surveys

Where Do You Use E-Cigarettes




Source: Pride Surveys

Where Do You Use Alcohol




Source: Pride Surveys

Where Do You Use Marijuana




Source: Pride Surveys

Where Do You Use Prescription Drugs Not Prescribed To You



Source: Pride Surveys

Where Do You Use Prescription Opioid Pain Killers To Get High




Source: Pride Surveys

3.7.2 When Do You Use


The following section contains graphs depicting how students responded to questions on when they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *During School* is typically the least popular time for drug use.

When Do You Use Tobacco




Source: Pride Surveys

When Do You Use E-Cigarettes




Source: Pride Surveys

When Do You Use Alcohol




Source: Pride Surveys

When Do You Use Marijuana




Source: Pride Surveys

When Do You Use Prescription Drugs Not Prescribed To You



Source: Pride Surveys

When Do You Use Prescription Opioid Pain Killers To Get High




Source: Pride Surveys

3.8 Drug Use by Gender


The following section contains graphs depicting how students responded to questions on use in the past year of certain drugs broken down by grade and sex.

Annual Use by Gender Tobacco




Source: Pride Surveys

Annual Use by Gender E-Cigarettes




Source: Pride Surveys

Annual Use by Gender Alcohol




Source: Pride Surveys

Annual Use by Gender Marijuana




Source: Pride Surveys

Annual Use by Gender Cocaine




Source: Pride Surveys

Annual Use by Gender Inhalants




Source: Pride Surveys

Annual Use by Gender Hallucinogens




Source: Pride Surveys

Annual Use by Gender Heroin




Source: Pride Surveys

Annual Use by Gender Steroids




Source: Pride Surveys

Annual Use by Gender Ecstasy



Source: Pride Surveys


Annual Use by Gender Meth



Source: Pride Surveys

Annual Use by Gender


Prescription Drugs Not Prescribed To You



Source: Pride Surveys


Annual Use by Gender

Prescription Opioid Pain Killers To Get High




Source: Pride Surveys

Annual Use by Gender Over-the-Counter Drugs



Source: Pride Surveys

Annual Use by Gender Any Illicit Drug



Source: Pride Surveys

3.9 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.9.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

RESPONSE	PCT
Never	38.3
Seldom	17.3
Sometimes	15.5
Often	11.4
A Lot	17.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

RESPONSE	PCT
Never	47.3
Seldom	20.0
Sometimes	14.6
Often	9.5
A Lot	8.7

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

RESPONSE	PCT
Never	0.5
Seldom	1.4
Sometimes	17.9
Often	39.2
A Lot	41.0

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

RESPONSE	PCT
Never	29.5
Seldom	10.1
Sometimes	15.2
Often	16.8
A Lot	28.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

RESPONSE	PCT
Never	36.3
Seldom	12.8
Sometimes	13.8
Often	13.3
A Lot	23.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

RESPONSE	PCT
Never	48.0
Seldom	36.4
Sometimes	12.9
Often	1.3
A Lot	1.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.7 Teachers Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

RESPONSE	PCT
Never	20.5
Seldom	27.1
Sometimes	32.3
Often	12.8
A Lot	7.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.8: Parents Talk About Dangers of Drugs

RESPONSE	PCT
Never	15.5
Seldom	19.5
Sometimes	33.2
Often	19.3
A Lot	12.5

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

RESPONSE	PCT
Never	2.0
Seldom	4.8
Sometimes	16.0
Often	37.9
A Lot	39.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

RESPONSE	PCT
Never	4.2
Seldom	10.5
Sometimes	28.7
Often	35.8
A Lot	20.8

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys

3.10 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions regarding drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

$$\frac{\text{Number of those reporting carrying a gun to school and claiming to use liquor}}{\text{Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*}}$$

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.11 Carrying a Gun to School

Total number of students surveyed = 860

Total number who responded to this question = 831

15 student(s) reported carrying a gun to school. (1.8% of total responding)

Of the 15 student(s) who reported carrying a gun to school,

7 report(s) using alcohol (46.7%),


4 report(s) using marijuana (26.7%),

1 report(s) using cocaine (6.7%),

1 report(s) using Meth (6.7%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug Use of Students Who Reported Carrying a Gun to School vs. Students Who Did Not



Source: Pride Surveys

Drug	Gun	No Gun	Ratio
Alcohol	46.7%	22.5%	2.1
Marijuana	26.7%	8.7%	3.1
Cocaine	6.7%	0.4%	16.8
Meth	6.7%	0.2%	33.5
N of Students	15	816	

3.12 Involvement in Gangs

Total number of students surveyed = 860

Total number who responded to this question = 859

28 student(s) reported involvement in gangs. (3.3% of total responding)

Of the 28 student(s) who reported involvement in gangs,


11 report(s) using alcohol (39.3%),

4 report(s) using marijuana (14.8%),

2 report(s) using cocaine (7.1%),

2 report(s) using Meth (7.1%).

Drug Use of Students Who Reported Involvement in Gangs vs. Students Who Did Not



Source: Pride Surveys

NOTE: Results based on students who reported any involvement with gangs

Drug	Gang	No Gang	Ratio
Alcohol	39.3%	23.1%	1.7
Marijuana	14.8%	10.1%	1.5
Cocaine	7.1%	0.2%	35.5
Meth	7.1%	0.1%	71.0
N of Students	28	831	

3.13 Thinking About Suicide

Total number of students surveyed = 860

Total number who responded to this question = 852

85 student(s) reported thinking about suicide. (10.0% of total responding)

Of the 85 student(s) who reported thinking about suicide,

40 report(s) using alcohol (47.1%),


23 report(s) using marijuana (27.1%),

1 report(s) using cocaine (1.2%),

1 report(s) using Meth (1.2%).

NOTE: Results based on students who reported thinking Often or A Lot about committing suicide

Drug Use of Students Who Reported Thinking About Suicide vs. Students Who Did Not



Source: Pride Surveys

Drug	Suicide	No Suicide	Ratio
Alcohol	47.1%	21.2%	2.2
Marijuana	27.1%	8.5%	3.2
Cocaine	1.2%	0.4%	3.0
Meth	1.2%	0.3%	4.0
N of Students	85	767	

3.14 Being Overweight

Total number of students surveyed = 860

Total number who responded to this question = 858

254 student(s) reported being overweight. (29.6% of total responding)

Of the 254 student(s) who reported being overweight,

84 report(s) using alcohol (33.1%),


28 report(s) using marijuana (11.1%),

1 report(s) using cocaine (0.4%),

1 report(s) using Meth (0.4%).

NOTE: Results based on students who reported thinking that they were overweight

Drug Use of Students Who Reported Being Overweight vs. Students Who Did Not



Source: Pride Surveys

Drug	Overweight	No Overweight	Ratio
Alcohol	33.1%	19.6%	1.7
Marijuana	11.1%	9.9%	1.1
Cocaine	0.4%	0.5%	0.8
Meth	0.4%	0.3%	1.3
N of Students	254	604	

3.15 Threatening/Harmful Behaviors

Total number of students surveyed = 860

Total number who responded to this question = 831

108 student(s) reported threatening/harmful behaviors. (13.0% of total responding)

Of the 108 student(s) who reported threatening/harmful behaviors,

56 report(s) using alcohol (51.9%),


26 report(s) using marijuana (24.1%),

2 report(s) using cocaine (1.9%),

1 report(s) using Meth (0.9%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



Source: Pride Surveys

Drug	Threat	No Threat	Ratio
Alcohol	51.9%	18.6%	2.8
Marijuana	24.1%	6.8%	3.5
Cocaine	1.9%	0.1%	19.0
Meth	0.9%	0.1%	9.0
N of Students	108	723	

3.16 Trouble with Police

Total number of students surveyed = 860

Total number who responded to this question = 853

128 student(s) reported trouble with police. (15.0% of total responding)

Of the 128 student(s) who reported trouble with police,

68 report(s) using alcohol (53.1%),


42 report(s) using marijuana (33.1%),

2 report(s) using cocaine (1.6%),

1 report(s) using Meth (0.8%).

NOTE: Results based on students who reported any trouble with police

Drug Use of Students Who Reported Trouble with Police vs. Students Who Did Not



Source: Pride Surveys

Drug	Police	No Police	Ratio
Alcohol	53.1%	18.3%	2.9
Marijuana	33.1%	6.2%	5.3
Cocaine	1.6%	0.3%	5.3
Meth	0.8%	0.3%	2.7
N of Students	128	725	

3.17 Personal Safety

Total number of students surveyed = 860

191 students report being afraid another student will hurt them at school.
(23.0% of total responding)

Of these 191 students, 3 report carrying a gun to school (1.6%).

109 students report getting hurt at school. (13.1% of total responding)

Of these 109 students, 3 report carrying a gun to school (2.8%).

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 6 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
White	85.0	90.7	88.1	97.3	87.0	93.2	89.5	87.4	90.3	89.2	
African American	3.8	2.7	2.5	0.0	1.2	1.7	0.5	3.1	0.8	1.7	
Hispanic/Latino	0.8	0.0	2.5	0.0	1.9	0.0	4.5	1.2	2.5	2.0	
Asian/Pacific Islander	0.0	0.0	0.8	0.0	0.0	1.7	1.4	0.3	0.8	0.6	
Native American	3.0	2.7	0.8	1.3	1.9	1.7	1.4	2.1	1.6	1.8	
Mixed Origin	6.0	2.7	3.4	1.3	7.4	1.7	2.3	4.3	3.7	3.9	
Other	1.5	1.3	1.7	0.0	0.6	0.0	0.5	1.5	0.4	0.8	
N of Valid	133	75	118	75	162	59	220	326	516	842	
N of Miss	9	1	2	5	1	0	0	12	6	18	

Table 4.2: Sex

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Male	52.9	42.1	47.5	46.8	57.1	68.4	57.0	48.5	56.8	53.5	
Female	47.1	57.9	52.5	53.2	42.9	31.6	43.0	51.5	43.2	46.5	
N of Valid	136	76	118	79	161	57	214	330	511	841	
N of Miss	6	0	2	1	2	2	6	8	11	19	

Table 4.3: Age

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
10 or under	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1
11	54.2	0.0	0.0	0.0	0.0	0.0	0.0	22.8	0.0	9.0
12	43.0	38.2	0.0	0.0	0.0	0.0	0.0	26.6	0.0	10.5
13	1.4	56.6	51.7	0.0	0.0	0.0	0.0	31.7	0.0	12.4
14	0.0	3.9	45.0	62.5	0.0	0.0	0.0	16.9	9.6	12.4
15	0.0	0.0	3.3	37.5	44.8	0.0	0.0	1.2	19.7	12.4
16	0.0	0.0	0.0	0.0	53.4	39.0	0.0	0.0	21.1	12.8
17	0.0	1.3	0.0	0.0	1.8	59.3	44.5	0.3	26.1	15.9
18	0.7	0.0	0.0	0.0	0.0	1.7	52.3	0.3	22.2	13.6
19+	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	1.3	0.8
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.4: Do you live with...

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Both Parents	66.9	59.2	65.8	62.0	63.6	62.7	51.6	64.8	58.2	60.8
Mother Only	5.8	13.2	11.7	12.7	9.3	10.2	14.2	9.6	11.9	11.0
Father Only	2.9	1.3	5.0	3.8	3.7	5.1	3.7	3.3	3.9	3.6
Mother & Stepfather	8.6	10.5	5.8	8.9	11.1	11.9	16.4	8.1	13.1	11.1
Father & Stepmother	1.4	2.6	1.7	5.1	4.9	3.4	3.7	1.8	4.2	3.3
Other	14.4	13.2	10.0	7.6	7.4	6.8	10.5	12.5	8.7	10.2
N of Valid	139	76	120	79	162	59	219	335	519	854
N of Miss	3	0	0	1	1	0	1	3	3	6

Table 4.5: Do you have a job?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	0.7	0.0	0.0	0.0	2.5	1.8	10.1	0.3	5.2	3.3
Yes, Part-time	4.3	12.3	8.4	11.2	32.7	52.6	56.9	7.6	41.8	28.4
No	95.0	87.7	91.6	88.8	64.8	45.6	33.0	92.1	53.0	68.3
N of Valid	139	73	119	80	162	57	218	331	517	848
N of Miss	3	3	1	0	1	2	2	7	5	12

Table 4.6: Does your father have a job?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	79.6	83.8	80.2	85.7	84.0	80.4	77.8	80.7	81.3	81.0
Yes, Part-time	12.4	7.4	12.1	5.2	7.4	7.1	5.8	11.2	6.4	8.3
No	8.0	8.8	7.8	9.1	8.6	12.5	16.4	8.1	12.4	10.7
N of Valid	137	68	116	77	162	56	207	321	502	823
N of Miss	5	8	4	3	1	3	13	17	20	37

Table 4.7: Does your mother have a job?


RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	67.9	73.7	70.2	70.9	72.0	62.1	70.0	70.0	69.9	69.9
Yes, Part-time	19.7	18.4	17.5	7.6	15.5	17.2	15.0	18.7	14.3	16.0
No	12.4	7.9	12.3	21.5	12.4	20.7	15.0	11.3	15.9	14.1
N of Valid	137	76	114	79	161	58	213	327	511	838
N of Miss	5	0	6	1	2	1	7	11	11	22

Table 4.8: What is the educational level of your father?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Some High School	6.8	10.1	9.1	7.7	9.9	9.3	12.7	8.4	10.7	9.8
High School Graduate	36.4	37.7	34.5	39.7	37.9	40.7	43.9	36.0	41.0	39.1
Some College	10.6	23.2	17.3	12.8	16.1	14.8	10.8	15.8	13.3	14.2
College Graduate	46.2	29.0	39.1	39.7	36.0	35.2	32.5	39.9	35.0	36.9
N of Valid	132	69	110	78	161	54	212	311	505	816
N of Miss	10	7	10	2	2	5	8	27	17	44

Table 4.9: What is the educational level of your mother?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Some High School	3.7	1.3	4.5	2.6	2.5	3.4	6.1	3.4	4.1	3.9
High School Graduate	22.2	32.9	22.7	30.8	26.9	31.0	34.1	24.9	31.0	28.6
Some College	11.1	13.2	17.3	17.9	14.4	8.6	18.7	13.7	16.1	15.2
College Graduate	63.0	52.6	55.5	48.7	56.2	56.9	41.1	57.9	48.8	52.3
N of Valid	135	76	110	78	160	58	214	321	510	831
N of Miss	7	0	10	2	3	1	6	17	12	29



4.2 Student Information

Table 4.10: Do you make good grades?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	0.7	0.0	0.8	0.0	0.0	0.0	0.9	0.6	0.4	0.5
Seldom	2.1	1.3	0.0	0.0	1.8	1.7	1.8	1.2	1.5	1.4
Sometimes	17.7	21.3	20.0	12.5	20.2	22.0	15.0	19.3	17.0	17.9
Often	45.4	37.3	39.2	37.5	37.4	54.2	33.6	41.4	37.7	39.2
A Lot	34.0	40.0	40.0	50.0	40.5	22.0	48.6	37.5	43.3	41.0
N of Valid	141	75	120	80	163	59	220	336	522	858
N of Miss	1	1	0	0	0	0	0	2	0	2

Table 4.11: Do you get into trouble at school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	41.0	39.2	33.6	42.9	55.9	59.3	56.3	38.0	54.5	48.0
Seldom	35.3	43.2	52.9	37.7	31.1	27.1	31.6	43.4	31.8	36.4
Sometimes	21.6	17.6	11.8	15.6	9.3	13.6	7.9	17.2	10.2	12.9
Often	0.7	0.0	0.0	1.3	2.5	0.0	2.3	0.3	2.0	1.3
A Lot	1.4	0.0	1.7	2.6	1.2	0.0	1.9	1.2	1.6	1.4
N of Valid	139	74	119	77	161	59	215	332	512	844
N of Miss	3	2	1	3	2	0	5	6	10	16

Table 4.12: Do you take part in school sports teams?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	30.9	28.9	22.5	10.0	25.8	32.8	41.9	27.5	30.9	29.5
Seldom	9.4	3.9	9.2	5.0	10.4	12.1	14.3	8.1	11.4	10.1
Sometimes	16.5	19.7	12.5	22.5	12.9	13.8	13.8	15.8	14.9	15.2
Often	15.8	13.2	24.2	18.8	17.8	22.4	11.5	18.2	15.8	16.8
A Lot	27.3	34.2	31.7	43.8	33.1	19.0	18.4	30.4	27.0	28.4
N of Valid	139	76	120	80	163	58	217	335	518	853
N of Miss	3	0	0	0	0	1	3	3	4	7

Table 4.13: Do you take part in school activities such as band, clubs, etc.?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	29.8	39.5	29.4	28.2	39.3	44.8	41.6	31.8	39.2	36.3
Seldom	9.9	5.3	17.6	6.4	17.2	15.5	12.8	11.6	13.5	12.8
Sometimes	14.2	11.8	10.1	17.9	11.7	6.9	18.3	12.2	14.9	13.8
Often	18.4	14.5	11.8	17.9	10.4	19.0	9.6	15.2	12.2	13.3
A Lot	27.7	28.9	31.1	29.5	21.5	13.8	17.8	29.2	20.3	23.8
N of Valid	141	76	119	78	163	58	219	336	518	854
N of Miss	1	0	1	2	0	1	1	2	4	6

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	46.4	53.9	47.9	38.0	46.6	46.6	49.1	48.7	46.3	47.3
Seldom	14.3	15.8	22.7	17.7	21.5	24.1	22.3	17.6	21.5	20.0
Sometimes	14.3	10.5	12.6	24.1	14.1	22.4	12.3	12.8	15.8	14.6
Often	13.6	10.5	8.4	11.4	7.4	5.2	9.1	11.0	8.5	9.5
A Lot	11.4	9.2	8.4	8.9	10.4	1.7	7.3	9.9	7.9	8.7
N of Valid	140	76	119	79	163	58	220	335	520	855
N of Miss	2	0	1	1	0	1	0	3	2	5

Table 4.15: Do you attend church, synagogue, etc.?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	26.8	40.5	39.2	35.0	41.1	42.4	42.3	34.3	40.8	38.3
Seldom	10.9	10.8	20.8	20.0	18.4	13.6	20.9	14.5	19.2	17.3
Sometimes	20.3	16.2	13.3	12.5	16.0	8.5	15.9	16.9	14.6	15.5
Often	16.7	10.8	10.8	12.5	12.3	6.8	8.6	13.3	10.2	11.4
A Lot	25.4	21.6	15.8	20.0	12.3	28.8	12.3	21.1	15.3	17.6
N of Valid	138	74	120	80	163	59	220	332	522	854
N of Miss	4	2	0	0	0	0	0	6	0	6

Table 4.16: Do your parents talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	15.3	19.7	16.9	10.4	9.3	15.5	19.7	16.9	14.6	15.5
Seldom	15.3	17.1	19.5	14.3	24.7	19.0	21.1	17.2	21.0	19.5
Sometimes	33.6	19.7	32.2	36.4	37.7	39.7	32.1	29.9	35.3	33.2
Often	18.2	22.4	19.5	19.5	21.6	15.5	17.9	19.6	19.0	19.3
A Lot	17.5	21.1	11.9	19.5	6.8	10.3	9.2	16.3	10.1	12.5
N of Valid	137	76	118	77	162	58	218	331	515	846
N of Miss	5	0	2	3	1	1	2	7	7	14

Table 4.17: Do your teachers talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	20.6	31.6	16.7	5.1	19.1	23.7	24.5	21.7	19.8	20.5
Seldom	22.8	32.9	27.5	27.8	32.1	25.4	24.1	26.8	27.3	27.1
Sometimes	37.5	21.1	32.5	34.2	30.9	32.2	33.2	31.9	32.5	32.3
Often	10.3	6.6	15.8	17.7	11.7	13.6	13.6	11.4	13.7	12.8
A Lot	8.8	7.9	7.5	15.2	6.2	5.1	4.5	8.1	6.7	7.3
N of Valid	136	76	120	79	162	59	220	332	520	852
N of Miss	6	0	0	1	1	0	0	6	2	8

Table 4.18: Have you skipped school without your parents' permission in the past year?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	96.4	92.1	91.6	93.7	84.6	86.4	80.8	93.7	84.6	88.2
Seldom	1.4	7.9	4.2	5.1	7.4	8.5	7.8	3.9	7.3	6.0
Sometimes	0.7	0.0	1.7	0.0	6.8	3.4	6.8	0.9	5.4	3.6
Often	1.4	0.0	0.0	0.0	1.2	1.7	2.7	0.6	1.7	1.3
A Lot	0.0	0.0	2.5	1.3	0.0	0.0	1.8	0.9	1.0	0.9
N of Valid	139	76	119	79	162	59	219	334	519	853
N of Miss	3	0	1	1	1	0	1	4	3	7

Table 4.19: Does your school set clear rules on using drugs at school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	6.6	1.3	1.7	5.1	1.2	3.4	3.2	3.6	2.9	3.2
Seldom	2.9	8.0	1.7	3.8	11.1	3.4	5.0	3.6	6.6	5.4
Sometimes	7.4	8.0	10.0	7.7	12.3	12.1	14.1	8.5	12.4	10.8
Often	16.9	21.3	30.8	28.2	30.2	27.6	24.1	23.0	27.0	25.4
A Lot	66.2	61.3	55.8	55.1	45.1	53.4	53.6	61.3	51.2	55.1
N of Valid	136	75	120	78	162	58	220	331	518	849
N of Miss	6	1	0	2	1	1	0	7	4	11

Table 4.20: Does your school set clear rules on bullying or threatening other students at school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	6.5	2.7	0.8	3.8	11.1	8.5	11.9	3.6	10.0	7.5
Seldom	2.9	8.1	8.4	11.2	19.1	11.9	12.8	6.0	14.4	11.2
Sometimes	6.5	10.8	21.0	23.8	21.0	16.9	26.5	12.7	23.3	19.1
Often	23.7	24.3	30.3	27.5	23.5	25.4	19.2	26.2	22.5	23.9
A Lot	60.4	54.1	39.5	33.8	25.3	37.3	29.7	51.5	29.8	38.3
N of Valid	139	74	119	80	162	59	219	332	520	852
N of Miss	3	2	1	0	1	0	1	6	2	8

Table 4.21: Do your parents set clear rules for you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	0.7	0.0	0.8	2.5	0.0	3.4	5.0	0.6	2.9	2.0
Seldom	2.8	1.3	4.2	3.8	4.9	8.6	6.8	3.0	6.0	4.8
Sometimes	13.4	9.2	13.4	6.2	18.4	13.8	23.6	12.5	18.2	16.0
Often	26.1	31.6	41.2	45.0	46.0	37.9	37.3	32.6	41.3	37.9
A Lot	57.0	57.9	40.3	42.5	30.7	36.2	27.3	51.3	31.7	39.4
N of Valid	142	76	119	80	163	58	220	337	521	858
N of Miss	0	0	1	0	0	1	0	1	1	2

Table 4.22: Do your parents punish you when you break the rules?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	3.5	1.3	2.5	3.8	0.6	6.9	8.8	2.7	5.2	4.2
Seldom	6.3	10.5	11.0	10.1	10.6	8.6	13.4	8.9	11.5	10.5
Sometimes	27.5	32.9	28.8	21.5	29.8	27.6	30.0	29.2	28.3	28.7
Often	33.1	35.5	37.3	40.5	40.4	32.8	32.7	35.1	36.3	35.8
A Lot	29.6	19.7	20.3	24.1	18.6	24.1	15.2	24.1	18.6	20.8
N of Valid	142	76	118	79	161	58	217	336	515	851
N of Miss	0	0	2	1	2	1	3	2	7	9

Table 4.23: Have you been in trouble with the police?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	93.6	93.3	92.2	88.8	83.4	74.6	75.5	93.1	79.9	85.0
Seldom	4.3	4.0	4.3	6.2	9.8	16.9	15.9	4.2	12.6	9.4
Sometimes	1.4	2.7	2.6	3.8	5.5	6.8	7.3	2.1	6.1	4.6
Often	0.7	0.0	0.0	0.0	0.6	0.0	1.4	0.3	0.8	0.6
A Lot	0.0	0.0	0.9	1.2	0.6	1.7	0.0	0.3	0.6	0.5
N of Valid	140	75	116	80	163	59	220	331	522	853
N of Miss	2	1	4	0	0	0	0	7	0	7

Table 4.24: Do you take part in gang activities?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	93.0	96.1	99.2	97.5	98.2	100.0	95.9	95.9	97.3	96.7
Seldom	3.5	3.9	0.0	2.5	0.6	0.0	1.4	2.4	1.2	1.6
Sometimes	3.5	0.0	0.8	0.0	0.6	0.0	0.9	1.8	0.6	1.0
Often	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
A Lot	0.0	0.0	0.0	0.0	0.6	0.0	1.4	0.0	0.8	0.5
N of Valid	142	76	120	80	163	59	219	338	521	859
N of Miss	0	0	0	0	0	0	1	0	1	1

Table 4.25: Have you thought about committing suicide?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	84.9	69.7	65.5	76.2	60.5	62.7	55.5	74.6	61.0	66.3
Seldom	9.4	14.5	16.4	10.0	12.3	18.6	14.5	13.0	13.6	13.4
Sometimes	3.6	6.6	6.9	8.8	12.3	10.2	16.8	5.4	13.4	10.3
Often	1.4	3.9	3.4	5.0	6.2	1.7	6.8	2.7	5.8	4.6
A Lot	0.7	5.3	7.8	0.0	8.6	6.8	6.4	4.2	6.1	5.4
N of Valid	139	76	116	80	162	59	220	331	521	852
N of Miss	3	0	4	0	1	0	0	7	1	8

Table 4.26: Do your friends use tobacco (cigarettes, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	94.3	94.7	81.2	82.5	60.1	66.1	41.8	89.8	56.5	69.5
Seldom	3.5	2.6	9.4	12.5	14.7	8.5	14.1	5.4	13.4	10.3
Sometimes	1.4	1.3	7.7	2.5	12.3	6.8	16.4	3.6	11.9	8.6
Often	0.7	1.3	0.0	1.2	5.5	10.2	14.5	0.6	9.2	5.8
A Lot	0.0	0.0	1.7	1.2	7.4	8.5	13.2	0.6	9.0	5.7
N of Valid	141	76	117	80	163	59	220	334	522	856
N of Miss	1	0	3	0	0	0	0	4	0	4

Table 4.27: Do your friends use alcohol (beer, liquor, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	97.2	93.4	83.2	77.5	50.9	59.3	32.7	91.4	48.3	65.2
Seldom	0.7	5.3	11.8	15.0	18.4	11.9	15.0	5.7	15.7	11.8
Sometimes	1.4	1.3	3.4	7.5	16.0	11.9	23.6	2.1	17.4	11.4
Often	0.7	0.0	0.0	0.0	7.4	8.5	14.5	0.3	9.4	5.8
A Lot	0.0	0.0	1.7	0.0	7.4	8.5	14.1	0.6	9.2	5.8
N of Valid	141	76	119	80	163	59	220	336	522	858
N of Miss	1	0	1	0	0	0	0	2	0	2

Table 4.28: Do your friends use marijuana (pot, hash, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	97.9	96.1	92.4	87.5	62.6	66.1	42.9	95.5	58.5	73.0	
Seldom	1.4	3.9	5.9	11.2	12.3	8.5	12.8	3.6	11.9	8.6	
Sometimes	0.7	0.0	0.8	1.2	10.4	5.1	14.6	0.6	10.2	6.4	
Often	0.0	0.0	0.0	0.0	5.5	10.2	17.8	0.0	10.4	6.3	
A Lot	0.0	0.0	0.8	0.0	9.2	10.2	11.9	0.3	9.0	5.6	
N of Valid	141	76	119	80	163	59	219	336	521	857	
N of Miss	1	0	1	0	0	0	1	2	1	3	

Table 4.29: Do your friends use prescription drugs not prescribed to them?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	99.3	97.4	94.9	96.2	91.4	86.2	82.7	97.3	87.9	91.6	
Seldom	0.0	2.6	1.7	2.5	2.5	8.6	10.0	1.2	6.3	4.3	
Sometimes	0.7	0.0	1.7	1.3	3.1	5.2	3.6	0.9	3.3	2.3	
Often	0.0	0.0	1.7	0.0	2.5	0.0	2.3	0.6	1.7	1.3	
A Lot	0.0	0.0	0.0	0.0	0.6	0.0	1.4	0.0	0.8	0.5	
N of Valid	142	76	117	79	163	58	220	335	520	855	
N of Miss	0	0	3	1	0	1	0	3	2	5	

Table 4.30: Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	98.6	97.4	98.3	100.0	81.0	89.7	73.6	98.2	81.8	88.2
Seldom	0.7	1.3	1.7	0.0	7.4	3.4	6.8	1.2	5.6	3.9
Sometimes	0.7	1.3	0.0	0.0	8.6	1.7	8.2	0.6	6.3	4.1
Often	0.0	0.0	0.0	0.0	1.2	3.4	4.5	0.0	2.7	1.6
A Lot	0.0	0.0	0.0	0.0	1.8	1.7	6.8	0.0	3.6	2.2
N of Valid	140	76	120	80	163	58	220	336	521	857
N of Miss	2	0	0	0	0	1	0	2	1	3

Table 4.31: Do you think that you are overweight?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	16.3	27.6	31.1	25.0	33.1	23.7	38.6	24.1	33.1	29.6
No	83.7	72.4	68.9	75.0	66.9	76.3	61.4	75.9	66.9	70.4
N of Valid	141	76	119	80	163	59	220	336	522	858
N of Miss	1	0	1	0	0	0	0	2	0	2

Table 4.32: Has a doctor told you that you are overweight?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	2.1	3.9	8.3	10.0	10.5	6.8	16.4	4.8	12.5	9.5
No	97.9	96.1	91.7	90.0	89.5	93.2	83.6	95.2	87.5	90.5
N of Valid	140	76	120	80	162	59	220	336	521	857
N of Miss	2	0	0	0	1	0	0	2	1	3

Table 4.33: Have you bought or sold drugs AT school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	1.2	3.1	1.7	3.2	0.0	2.7	1.6
No	100.0	100.0	100.0	98.8	96.9	98.3	96.8	100.0	97.3	98.4
N of Valid	142	76	120	80	162	59	220	338	521	859
N of Miss	0	0	0	0	1	0	0	0	1	1

Table 4.34: Have you bought or sold drugs when NOT at school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.8	1.2	4.9	6.8	15.0	0.3	8.8	5.5
No	100.0	100.0	99.2	98.8	95.1	93.2	85.0	99.7	91.2	94.5
N of Valid	142	75	120	80	163	59	220	337	522	859
N of Miss	0	1	0	0	0	0	0	1	0	1

Table 4.35: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	2.1	5.3	1.7	5.0	10.4	5.1	8.6	2.7	8.2	6.1
No	97.9	94.7	98.3	95.0	89.6	94.9	91.4	97.3	91.8	93.9
N of Valid	142	76	118	80	163	59	220	336	522	858
N of Miss	0	0	2	0	0	0	0	2	0	2

Table 4.36: Do you own a cell phone?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	74.6	85.5	92.5	95.0	95.1	94.9	97.7	83.4	96.2	91.2
No	25.4	14.5	7.5	5.0	4.9	5.1	2.3	16.6	3.8	8.8
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.37: In the past year have you tried to cut down on the time you were on your cell phone?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	50.0	53.9	54.2	58.8	58.3	54.2	55.9	52.4	56.9	55.1
No	50.0	46.1	45.8	41.2	41.7	45.8	44.1	47.6	43.1	44.9
N of Valid	142	76	118	80	163	59	220	336	522	858
N of Miss	0	0	2	0	0	0	0	2	0	2

Table 4.38: Do you think that any of your friends use their cell phones too much?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	53.6	47.4	49.2	60.0	63.8	65.5	62.1	50.6	62.7	57.9
No	46.4	52.6	50.8	40.0	36.2	34.5	37.9	49.4	37.3	42.1
N of Valid	140	76	120	80	163	58	219	336	520	856
N of Miss	2	0	0	0	0	1	1	2	2	4

4.3 Within The Past Year How Often Have You...

Table 4.39: Within the past year how often have you used tobacco (cigarettes, cigars, dip, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	99.3	98.7	98.3	96.2	85.9	88.1	74.1	98.8	82.8	89.1	
Once/year	0.7	0.0	0.8	1.2	4.9	3.4	4.1	0.6	3.8	2.6	
6 times/year	0.0	0.0	0.0	2.5	1.8	3.4	2.7	0.0	2.5	1.5	
Once/month	0.0	0.0	0.0	0.0	1.8	0.0	3.2	0.0	1.9	1.2	
Twice/month	0.0	0.0	0.0	0.0	1.8	0.0	0.5	0.0	0.8	0.5	
Once/week	0.0	1.3	0.0	0.0	0.6	0.0	2.3	0.3	1.1	0.8	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	1.1	0.7	
Every day	0.0	0.0	0.8	0.0	3.1	5.1	10.5	0.3	5.9	3.7	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.40: Within the past year how often have you drunk alcohol (beer, coolers, liquor, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	99.3	96.1	90.0	83.8	67.3	78.0	50.9	95.3	64.2	76.4	
Once/year	0.0	1.3	9.2	8.8	16.7	8.5	16.1	3.6	14.3	10.0	
6 times/year	0.7	0.0	0.8	6.2	6.2	8.5	8.3	0.6	7.3	4.7	
Once/month	0.0	1.3	0.0	0.0	5.6	1.7	8.3	0.3	5.4	3.4	
Twice/month	0.0	1.3	0.0	1.2	3.1	1.7	6.0	0.3	3.9	2.5	
Once/week	0.0	0.0	0.0	0.0	0.6	1.7	9.2	0.0	4.2	2.6	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.4	
N of Valid	142	76	120	80	162	59	218	338	519	857	
N of Miss	0	0	0	0	1	0	2	0	3	3	

Table 4.41: Within the past year how often have you smoked marijuana (pot, hash, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	100.0	98.3	96.2	88.9	84.7	74.5	99.4	83.5	89.8
Once/year	0.0	0.0	1.7	0.0	2.5	5.1	9.1	0.6	5.2	3.4
6 times/year	0.0	0.0	0.0	2.5	1.9	1.7	2.3	0.0	2.1	1.3
Once/month	0.0	0.0	0.0	1.2	1.9	0.0	3.6	0.0	2.3	1.4
Twice/month	0.0	0.0	0.0	0.0	2.5	0.0	2.3	0.0	1.7	1.0
Once/week	0.0	0.0	0.0	0.0	1.9	0.0	1.8	0.0	1.3	0.8
3 times/week	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.0	0.4	0.2
Every day	0.0	0.0	0.0	0.0	0.6	6.8	5.9	0.0	3.5	2.1
N of Valid	142	76	120	80	162	59	220	338	521	859
N of Miss	0	0	0	0	1	0	0	0	1	1

Table 4.42: Within the past year how often have you used cocaine (crack, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	100.0	100.0	99.4	100.0	99.1	99.7	99.4	99.5
Once/year	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1
N of Valid	142	76	120	80	163	58	220	338	521	859
N of Miss	0	0	0	0	0	1	0	0	1	1

Table 4.43: Within the past year how often have you used inhalants (glue, gas, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	100.0	100.0	99.4	96.6	99.5	99.7	99.2	99.4
Once/year	0.0	1.3	0.0	0.0	0.0	1.7	0.0	0.3	0.2	0.2
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.0	0.6	1.7	0.5	0.0	0.6	0.3
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.44: Within the past year how often have you used hallucinogens (PCP, LSD, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	100.0	100.0	98.2	96.6	95.9	99.7	97.3	98.3
Once/year	0.0	0.0	0.0	0.0	0.0	3.4	2.7	0.0	1.5	0.9
6 times/year	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3
Once/month	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.45: Within the past year how often have you used heroin (opiates)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	100.0	100.0	99.4	100.0	99.5	99.7	99.6	99.7
Once/year	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.46: Within the past year how often have you used steroids?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	100.0	99.2	100.0	99.4	100.0	96.8	99.7	98.5	99.0
Once/year	0.0	0.0	0.8	0.0	0.0	0.0	0.9	0.3	0.4	0.3
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.3
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.47: Within the past year how often have you used ecstasy (MDMA, Molly)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	100.0	98.7	100.0	100.0	99.4	100.0	99.5	99.7	99.6	99.7	
Once/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/month	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
N of Valid	141	76	120	80	163	59	220	337	522	859	
N of Miss	1	0	0	0	0	0	0	1	0	1	

Table 4.48: Within the past year how often have you used meth (crystal, ice, crank, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	100.0	98.7	100.0	100.0	99.4	100.0	99.5	99.7	99.6	99.7	
Once/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Twice/month	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
N of Valid	141	76	120	80	163	59	219	337	521	858	
N of Miss	1	0	0	0	0	0	1	1	1	2	

Table 4.49: Within the past year how often have you used prescription drugs not prescribed to you (such as Ritalin, Xanax or OxyContin)??

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	100.0	100.0	99.2	100.0	98.2	96.6	96.8	99.7	97.7	98.5	
Once/year	0.0	0.0	0.8	0.0	0.6	3.4	1.4	0.3	1.1	0.8	
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.4	0.2	
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
Once/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.50: Within the past year how often have you used over-the-counter drugs (to get high)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	100.0	98.7	100.0	100.0	97.5	98.3	98.2	99.7	98.3	98.8	
Once/year	0.0	1.3	0.0	0.0	1.2	0.0	0.9	0.3	0.8	0.6	
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
3 times/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
Every day	0.0	0.0	0.0	0.0	0.6	1.7	0.0	0.0	0.4	0.2	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.51: Within the past year how often have you used synthetic marijuana (K2, Spice, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	100.0	100.0	96.9	98.3	96.8	99.7	97.5	98.4
Once/year	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/month	0.0	1.3	0.0	0.0	0.0	0.0	0.9	0.3	0.4	0.3
Twice/month	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2
Once/week	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.3
3 times/week	0.0	0.0	0.0	0.0	0.0	1.7	0.5	0.0	0.4	0.2
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.52: Within the past year how often have you used an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.7	96.6	91.2	80.4	76.3	70.0	98.5	77.2	85.6
Once/year	0.0	0.0	2.5	6.2	3.7	6.8	3.6	0.9	4.4	3.0
6 times/year	0.0	1.3	0.8	1.2	2.5	3.4	3.6	0.6	2.9	2.0
Once/month	0.0	0.0	0.0	0.0	3.1	0.0	1.4	0.0	1.5	0.9
Twice/month	0.0	0.0	0.0	0.0	1.2	0.0	1.8	0.0	1.1	0.7
Once/week	0.0	0.0	0.0	1.2	0.0	1.7	0.9	0.0	0.8	0.5
3 times/week	0.0	0.0	0.0	0.0	1.8	1.7	4.5	0.0	2.7	1.6
Every day	0.0	0.0	0.0	0.0	7.4	10.2	14.1	0.0	9.4	5.7
N of Valid	142	76	119	80	163	59	220	337	522	859
N of Miss	0	0	1	0	0	0	0	1	0	1

Table 4.53: Within the past year how often have you used prescription opioid painkillers for any reason (OxyContin, Vicodin, Percocet, Codeine, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.9	97.4	100.0	98.8	95.7	94.9	94.1	98.5	95.4	96.6	
Once/year	1.4	1.3	0.0	1.2	2.5	5.1	3.6	0.9	3.1	2.2	
6 times/year	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.4	0.2	
Once/month	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
Twice/month	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.2	
Once/week	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
3 times/week	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
Every day	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.54: Within the past year how often have you used any illicit drug?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.9	97.4	96.7	95.0	84.7	76.3	71.4	97.3	79.7	86.6	
Once/year	1.4	0.0	3.3	1.2	4.9	10.2	9.1	1.8	6.7	4.8	
6 times/year	0.0	0.0	0.0	2.5	1.2	1.7	3.6	0.0	2.5	1.5	
Once/month	0.0	1.3	0.0	1.2	1.8	0.0	3.6	0.3	2.3	1.5	
Twice/month	0.7	1.3	0.0	0.0	3.7	0.0	2.3	0.6	2.1	1.5	
Once/week	0.0	0.0	0.0	0.0	1.8	0.0	2.3	0.0	1.5	0.9	
3 times/week	0.0	0.0	0.0	0.0	1.2	1.7	0.9	0.0	1.0	0.6	
Every day	0.0	0.0	0.0	0.0	0.6	10.2	6.8	0.0	4.2	2.6	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

4.4 How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?

Table 4.55: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Neither approve nor disapprove	7.1	10.5	10.8	26.6	28.6	32.2	31.5	9.2	29.9	21.8	
Somewhat disapprove	2.1	6.6	16.7	10.1	21.1	16.9	19.6	8.3	18.3	14.4	
Strongly disapprove	79.4	68.4	62.5	48.1	42.2	44.1	35.2	70.9	40.3	52.4	
Don't know or can't say	11.3	14.5	10.0	15.2	8.1	6.8	13.7	11.6	11.4	11.5	
N of Valid	141	76	120	79	161	59	219	337	518	855	
N of Miss	1	0	0	1	2	0	1	1	4	5	

4.5 Do You Feel The Following Are Harmful To Your Health?

Table 4.56: How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	14.8	8.0	6.7	6.2	3.7	10.2	6.4	10.4	6.0	7.7	
Slight Risk	5.6	2.7	3.3	5.0	3.1	3.4	4.5	4.2	4.0	4.1	
Moderate Risk	12.7	13.3	19.2	20.0	17.9	13.6	20.0	15.1	18.6	17.2	
Great Risk	66.9	76.0	70.8	68.8	75.3	72.9	69.1	70.3	71.4	71.0	
N of Valid	142	75	120	80	162	59	220	337	521	858	
N of Miss	0	1	0	0	1	0	0	1	1	2	

Table 4.57: How much do you think people risk harming themselves physically or in other ways if they use an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech, etc.) excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	14.1	7.9	8.3	6.2	4.3	12.1	8.6	10.7	7.3	8.6	
Slight Risk	7.0	10.5	8.3	11.2	18.6	17.2	19.5	8.3	17.7	14.0	
Moderate Risk	22.5	23.7	40.0	32.5	38.5	29.3	37.7	29.0	36.2	33.4	
Great Risk	56.3	57.9	43.3	50.0	38.5	41.4	34.1	52.1	38.7	44.0	
N of Valid	142	76	120	80	161	58	220	338	519	857	
N of Miss	0	0	0	0	2	1	0	0	3	3	

Table 4.58: How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	16.2	10.7	11.0	8.9	7.4	16.9	12.3	13.1	10.7	11.7	
Slight Risk	19.7	12.0	23.7	22.8	28.2	20.3	28.2	19.4	26.5	23.7	
Moderate Risk	24.6	29.3	27.1	30.4	36.8	23.7	33.6	26.6	33.0	30.5	
Great Risk	39.4	48.0	38.1	38.0	27.6	39.0	25.9	40.9	29.8	34.1	
N of Valid	142	75	118	79	163	59	220	335	521	856	
N of Miss	0	1	2	1	0	0	0	3	1	4	

Table 4.59: How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	17.6	13.2	10.8	15.0	12.3	20.3	14.5	14.2	14.6	14.4	
Slight Risk	16.2	18.4	25.8	25.0	23.3	18.6	23.2	20.1	23.0	21.9	
Moderate Risk	31.0	26.3	22.5	28.8	30.1	13.6	28.6	26.9	27.4	27.2	
Great Risk	35.2	42.1	40.8	31.2	34.4	47.5	33.6	38.8	35.1	36.5	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.60: How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	15.5	10.5	12.5	12.5	22.7	28.8	40.5	13.3	29.3	23.0	
Slight Risk	6.3	9.2	15.0	23.8	32.5	22.0	23.2	10.1	26.1	19.8	
Moderate Risk	21.8	23.7	29.2	28.8	21.5	15.3	17.7	24.9	20.3	22.1	
Great Risk	56.3	56.6	43.3	35.0	23.3	33.9	18.6	51.8	24.3	35.1	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.61: How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?









RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	14.8	6.7	7.5	6.2	4.3	15.3	5.5	10.4	6.4	7.9	
Slight Risk	4.2	1.3	4.2	3.8	3.7	6.8	4.6	3.6	4.4	4.1	
Moderate Risk	12.0	18.7	20.0	20.0	18.6	16.9	17.4	16.3	18.1	17.4	
Great Risk	69.0	73.3	68.3	70.0	73.3	61.0	72.6	69.7	71.1	70.6	
N of Valid	142	75	120	80	161	59	219	337	519	856	
N of Miss	0	1	0	0	2	0	1	1	3	4	

Table 4.62: How much do you think people risk harming themselves physically or in other ways if they use prescription opioid painkillers to get high (OxyContin, Vicodin, Percocet, Codeine, etc)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No Risk	14.8	7.9	7.5	7.5	3.7	15.3	5.5	10.7	6.3	8.0	
Slight Risk	2.8	1.3	4.2	2.5	3.7	3.4	3.6	3.0	3.4	3.3	
Moderate Risk	13.4	18.4	28.3	13.8	12.9	6.8	16.4	19.8	13.8	16.2	
Great Risk	69.0	72.4	60.0	76.2	79.8	74.6	74.5	66.6	76.4	72.6	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

4.6 During the past 30 days:

Table 4.63: During the past 30 days did you smoke part or all of a cigarette?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.8	2.5	4.3	5.1	11.0	0.3	6.9	4.3
No	100.0	100.0	99.2	97.5	95.7	94.9	89.0	99.7	93.1	95.7
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.64: During the past 30 days have you used an e-cigarette, vape pen, e-liquid rig, (JUUL, N2, Joytech etc.) excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.3	1.7	7.6	18.0	20.3	31.1	1.2	22.2	14.0
No	99.3	98.7	98.3	92.4	82.0	79.7	68.9	98.8	77.8	86.0
N of Valid	140	76	119	79	161	59	219	335	518	853
N of Miss	2	0	1	1	2	0	1	3	4	7

Table 4.65: During the past 30 days did you drink one or more drinks of an alcoholic beverage?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	2.6	4.2	12.7	21.1	16.9	35.8	2.4	25.5	16.4
No	99.3	97.4	95.8	87.3	78.9	83.1	64.2	97.6	74.5	83.6
N of Valid	140	76	120	79	161	59	218	336	517	853
N of Miss	2	0	0	1	2	0	2	2	5	7

Table 4.66: During the past 30 days have you used marijuana or hashish?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.3	0.8	2.5	9.9	10.2	17.4	0.9	12.0	7.6
No	99.3	98.7	99.2	97.5	90.1	89.8	82.6	99.1	88.0	92.4
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.67: During the past 30 days have you used prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	1.9	1.7	2.3	0.0	1.7	1.1
No	100.0	100.0	100.0	100.0	98.1	98.3	97.7	100.0	98.3	98.9
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.68: During the past 30 days have you used over-the-counter drugs (to get high)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	1.3	0.0	0.0	1.2	1.7	0.9	0.3	1.0	0.7
No	100.0	98.7	100.0	100.0	98.8	98.3	99.1	99.7	99.0	99.3
N of Valid	139	76	120	79	161	59	219	335	518	853
N of Miss	3	0	0	1	2	0	1	3	4	7

Table 4.69: During the past 30 days have you used inhalants (glue, gas, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	1.2	1.7	1.4	0.0	1.2	0.7
No	100.0	100.0	100.0	100.0	98.8	98.3	98.6	100.0	98.8	99.3
N of Valid	139	76	119	79	161	59	219	334	518	852
N of Miss	3	0	1	1	2	0	1	4	4	8

Table 4.70: During the past 30 days have you used prescription opioid painkillers to get high (OxyContin, Vicodin, Percocet, Codeine, etc.)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	2.6	0.0	0.0	1.2	0.0	0.5	0.6	0.6	0.6
No	100.0	97.4	100.0	100.0	98.8	100.0	99.5	99.4	99.4	99.4
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

4.7 E-Cigarette Sources, Brand and Tobacco Sources

Table 4.71: During the past 30 days, where did you get or buy the e-cigarette, vape pen, or e-liquid rig, that you have used? (Select one or more responses)

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
I did not use an e-cigarette in the past 30 days	81.7	89.5	90.8	87.5	81.0	71.2	64.5	86.7	73.9	79.0	
A gas station or convenience store	0.7	1.3	0.0	0.0	4.9	3.4	9.1	0.6	5.7	3.7	
A grocery store	0.7	0.0	0.0	1.2	1.2	0.0	1.4	0.3	1.1	0.8	
A drugstore	0.7	1.3	0.0	0.0	1.2	0.0	0.9	0.6	0.8	0.7	
A mall or shopping center kiosk/stand	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.2	0.2	
On the Internet	0.7	1.3	0.0	0.0	1.8	0.0	1.4	0.6	1.1	0.9	
A vape shop or other store that only sells e-cigarettes	0.7	0.0	0.0	0.0	3.1	1.7	5.9	0.3	3.6	2.3	
Some other place not listed here	0.7	1.3	0.0	0.0	1.8	3.4	2.3	0.6	1.9	1.4	
From a family member	0.7	0.0	0.8	0.0	4.3	1.7	5.5	0.6	3.8	2.6	
From a friend	1.4	1.3	0.0	5.0	11.0	5.1	17.7	0.9	12.3	7.8	
From some other person that is not a family member or a friend	0.7	0.0	0.0	0.0	5.5	1.7	5.9	0.3	4.4	2.8	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.72: If you have ever used a vaporizer which brand did you use?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
I have never used a vaporizer	95.3	98.6	93.8	92.2	79.7	75.0	64.9	95.5	74.9	83.0
NJOY	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.1
Blu	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.1
Vuse	0.0	0.0	2.7	2.6	12.4	13.5	16.6	1.0	12.7	8.1
MarkTen	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Logic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vapin Plus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
eGo	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
Halo	0.0	1.4	0.0	0.0	0.7	0.0	0.0	0.3	0.2	0.3
JUUL	1.6	0.0	0.9	3.9	3.3	1.9	8.8	1.0	5.5	3.8
Other	3.1	0.0	2.7	1.3	2.6	9.6	9.3	2.2	6.0	4.5
N of Valid	129	70	113	77	153	52	205	312	487	799
N of Miss	13	6	7	3	10	7	15	26	35	61

Table 4.73: During the past 30 days, where did you get any tobacco products? (Select one or more responses)

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
I did not use a tobacco product in the past 30 days	88.0	90.8	93.3	91.2	90.8	76.3	72.3	90.5	81.4	85.0
A gas station or convenience store	0.7	0.0	0.0	0.0	1.8	1.7	7.7	0.3	4.0	2.6
A grocery store	0.7	1.3	0.0	0.0	0.6	0.0	0.0	0.6	0.2	0.3
A drugstore	0.7	0.0	0.0	0.0	1.2	0.0	0.0	0.3	0.4	0.3
A mall or shopping center kiosk/stand	0.7	1.3	0.0	0.0	0.6	0.0	0.0	0.6	0.2	0.3
On the Internet	0.7	0.0	0.0	0.0	1.2	0.0	0.5	0.3	0.6	0.5
A tobacco/cigar store	0.7	1.3	0.0	0.0	0.6	0.0	0.9	0.6	0.6	0.6
Some other place not listed here	0.7	0.0	0.0	1.2	1.2	1.7	1.4	0.3	1.3	0.9
From a family member	0.7	1.3	0.0	0.0	2.5	0.0	3.2	0.6	2.1	1.5
From a friend	0.7	0.0	0.0	1.2	3.1	1.7	12.3	0.3	6.5	4.1
From some other person that is not a family member or a friend	0.7	1.3	0.0	0.0	0.6	1.7	3.6	0.6	1.9	1.4
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

4.8 At What Age Did You First...

Table 4.74: At what age did you first use tobacco?










RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	97.9	98.7	97.5	92.5	83.3	80.4	68.7	97.9	78.3	86.0	
10 or under	1.4	0.0	0.8	0.0	2.5	1.8	2.8	0.9	2.1	1.7	
11	0.0	0.0	0.0	0.0	0.6	3.6	1.4	0.0	1.2	0.7	
12	0.0	1.3	0.0	1.2	2.5	0.0	2.8	0.3	2.1	1.4	
13	0.0	0.0	0.8	6.2	1.9	0.0	3.3	0.3	2.9	1.9	
14	0.0	0.0	0.0	0.0	5.6	3.6	5.1	0.0	4.3	2.6	
15	0.7	0.0	0.0	0.0	2.5	3.6	5.1	0.3	3.3	2.1	
16	0.0	0.0	0.0	0.0	1.2	7.1	6.5	0.0	3.9	2.4	
17 or older	0.0	0.0	0.8	0.0	0.0	0.0	4.2	0.3	1.8	1.2	
N of Valid	140	75	118	80	162	56	214	333	512	845	
N of Miss	2	1	2	0	1	3	6	5	10	15	

Table 4.75: At what age did you first drink alcohol?










RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	95.7	92.1	83.8	76.2	62.7	66.1	43.1	90.7	57.1	70.4	
10 or under	3.6	3.9	5.1	3.8	6.2	1.8	2.4	4.2	3.7	3.9	
11	0.0	1.3	3.4	1.2	3.1	3.6	1.4	1.5	2.2	1.9	
12	0.0	0.0	4.3	3.8	3.1	1.8	2.8	1.5	3.0	2.4	
13	0.0	1.3	0.9	8.8	3.7	1.8	7.1	0.6	5.7	3.7	
14	0.0	0.0	0.9	5.0	11.2	5.4	7.6	0.3	8.1	5.0	
15	0.7	0.0	0.9	0.0	6.2	12.5	11.8	0.6	8.3	5.2	
16	0.0	0.0	0.0	0.0	3.7	7.1	8.5	0.0	5.5	3.3	
17 or older	0.0	1.3	0.9	1.2	0.0	0.0	15.2	0.6	6.5	4.2	
N of Valid	140	76	117	80	161	56	211	333	508	841	
N of Miss	2	0	3	0	2	3	9	5	14	19	

Table 4.76: At what age did you first smoke marijuana?


RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	99.3	100.0	97.5	91.2	82.6	83.9	68.1	98.8	78.0	86.2	
10 or under	0.0	0.0	0.0	0.0	1.2	1.8	1.4	0.0	1.2	0.7	
11	0.0	0.0	0.0	0.0	0.0	1.8	0.5	0.0	0.4	0.2	
12	0.0	0.0	1.7	1.2	1.2	0.0	1.4	0.6	1.2	0.9	
13	0.0	0.0	0.0	5.0	3.7	1.8	0.9	0.0	2.5	1.5	
14	0.0	0.0	0.0	2.5	5.0	1.8	5.6	0.0	4.5	2.7	
15	0.0	0.0	0.0	0.0	4.3	5.4	6.6	0.0	4.7	2.8	
16	0.7	0.0	0.0	0.0	1.9	3.6	7.5	0.3	4.1	2.6	
17 or older	0.0	0.0	0.8	0.0	0.0	0.0	8.0	0.3	3.3	2.1	
N of Valid	140	75	118	80	161	56	213	333	510	843	
N of Miss	2	1	2	0	2	3	7	5	12	17	

Table 4.77: At what age did you first use cocaine?


RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	100.0	100.0	100.0	98.1	98.2	98.6	100.0	98.6	99.2	
10 or under	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.2	0.1	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
N of Valid	140	76	118	80	161	56	211	334	508	842	
N of Miss	2	0	2	0	2	3	9	4	14	18	

Table 4.78: At what age did you first use inhalants?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never used	100.0	98.7	100.0	100.0	98.1	94.6	98.1	99.7	98.0	98.7
10 or under	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.4
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
14	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
15	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.4	0.2
16	0.0	0.0	0.0	0.0	0.0	1.8	0.5	0.0	0.4	0.2
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	139	76	118	80	161	56	212	333	509	842
N of Miss	3	0	2	0	2	3	8	5	13	18

Table 4.79: At what age did you first use hallucinogens?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never used	100.0	100.0	100.0	100.0	96.3	94.6	96.2	100.0	96.7	98.0
10 or under	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2
14	0.0	0.0	0.0	0.0	1.2	0.0	0.5	0.0	0.6	0.4
15	0.0	0.0	0.0	0.0	0.0	1.8	0.9	0.0	0.6	0.4
16	0.0	0.0	0.0	0.0	0.6	1.8	0.9	0.0	0.8	0.5
17 or older	0.0	0.0	0.0	0.0	0.0	1.8	0.9	0.0	0.6	0.4
N of Valid	139	76	118	80	161	56	212	333	509	842
N of Miss	3	0	2	0	2	3	8	5	13	18

Table 4.80: At what age did you first use heroin?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	98.7	100.0	100.0	98.1	100.0	99.5	99.7	99.2	99.4	
10 or under	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.4	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	80	161	56	212	334	509	843	
N of Miss	2	0	2	0	2	3	8	4	13	17	

Table 4.81: At what age did you first use steroids?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	98.7	99.2	100.0	97.5	100.0	97.2	99.4	98.0	98.6	
10 or under	0.0	1.3	0.0	0.0	0.6	0.0	0.9	0.3	0.6	0.5	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.8	0.0	0.6	0.0	0.0	0.3	0.2	0.2	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
16	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.4	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	80	161	56	212	334	509	843	
N of Miss	2	0	2	0	2	3	8	4	13	17	

Table 4.82: At what age did you first use ecstasy?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	98.7	100.0	100.0	98.1	100.0	99.5	99.7	99.2	99.4	
10 or under	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.4	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	80	161	56	212	334	509	843	
N of Miss	2	0	2	0	2	3	8	4	13	17	

Table 4.83: At what age did you first use meth?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	98.7	100.0	100.0	98.1	100.0	99.1	99.7	99.0	99.3	
10 or under	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
11	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	139	76	118	80	161	56	212	333	509	842	
N of Miss	3	0	2	0	2	3	8	5	13	18	

Table 4.84: At what age did you first use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	97.4	99.2	100.0	96.9	96.4	96.7	99.1	97.2	98.0	
10 or under	0.0	1.3	0.8	0.0	0.6	0.0	0.5	0.6	0.4	0.5	
11	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
12	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
13	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.6	3.6	0.9	0.0	1.0	0.6	
16	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.4	0.2	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	80	161	56	212	334	509	843	
N of Miss	2	0	2	0	2	3	8	4	13	17	

Table 4.85: At what age did you first use over-the-counter drugs (to get high)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	98.7	100.0	100.0	97.5	98.2	99.1	99.7	98.6	99.0	
10 or under	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.4	
14	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
15	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
16	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.2	0.1	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	79	160	56	212	334	507	841	
N of Miss	2	0	2	1	3	3	8	4	15	19	

Table 4.86: At what age did you first use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	98.6	98.7	95.7	87.5	78.1	78.6	67.9	97.6	75.4	84.2	
10 or under	0.0	1.3	0.0	0.0	0.6	0.0	0.9	0.3	0.6	0.5	
11	0.7	0.0	0.0	0.0	0.6	1.8	0.9	0.3	0.8	0.6	
12	0.0	0.0	2.6	1.2	4.4	0.0	0.9	0.9	2.0	1.5	
13	0.0	0.0	0.9	6.2	2.5	5.4	2.8	0.3	3.5	2.3	
14	0.0	0.0	0.0	5.0	7.5	3.6	6.6	0.0	6.3	3.8	
15	0.7	0.0	0.0	0.0	3.1	1.8	9.0	0.3	4.9	3.1	
16	0.0	0.0	0.0	0.0	3.1	8.9	8.0	0.0	5.3	3.2	
17 or older	0.0	0.0	0.9	0.0	0.0	0.0	2.8	0.3	1.2	0.8	
N of Valid	140	76	117	80	160	56	212	333	508	841	
N of Miss	2	0	3	0	3	3	8	5	14	19	

Table 4.87: At what age did you first use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never used	100.0	97.4	100.0	100.0	97.5	96.4	99.1	99.4	98.4	98.8	
10 or under	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
11	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
13	0.0	0.0	0.0	0.0	0.6	1.8	0.0	0.0	0.4	0.2	
14	0.0	1.3	0.0	0.0	0.6	0.0	0.0	0.3	0.2	0.2	
15	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
16	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.2	0.1	
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
N of Valid	140	76	118	80	161	56	213	334	510	844	
N of Miss	2	0	2	0	2	3	7	4	12	16	

4.9 Opioid Painkiller Use

Table 4.88: In your lifetime, on how many occasions have you been prescribed an opioid pain killer by your doctor/dentist for any reason?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	89.2	82.2	87.6	83.1	80.3	71.7	71.9	87.0	76.3	80.5
Once	3.8	6.8	4.4	10.4	10.8	17.0	12.8	4.7	12.2	9.3
Twice	3.1	9.6	6.2	2.6	4.5	7.5	6.9	5.7	5.5	5.6
Three times	1.5	0.0	0.0	3.9	1.3	1.9	5.4	0.6	3.5	2.4
Four or more times	2.3	1.4	1.8	0.0	3.2	1.9	3.0	1.9	2.4	2.2
N of Valid	130	73	113	77	157	53	203	316	490	806
N of Miss	12	3	7	3	6	6	17	22	32	54

Table 4.89: If you have been prescribed opioid pain killers have you ever taken more than you were prescribed because you liked the feeling?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
I have never been prescribed opioid pain killers	82.4	71.8	82.4	74.7	74.8	60.7	62.9	80.1	68.3	72.9
Yes	0.0	1.4	0.0	0.0	0.6	3.6	1.4	0.3	1.2	0.8
No	17.6	26.8	17.6	25.3	24.5	35.7	35.7	19.6	30.6	26.3
N of Valid	136	71	119	79	159	56	210	326	504	830
N of Miss	6	5	1	1	4	3	10	12	18	30

Table 4.90: Have you ever taken prescription opioid pain killers that were not prescribed to you just because you wanted to?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	2.7	0.0	0.0	3.1	3.7	1.9	0.6	2.2	1.6
No	100.0	97.3	100.0	100.0	96.9	96.3	98.1	99.4	97.8	98.4
N of Valid	135	74	113	79	160	54	212	322	505	827
N of Miss	7	2	7	1	3	5	8	16	17	33

4.10 How Wrong Do Your Parents Feel It Would Be For You To...

Table 4.91: How wrong do your parents feel it would be for you to smoke tobacco?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	5.8	3.9	5.9	3.8	2.5	5.5	6.6	5.4	4.7	5.0
A little bit wrong	2.2	3.9	3.4	6.2	6.8	3.6	17.4	3.0	10.8	7.7
Wrong	13.7	11.8	18.6	21.2	24.8	16.4	25.4	15.0	23.6	20.2
Very wrong	78.4	80.3	72.0	68.8	65.8	74.5	50.7	76.6	60.9	67.1
N of Valid	139	76	118	80	161	55	213	333	509	842
N of Miss	3	0	2	0	2	4	7	5	13	18

Table 4.92: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	6.5	5.3	5.9	6.2	2.5	7.3	10.3	6.0	6.9	6.5
A little bit wrong	7.9	7.9	11.0	13.8	10.6	9.1	11.7	9.0	11.4	10.5
Wrong	12.9	14.5	16.1	17.5	27.5	20.0	25.4	14.4	24.2	20.3
Very wrong	72.7	72.4	66.9	62.5	59.4	63.6	52.6	70.6	57.5	62.7
N of Valid	139	76	118	80	160	55	213	333	508	841
N of Miss	3	0	2	0	3	4	7	5	14	19

Table 4.93: How wrong do your parents feel it would be for you to smoke marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	5.8	2.6	5.9	5.0	8.7	7.1	12.3	5.1	9.4	7.7
A little bit wrong	0.7	1.3	1.7	2.5	8.7	7.1	18.0	1.2	11.4	7.4
Wrong	6.5	9.2	11.0	21.2	19.3	12.5	17.5	8.7	18.1	14.4
Very wrong	87.1	86.8	81.4	71.2	63.4	73.2	52.1	85.0	61.0	70.5
N of Valid	139	76	118	80	161	56	211	333	508	841
N of Miss	3	0	2	0	2	3	9	5	14	19

Table 4.94: How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	5.8	2.6	5.1	2.5	1.9	5.4	3.3	4.8	2.9	3.7
A little bit wrong	0.7	1.3	0.0	0.0	0.6	3.6	2.3	0.6	1.6	1.2
Wrong	7.2	7.9	14.4	10.0	13.0	10.7	9.9	9.9	11.0	10.6
Very wrong	86.3	88.2	80.5	87.5	84.5	80.4	84.5	84.7	84.5	84.6
N of Valid	139	76	118	80	161	56	213	333	510	843
N of Miss	3	0	2	0	2	3	7	5	12	17

Table 4.95: How wrong do your parents feel it would be for you to use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	5.0	2.6	5.1	2.5	2.5	5.6	7.5	4.5	4.9	4.8
A little bit wrong	2.9	3.9	4.2	5.0	9.9	3.7	15.6	3.6	10.8	8.0
Wrong	10.8	10.5	20.3	25.0	19.9	20.4	24.5	14.1	22.7	19.3
Very wrong	81.3	82.9	70.3	67.5	67.7	70.4	52.4	77.8	61.5	68.0
N of Valid	139	76	118	80	161	54	212	333	507	840
N of Miss	3	0	2	0	2	5	8	5	15	20

Table 4.96: How wrong do your parents feel it would be for you to use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Not at all wrong	5.8	5.3	5.1	2.5	1.2	5.4	1.9	5.4	2.2	3.4
A little bit wrong	0.0	0.0	2.5	1.2	0.6	1.8	1.9	0.9	1.4	1.2
Wrong	5.0	5.3	9.3	8.8	9.3	7.1	8.5	6.6	8.6	7.8
Very wrong	89.2	89.5	83.1	87.5	88.8	85.7	87.8	87.1	87.8	87.5
N of Valid	139	76	118	80	161	56	213	333	510	843
N of Miss	3	0	2	0	2	3	7	5	12	17

4.11 How Wrong Do Your Friends Feel It Would Be For You To...

Table 4.97: How wrong do your friends feel it would be for you to smoke tobacco?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	6.6	3.9	7.0	6.3	13.2	14.3	21.9	6.1	15.9	12.0	
A little bit wrong	3.7	11.8	6.1	13.9	22.0	17.9	25.2	6.4	21.6	15.6	
Wrong	22.8	21.1	29.6	31.6	29.6	16.1	25.2	24.8	26.6	25.9	
Very wrong	66.9	63.2	57.4	48.1	35.2	51.8	27.6	62.7	35.9	46.5	
N of Valid	136	76	115	79	159	56	210	327	504	831	
N of Miss	6	0	5	1	4	3	10	11	18	29	

Table 4.98: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	6.6	4.1	7.9	7.6	12.6	14.3	24.3	6.5	16.9	12.8	
A little bit wrong	8.1	9.5	10.5	17.7	20.8	21.4	26.7	9.3	22.8	17.5	
Wrong	19.9	20.3	25.4	34.2	32.1	16.1	23.8	21.9	27.2	25.1	
Very wrong	65.4	66.2	56.1	40.5	34.6	48.2	25.2	62.3	33.1	44.6	
N of Valid	136	74	114	79	159	56	210	324	504	828	
N of Miss	6	2	6	1	4	3	10	14	18	32	

Table 4.99: How wrong do your friends feel it would be for you to smoke marijuana?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	5.9	3.9	7.8	5.1	22.6	16.1	39.9	6.1	26.3	18.3	
A little bit wrong	1.5	3.9	4.3	13.9	21.4	16.1	17.8	3.1	18.1	12.2	
Wrong	16.2	15.8	23.5	27.8	22.6	19.6	14.9	18.7	19.9	19.4	
Very wrong	76.5	76.3	64.3	53.2	33.3	48.2	27.4	72.2	35.7	50.1	
N of Valid	136	76	115	79	159	56	208	327	502	829	
N of Miss	6	0	5	1	4	3	12	11	20	31	

Table 4.100: How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	5.9	2.6	6.1	3.8	5.7	10.7	8.1	5.2	6.9	6.3	
A little bit wrong	2.9	6.6	5.3	5.1	8.8	8.9	8.1	4.6	7.9	6.6	
Wrong	15.4	13.2	21.9	25.3	26.4	17.9	18.6	17.2	22.0	20.1	
Very wrong	75.7	77.6	66.7	65.8	59.1	62.5	65.2	73.0	63.1	67.0	
N of Valid	136	76	114	79	159	56	210	326	504	830	
N of Miss	6	0	6	1	4	3	10	12	18	30	

Table 4.101: How wrong do your friends feel it would be for you to use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?









RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	6.6	2.6	9.6	10.1	22.8	17.9	36.2	6.7	25.8	18.3	
A little bit wrong	5.1	7.9	13.0	13.9	19.0	16.1	20.5	8.6	18.5	14.6	
Wrong	19.1	21.1	24.3	27.8	24.1	14.3	15.7	21.4	20.1	20.6	
Very wrong	69.1	68.4	53.0	48.1	34.2	51.8	27.6	63.3	35.6	46.5	
N of Valid	136	76	115	79	158	56	210	327	503	830	
N of Miss	6	0	5	1	5	3	10	11	19	30	

Table 4.102: How wrong do your friends feel it would be for you to use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	5.9	5.3	6.1	3.8	4.4	5.4	8.1	5.8	6.0	5.9	
A little bit wrong	0.7	3.9	3.5	2.5	8.2	10.7	6.2	2.5	6.7	5.1	
Wrong	15.6	10.5	20.0	22.8	26.4	17.9	17.1	16.0	21.0	19.0	
Very wrong	77.8	80.3	70.4	70.9	61.0	66.1	68.6	75.8	66.3	70.0	
N of Valid	135	76	115	79	159	56	210	326	504	830	
N of Miss	7	0	5	1	4	3	10	12	18	30	

4.12 Where Do You Usually Use...

Table 4.103: Where do you usually use tobacco?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.2	98.7	97.5	96.2	92.6	84.7	75.0	97.6	84.9	89.9	
At home	0.7	0.0	0.8	2.5	4.3	3.4	14.5	0.6	8.2	5.2	
At school	0.0	0.0	0.0	0.0	2.5	0.0	2.3	0.0	1.7	1.0	
In a car	0.0	0.0	0.0	0.0	2.5	3.4	10.9	0.0	5.7	3.5	
Friend's house	0.0	0.0	0.8	0.0	4.3	6.8	11.4	0.3	6.9	4.3	
Other	0.0	0.0	0.0	0.0	2.5	3.4	7.3	0.0	4.2	2.6	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.104: Where do you usually drink alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	96.5	93.4	88.3	85.0	71.8	72.9	50.5	92.9	64.9	75.9	
At home	0.7	5.3	8.3	12.5	19.0	10.2	33.6	4.4	23.2	15.8	
At school	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	0.8	0.5	
In a car	0.0	0.0	0.0	0.0	1.8	1.7	1.8	0.0	1.5	0.9	
Friend's house	0.0	1.3	1.7	2.5	16.0	13.6	20.5	0.9	15.5	9.8	
Other	0.7	1.3	1.7	0.0	8.0	3.4	6.8	1.2	5.7	4.0	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.105: Where do you usually smoke marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.9	98.7	97.5	96.2	85.9	86.4	75.0	97.9	83.0	88.8
At home	0.0	0.0	0.0	1.2	6.7	3.4	12.3	0.0	7.9	4.8
At school	0.0	0.0	0.0	0.0	1.2	0.0	1.8	0.0	1.1	0.7
In a car	0.0	0.0	0.0	0.0	3.7	3.4	6.4	0.0	4.2	2.6
Friend's house	0.0	0.0	0.0	1.2	11.0	6.8	13.6	0.0	10.2	6.2
Other	0.0	0.0	0.8	1.2	2.5	0.0	4.1	0.3	2.7	1.7
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.106: Where do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.2	97.4	97.5	97.5	98.2	91.5	92.7	97.3	95.0	95.9
At home	0.0	1.3	0.8	0.0	0.6	1.7	1.4	0.6	1.0	0.8
At school	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1
In a car	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.6	0.3
Friend's house	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
Other	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.107: Where do you usually use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do not use	97.2	98.7	95.8	90.0	81.6	78.0	67.7	97.0	76.6	84.7
At home	0.0	0.0	1.7	3.8	12.9	6.8	20.0	0.6	13.8	8.6
At school	0.0	0.0	0.0	0.0	8.0	0.0	5.5	0.0	4.8	2.9
In a car	0.0	0.0	0.0	1.2	11.0	6.8	17.3	0.0	11.7	7.1
Friend's house	0.7	0.0	0.0	6.2	12.9	13.6	19.1	0.3	14.6	9.0
Other	0.0	0.0	0.8	2.5	8.0	3.4	8.2	0.3	6.7	4.2
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.108: Where do you usually use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.9	97.4	98.3	98.8	98.2	91.5	93.6	97.9	95.6	96.5	
At home	0.0	1.3	0.0	0.0	0.6	1.7	0.5	0.3	0.6	0.5	
At school	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
In a car	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2	
Friend's house	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2	
Other	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

4.13 When Do You Usually Use...

Table 4.109: When do you usually use tobacco?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	96.5	98.7	96.7	97.5	95.1	86.4	78.2	97.0	87.4	91.2	
Before school	0.0	0.0	0.0	0.0	1.2	3.4	7.7	0.0	4.0	2.4	
During school	0.0	0.0	0.0	0.0	1.2	0.0	1.8	0.0	1.1	0.7	
After school	0.0	0.0	0.0	0.0	2.5	3.4	11.4	0.0	5.9	3.6	
Week nights	0.7	0.0	0.0	1.2	1.2	1.7	10.5	0.3	5.2	3.3	
Weekends	0.0	1.3	0.0	2.5	2.5	5.1	15.0	0.3	8.0	5.0	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.110: When do you usually drink alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	95.8	97.4	89.2	86.2	72.4	74.6	56.8	93.8	68.2	78.3	
Before school	0.0	0.0	0.8	1.2	1.2	0.0	1.4	0.3	1.1	0.8	
During school	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2	
After school	0.0	0.0	1.7	0.0	3.1	3.4	5.9	0.6	3.8	2.6	
Week nights	0.7	1.3	0.0	2.5	1.2	0.0	9.5	0.6	4.8	3.1	
Weekends	0.7	2.6	7.5	12.5	25.8	18.6	36.4	3.6	27.4	18.0	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.111: When do you usually smoke marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.2	98.7	95.8	96.2	87.1	86.4	77.3	97.0	84.3	89.3	
Before school	0.0	0.0	0.0	0.0	3.1	1.7	3.2	0.0	2.5	1.5	
During school	0.0	0.0	0.0	0.0	1.8	0.0	1.8	0.0	1.3	0.8	
After school	0.0	0.0	0.0	0.0	4.9	3.4	6.4	0.0	4.6	2.8	
Week nights	0.0	0.0	0.0	0.0	3.7	5.1	7.3	0.0	4.8	2.9	
Weekends	0.0	0.0	1.7	2.5	11.0	5.1	15.9	0.6	11.1	7.0	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.112: When do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.2	98.7	95.8	98.8	98.2	89.8	91.8	97.0	94.6	95.6	
Before school	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2	
During school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
After school	0.0	0.0	0.0	0.0	0.6	1.7	0.5	0.0	0.6	0.3	
Week nights	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.4	0.2	
Weekends	0.0	1.3	0.8	0.0	0.6	0.0	0.9	0.6	0.6	0.6	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.113: When do you usually use an e-cigarette, vape pen, e-liquid rig excluding marijuana products?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	95.8	100.0	94.2	91.2	82.2	78.0	69.5	96.2	77.8	85.0	
Before school	0.0	0.0	0.0	1.2	10.4	8.5	15.0	0.0	10.7	6.5	
During school	0.0	0.0	0.0	0.0	8.0	1.7	6.4	0.0	5.4	3.3	
After school	0.0	0.0	0.0	5.0	11.7	11.9	19.1	0.0	13.8	8.4	
Week nights	0.0	0.0	0.0	5.0	9.2	3.4	18.6	0.0	11.9	7.2	
Weekends	0.7	0.0	3.3	6.2	11.0	6.8	21.8	1.5	14.4	9.3	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

Table 4.114: When do you usually use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do not use	97.2	98.7	96.7	98.8	98.2	89.8	94.1	97.3	95.6	96.3	
Before school	0.0	0.0	0.0	0.0	1.2	0.0	0.5	0.0	0.6	0.3	
During school	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
After school	0.0	0.0	0.0	0.0	0.6	1.7	0.0	0.0	0.4	0.2	
Week nights	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Weekends	0.0	1.3	0.0	0.0	0.6	0.0	0.0	0.3	0.2	0.2	
N of Valid	142	76	120	80	163	59	220	338	522	860	
N of Miss	0	0	0	0	0	0	0	0	0	0	

4.14 Attempted Suicide Injury

Table 4.115: If you attempted suicide in the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
I did not attempt suicide during the past 12 months	74.6	77.3	73.9	73.4	82.6	72.2	75.9	75.0	77.3	76.4	
Yes	2.2	4.0	6.7	3.8	5.0	3.7	4.7	4.2	4.5	4.4	
No	23.2	18.7	19.3	22.8	12.4	24.1	19.3	20.8	18.2	19.2	
N of Valid	138	75	119	79	161	54	212	332	506	838	
N of Miss	4	1	1	1	2	5	8	6	16	22	

4.15 What Effect Do You Most Often Get When You Use

Table 4.116: What effect do you most often get when you drink alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do Not Use	98.6	94.7	89.8	87.3	73.5	74.5	56.2	94.6	68.7	78.9	
No High	1.4	3.9	9.3	7.6	13.6	9.1	11.5	4.8	11.3	8.7	
A Little High	0.0	1.3	0.8	3.8	6.8	12.7	22.6	0.6	13.5	8.4	
Very High	0.0	0.0	0.0	0.0	1.9	1.8	2.9	0.0	2.0	1.2	
Wasted/Stoned	0.0	0.0	0.0	1.3	4.3	1.8	6.7	0.0	4.6	2.8	
N of Valid	138	76	118	79	162	55	208	332	504	836	
N of Miss	4	0	2	1	1	4	12	6	18	24	

Table 4.117: What effect do you most often get when you smoke marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do Not Use	100.0	98.7	99.2	96.2	85.8	89.1	76.6	99.4	84.0	90.1	
No High	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	
A Little High	0.0	0.0	0.8	3.8	6.8	5.5	7.2	0.3	6.3	3.9	
Very High	0.0	0.0	0.0	0.0	3.7	3.6	8.6	0.0	5.1	3.1	
Wasted/Stoned	0.0	0.0	0.0	0.0	3.7	1.8	7.7	0.0	4.6	2.7	
N of Valid	138	76	118	79	162	55	209	332	505	837	
N of Miss	4	0	2	1	1	4	11	6	17	23	

Table 4.118: What effect do you most often get when you use prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Do Not Use	100.0	98.7	99.2	100.0	98.1	98.2	98.1	99.4	98.4	98.8	
No High	0.0	0.0	0.8	0.0	0.6	0.0	0.5	0.3	0.4	0.4	
A Little High	0.0	1.3	0.0	0.0	0.6	1.8	0.5	0.3	0.6	0.5	
Very High	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.2	
Wasted/Stoned	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1	
N of Valid	138	76	118	79	162	55	209	332	505	837	
N of Miss	4	0	2	1	1	4	11	6	17	23	

Table 4.119: What effect do you most often get when you use prescription opioid painkillers to get high?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Do Not Use	100.0	97.4	99.2	100.0	98.1	98.2	98.6	99.1	98.6	98.8
No High	0.0	1.3	0.8	0.0	0.0	0.0	1.0	0.6	0.4	0.5
A Little High	0.0	0.0	0.0	0.0	1.2	1.8	0.0	0.0	0.6	0.4
Very High	0.0	1.3	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.2
Wasted/Stoned	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1
N of Valid	138	76	118	79	162	55	209	332	505	837
N of Miss	4	0	2	1	1	4	11	6	17	23

4.16 Vehicle Safety

Table 4.120: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
0 times	99.3	100.0	100.0	98.7	99.4	98.1	96.7	99.7	98.0	98.7
1 time	0.7	0.0	0.0	0.0	0.0	1.9	2.9	0.3	1.4	1.0
2 or 3 times	0.0	0.0	0.0	1.3	0.0	0.0	0.5	0.0	0.4	0.2
4 or 5 times	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6 or more times	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1
N of Valid	138	76	118	79	162	54	210	332	505	837
N of Miss	4	0	2	1	1	5	10	6	17	23

Table 4.121: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
0 times	94.9	94.7	91.5	97.5	95.7	94.4	93.3	93.7	94.8	94.4
1 time	3.6	1.3	5.1	1.3	1.9	3.7	1.9	3.6	2.0	2.6
2 or 3 times	0.7	2.6	2.5	0.0	0.0	1.9	4.3	1.8	2.0	1.9
4 or 5 times	0.7	1.3	0.0	0.0	1.9	0.0	0.5	0.6	0.8	0.7
6 or more times	0.0	0.0	0.8	1.3	0.6	0.0	0.0	0.3	0.4	0.4
N of Valid	138	76	118	79	162	54	208	332	503	835
N of Miss	4	0	2	1	1	5	12	6	19	25

Table 4.122: During the past 30 days, how many times did you drive a car or other vehicle when you had been using marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
0 times	100.0	98.7	100.0	100.0	98.1	98.1	93.3	99.7	96.4	97.7
1 time	0.0	1.3	0.0	0.0	0.6	0.0	1.4	0.3	0.8	0.6
2 or 3 times	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.8	0.5
4 or 5 times	0.0	0.0	0.0	0.0	0.0	1.9	1.0	0.0	0.6	0.4
6 or more times	0.0	0.0	0.0	0.0	1.2	0.0	2.4	0.0	1.4	0.8
N of Valid	138	76	118	79	162	54	210	332	505	837
N of Miss	4	0	2	1	1	5	10	6	17	23

Table 4.123: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
0 times	97.8	96.0	97.4	98.7	94.4	98.1	91.4	97.3	94.2	95.4
1 time	0.0	0.0	0.9	1.3	2.5	0.0	1.4	0.3	1.6	1.1
2 or 3 times	0.7	1.3	0.9	0.0	0.6	0.0	1.0	0.9	0.6	0.7
4 or 5 times	0.7	1.3	0.0	0.0	0.6	1.9	2.4	0.6	1.4	1.1
6 or more times	0.7	1.3	0.9	0.0	1.9	0.0	3.8	0.9	2.2	1.7
N of Valid	138	75	117	79	161	54	210	330	504	834
N of Miss	4	1	3	1	2	5	10	8	18	26

Table 4.124: How often do you wear a seatbelt when driving a car?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	1.5	6.8	0.8	1.3	1.9	1.9	3.4	2.5	2.4	2.4
Seldom	0.7	0.0	0.0	0.0	0.6	1.9	2.4	0.3	1.4	1.0
Sometimes	0.0	2.7	1.7	5.1	0.6	3.7	3.4	1.2	2.8	2.2
Most of the time	3.7	0.0	2.5	3.8	9.4	5.6	6.8	2.5	7.0	5.2
Always	5.2	5.5	6.8	11.4	61.0	66.7	72.2	5.8	58.4	37.5
I don't drive	88.9	84.9	88.1	78.5	26.4	20.4	11.7	87.7	28.0	51.6
N of Valid	135	73	118	79	159	54	205	326	497	823
N of Miss	7	3	2	1	4	5	15	12	25	37

Table 4.125: How often do you wear a seatbelt when riding in a car driven by someone else?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	2.2	0.0	2.6	2.5	1.2	3.6	3.8	1.8	2.8	2.4
Seldom	1.4	1.4	2.6	0.0	4.9	3.6	3.3	1.8	3.4	2.8
Sometimes	2.9	6.8	6.8	10.1	5.6	9.1	6.7	5.2	7.1	6.3
Most of the time	20.1	31.1	28.2	32.9	29.0	29.1	23.4	25.5	27.3	26.6
Always	73.4	60.8	59.8	54.4	59.3	54.5	62.7	65.8	59.4	61.9
N of Valid	139	74	117	79	162	55	209	330	505	835
N of Miss	3	2	3	1	1	4	11	8	17	25

4.17 In My School, I Feel Safe...

Table 4.126: In my school, I feel safe in the classroom.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	5.0	2.6	2.5	1.3	9.3	5.6	6.2	3.6	6.3	5.3
Seldom	5.8	11.8	3.4	7.7	4.3	3.7	5.2	6.3	5.2	5.6
Sometimes	9.4	9.2	25.4	15.4	13.6	14.8	16.7	15.0	15.3	15.2
Often	26.6	34.2	28.0	21.8	38.3	25.9	36.7	28.8	33.7	31.8
A Lot	53.2	42.1	40.7	53.8	34.6	50.0	35.2	46.2	39.5	42.2
N of Valid	139	76	118	78	162	54	210	333	504	837
N of Miss	3	0	2	2	1	5	10	5	18	23

Table 4.127: In my school, I feel safe in the cafeteria.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	7.2	4.0	6.0	2.6	8.6	13.0	10.0	6.0	8.7	7.7
Seldom	10.1	10.7	5.1	5.1	8.6	5.6	8.6	8.5	7.8	8.0
Sometimes	11.5	16.0	26.5	19.2	17.3	16.7	18.7	17.8	18.1	18.0
Often	28.8	37.3	29.1	29.5	33.3	25.9	34.9	30.8	32.6	31.9
A Lot	42.4	32.0	33.3	43.6	32.1	38.9	27.8	36.9	32.8	34.4
N of Valid	139	75	117	78	162	54	209	331	503	834
N of Miss	3	1	3	2	1	5	11	7	19	26

Table 4.128: In my school, I feel safe in the halls.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	10.8	9.3	5.1	3.8	8.7	11.1	8.2	8.4	8.0	8.2
Seldom	14.4	6.7	12.7	10.1	9.9	7.4	8.7	12.0	9.2	10.3
Sometimes	16.5	13.3	33.1	20.3	19.3	16.7	21.6	21.7	20.1	20.7
Often	23.7	40.0	21.2	22.8	31.1	27.8	32.2	26.5	29.9	28.5
A Lot	34.5	30.7	28.0	43.0	31.1	37.0	29.3	31.3	32.9	32.3
N of Valid	139	75	118	79	161	54	208	332	502	834
N of Miss	3	1	2	1	2	5	12	6	20	26

Table 4.129: In my school, I feel safe in the bathroom.






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	10.8	3.9	5.1	3.8	10.5	10.9	10.0	7.2	9.3	8.5	
Seldom	9.4	15.8	9.3	8.9	9.3	12.7	7.7	10.8	8.9	9.7	
Sometimes	22.3	15.8	29.7	22.8	19.1	16.4	22.0	23.4	20.6	21.7	
Often	21.6	34.2	24.6	29.1	32.1	25.5	29.7	25.5	29.9	28.2	
A Lot	36.0	30.3	31.4	35.4	29.0	34.5	30.6	33.0	31.3	32.0	
N of Valid	139	76	118	79	162	55	209	333	505	838	
N of Miss	3	0	2	1	1	4	11	5	17	22	

Table 4.130: In my school, I feel safe in the gym.






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	9.4	6.6	3.4	3.8	9.9	13.0	10.0	6.6	9.3	8.3	
Seldom	5.0	9.2	6.8	5.1	8.0	7.4	10.0	6.6	8.3	7.7	
Sometimes	9.4	7.9	26.5	15.2	13.0	14.8	16.7	15.1	15.1	15.1	
Often	23.0	34.2	29.9	22.8	30.9	20.4	29.2	28.0	27.8	27.9	
A Lot	53.2	42.1	33.3	53.2	38.3	44.4	34.0	43.7	39.5	41.1	
N of Valid	139	76	117	79	162	54	209	332	504	836	
N of Miss	3	0	3	1	1	5	11	6	18	24	

Table 4.131: In my school, I feel safe on the school bus.






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	10.2	9.2	7.7	5.1	11.7	16.7	17.6	9.1	13.7	11.8	
Seldom	9.5	10.5	10.3	7.7	9.3	5.6	9.3	10.0	8.6	9.2	
Sometimes	15.3	10.5	18.8	20.5	16.0	18.5	17.6	15.5	17.7	16.8	
Often	24.8	34.2	34.2	26.9	25.9	18.5	27.0	30.3	25.7	27.5	
A Lot	40.1	35.5	29.1	39.7	37.0	40.7	28.4	35.2	34.3	34.7	
N of Valid	137	76	117	78	162	54	204	330	498	828	
N of Miss	5	0	3	2	1	5	16	8	24	32	

Table 4.132: In my school, I feel safe at school events.






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	8.6	9.2	3.4	2.5	8.6	7.4	10.7	6.9	8.4	7.8	
Seldom	6.5	7.9	9.3	3.8	11.1	3.7	8.3	7.8	8.0	7.9	
Sometimes	13.7	14.5	23.7	13.9	10.5	20.4	19.9	17.4	16.0	16.5	
Often	28.1	27.6	30.5	31.6	33.3	29.6	29.6	28.8	31.1	30.2	
A Lot	43.2	40.8	33.1	48.1	36.4	38.9	31.6	39.0	36.5	37.5	
N of Valid	139	76	118	79	162	54	206	333	501	834	
N of Miss	3	0	2	1	1	5	14	5	21	26	

Table 4.133: In my school, I feel safe in the parking lot.











RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	17.3	13.2	10.2	7.6	10.5	11.1	11.1	13.8	10.3	11.7	
Seldom	12.2	10.5	20.3	10.1	8.6	7.4	12.5	14.7	10.3	12.1	
Sometimes	21.6	18.4	27.1	19.0	18.5	20.4	21.6	22.8	20.1	21.2	
Often	24.5	31.6	18.6	19.0	30.2	24.1	25.0	24.0	25.6	25.0	
A Lot	24.5	26.3	23.7	44.3	32.1	37.0	29.8	24.6	33.6	30.0	
N of Valid	139	76	118	79	162	54	208	333	503	836	
N of Miss	3	0	2	1	1	5	12	5	19	24	

Table 4.134: In my school, I feel safe on the way to or from school.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	7.2	9.2	6.8	5.1	6.8	7.4	5.3	7.5	6.0	6.6	
Seldom	10.1	9.2	6.0	5.1	4.9	1.9	6.7	8.4	5.4	6.6	
Sometimes	12.2	5.3	23.9	15.2	11.1	14.8	14.4	14.8	13.5	14.0	
Often	23.7	32.9	27.4	19.0	32.1	25.9	35.6	27.1	30.8	29.3	
A Lot	46.8	43.4	35.9	55.7	45.1	50.0	38.0	42.2	44.3	43.5	
N of Valid	139	76	117	79	162	54	208	332	503	835	
N of Miss	3	0	3	1	1	5	12	6	19	25	

4.18 While At School Have You...(Past Year)

Table 4.135: In the past year, while at school have you used the Internet or a cell phone to threaten or embarrass someone else by posting mean messages or photos of them?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	98.6	100.0	93.0	97.5	94.4	98.1	95.7	97.0	95.8	96.3
One time	0.7	0.0	5.2	1.3	3.8	0.0	2.9	2.1	2.6	2.4
2-5 times	0.7	0.0	1.7	0.0	0.6	1.9	0.5	0.9	0.6	0.7
6 or more times	0.0	0.0	0.0	1.3	1.2	0.0	1.0	0.0	1.0	0.6
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.136: In the past year, while at school have you been threatened or embarrassed by someone using the Internet or a cell phone to post mean messages or photos of you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	86.3	72.0	75.7	78.5	81.2	81.5	81.6	79.3	81.0	80.3
One time	10.8	16.0	12.2	7.6	6.2	14.8	5.8	12.5	7.2	9.3
2-5 times	2.2	9.3	10.4	11.4	6.9	3.7	7.7	6.7	7.6	7.2
6 or more times	0.7	2.7	1.7	2.5	5.6	0.0	4.8	1.5	4.2	3.1
N of Valid	139	75	115	79	160	54	207	329	500	829
N of Miss	3	1	5	1	3	5	13	9	22	31

Table 4.137: In the past year, while at school have you carried a handgun?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	100.0	97.3	99.1	98.7	98.8	96.3	96.6	99.1	97.6	98.2
One time	0.0	0.0	0.9	0.0	0.0	0.0	1.4	0.3	0.6	0.5
2-5 times	0.0	0.0	0.0	1.3	0.6	0.0	1.0	0.0	0.8	0.5
6 or more times	0.0	2.7	0.0	0.0	0.6	3.7	1.0	0.6	1.0	0.8
N of Valid	139	75	115	79	161	54	208	329	502	831
N of Miss	3	1	5	1	2	5	12	9	20	29

Table 4.138: In the past year, while at school have you carried a knife, club or other weapon?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	95.7	93.3	95.7	96.2	90.0	90.7	89.0	95.1	90.6	92.4
One time	3.6	0.0	0.0	2.5	3.8	5.6	1.4	1.5	2.8	2.3
2-5 times	0.7	1.3	3.5	0.0	2.5	0.0	3.8	1.8	2.4	2.2
6 or more times	0.0	5.3	0.9	1.3	3.8	3.7	5.7	1.5	4.2	3.1
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.139: In the past year, while at school have you threatened a student with a handgun, knife or club?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	100.0	100.0	100.0	100.0	98.1	100.0	98.6	100.0	98.8	99.3
One time	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.4	0.2
2-5 times	0.0	0.0	0.0	0.0	0.6	0.0	1.0	0.0	0.6	0.4
6 or more times	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
N of Valid	137	75	115	79	159	54	209	327	501	828
N of Miss	5	1	5	1	4	5	11	11	21	32

Table 4.140: In the past year, while at school have you threatened to hurt a student by hitting, slapping or kicking?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	89.2	92.0	92.2	82.3	85.0	92.6	82.8	90.9	84.5	87.0
One time	6.5	4.0	3.5	7.6	6.2	3.7	8.6	4.9	7.2	6.3
2-5 times	3.6	2.7	2.6	7.6	5.0	1.9	7.2	3.0	6.0	4.8
6 or more times	0.7	1.3	1.7	2.5	3.8	1.9	1.4	1.2	2.4	1.9
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.141: In the past year, while at school have you hurt a student by using a handgun, knife or club?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	100.0	100.0	100.0	98.7	100.0	100.0	99.5	100.0	99.6	99.8
One time	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.2	0.1
2-5 times	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6 or more times	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.142: In the past year, while at school have you hurt a student by hitting, slapping or kicking?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	92.8	92.0	88.7	87.3	89.4	90.7	92.8	91.2	90.6	90.9
One time	6.5	1.3	7.8	7.6	7.5	5.6	3.3	5.8	5.6	5.7
2-5 times	0.7	5.3	3.5	2.5	2.5	1.9	3.3	2.7	2.8	2.8
6 or more times	0.0	1.3	0.0	2.5	0.6	1.9	0.5	0.3	1.0	0.7
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.143: In the past year, while at school have you been threatened with a handgun, knife or club by a student?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	97.1	94.7	97.4	98.7	94.4	98.1	95.2	96.7	95.8	96.1
One time	2.9	2.7	1.7	1.3	3.1	1.9	1.4	2.4	2.0	2.2
2-5 times	0.0	2.7	0.9	0.0	0.6	0.0	2.4	0.9	1.2	1.1
6 or more times	0.0	0.0	0.0	0.0	1.9	0.0	1.0	0.0	1.0	0.6
N of Valid	139	75	115	79	160	54	208	329	501	830
N of Miss	3	1	5	1	3	5	12	9	21	30

Table 4.144: In the past year, while at school have you had a student threaten to hit, slap or kick you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	75.5	64.0	76.5	73.4	76.2	83.3	77.0	73.3	76.9	75.5
One time	13.7	17.3	7.8	16.5	11.2	7.4	7.7	12.5	10.2	11.1
2-5 times	7.2	13.3	10.4	5.1	8.8	5.6	11.0	9.7	8.8	9.1
6 or more times	3.6	5.3	5.2	5.1	3.8	3.7	4.3	4.6	4.2	4.3
N of Valid	139	75	115	79	160	54	209	329	502	831
N of Miss	3	1	5	1	3	5	11	9	20	29

Table 4.145: In the past year, while at school have you been afraid a student may hurt you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	66.7	75.7	73.9	82.3	76.9	88.9	80.9	71.3	80.7	77.0
One time	15.9	10.8	11.3	13.9	9.4	1.9	9.6	13.1	9.4	10.9
2-5 times	10.1	8.1	7.8	2.5	8.8	3.7	6.2	8.9	6.2	7.2
6 or more times	7.2	5.4	7.0	1.3	5.0	5.6	3.3	6.7	3.8	4.9
N of Valid	138	74	115	79	160	54	209	327	502	829
N of Miss	4	2	5	1	3	5	11	11	20	31

Table 4.146: In the past year, while at school have you been hurt by a student using a handgun, knife or club?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	100.0	100.0	100.0	100.0	100.0	100.0	98.6	100.0	99.4	99.6
One time	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.1
2-5 times	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6 or more times	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.2
N of Valid	138	75	114	79	158	54	209	327	500	827
N of Miss	4	1	6	1	5	5	11	11	22	33

Table 4.147: In the past year, while at school have you been hurt by a student who hit, slapped or kicked you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	84.2	80.0	81.7	87.3	90.0	88.7	90.9	82.4	89.8	86.9	
One time	7.2	8.0	8.7	6.3	4.4	5.7	5.3	7.9	5.2	6.3	
2-5 times	5.8	8.0	8.7	1.3	4.4	3.8	1.4	7.3	2.6	4.5	
6 or more times	2.9	4.0	0.9	5.1	1.2	1.9	2.4	2.4	2.4	2.4	
N of Valid	139	75	115	79	160	53	209	329	501	830	
N of Miss	3	1	5	1	3	6	11	9	21	30	

4.19 How Easy Is It To Get...

Table 4.148: How easy is it to get tobacco?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	91.9	93.3	83.2	88.6	70.6	68.5	55.5	89.2	66.9	75.7	
Very Difficult	0.7	1.3	4.4	1.3	1.9	9.3	1.9	2.2	2.6	2.4	
Fairly Difficult	2.9	0.0	1.8	2.5	2.5	1.9	4.8	1.9	3.4	2.8	
Fairly Easy	2.9	1.3	6.2	1.3	15.0	11.1	16.7	3.7	13.1	9.4	
Very Easy	1.5	4.0	4.4	6.3	10.0	9.3	21.1	3.1	13.9	9.7	
N of Valid	136	75	113	79	160	54	209	324	502	826	
N of Miss	6	1	7	1	3	5	11	14	20	34	

Table 4.149: How easy is it to get alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	91.9	86.7	77.9	79.7	60.0	57.4	46.4	85.8	57.2	68.4	
Very Difficult	0.7	2.7	0.9	3.8	0.0	3.7	3.3	1.2	2.4	1.9	
Fairly Difficult	1.5	2.7	4.4	2.5	8.8	7.4	4.8	2.8	6.0	4.7	
Fairly Easy	3.7	5.3	9.7	10.1	16.2	20.4	20.6	6.2	17.5	13.1	
Very Easy	2.2	2.7	7.1	3.8	15.0	11.1	24.9	4.0	16.9	11.9	
N of Valid	136	75	113	79	160	54	209	324	502	826	
N of Miss	6	1	7	1	3	5	11	14	20	34	

Table 4.150: How easy is it to get marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	93.3	94.7	90.3	87.3	69.4	74.1	56.9	92.6	67.5	77.3	
Very Difficult	0.7	1.3	3.5	3.8	0.0	5.6	1.4	1.9	1.8	1.8	
Fairly Difficult	2.2	1.3	1.8	5.1	5.0	5.6	5.3	1.9	5.2	3.9	
Fairly Easy	3.0	0.0	1.8	3.8	15.6	5.6	15.3	1.9	12.5	8.4	
Very Easy	0.7	2.7	2.7	0.0	10.0	9.3	21.1	1.9	12.9	8.6	
N of Valid	135	75	113	79	160	54	209	323	502	825	
N of Miss	7	1	7	1	3	5	11	15	20	35	

Table 4.151: How easy is it to get prescription drugs not prescribed to you?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Don't Know/Can't Get	92.6	93.3	88.5	92.4	78.1	79.6	81.2	91.4	81.8	85.6
Very Difficult	0.7	0.0	2.7	2.5	3.8	7.4	1.0	1.2	2.8	2.2
Fairly Difficult	1.5	2.7	2.7	1.3	5.0	5.6	5.3	2.2	4.6	3.6
Fairly Easy	3.7	4.0	4.4	2.5	7.5	5.6	4.8	4.0	5.4	4.8
Very Easy	1.5	0.0	1.8	1.3	5.6	1.9	7.7	1.2	5.4	3.8
N of Valid	136	75	113	79	160	54	208	324	501	825
N of Miss	6	1	7	1	3	5	12	14	21	35

Table 4.152: How easy is it to get e-cigarettes, vape pens, or e-liquid rigs excluding marijuana products?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Don't Know/Can't Get	91.2	92.0	81.4	83.5	63.8	63.0	51.7	88.0	61.8	72.0
Very Difficult	0.7	2.7	1.8	0.0	0.0	5.6	1.4	1.5	1.2	1.3
Fairly Difficult	2.9	0.0	2.7	5.1	3.8	3.7	4.8	2.2	4.4	3.5
Fairly Easy	2.2	1.3	9.7	6.3	14.4	14.8	12.9	4.6	12.5	9.4
Very Easy	2.9	4.0	4.4	5.1	18.1	13.0	29.2	3.7	20.1	13.7
N of Valid	136	75	113	79	160	54	209	324	502	826
N of Miss	6	1	7	1	3	5	11	14	20	34

Table 4.153: How easy is it to get prescription opioid painkillers?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Don't Know/Can't Get	91.9	94.7	92.0	94.9	82.5	81.5	81.8	92.6	84.1	87.4
Very Difficult	1.5	0.0	5.3	1.3	7.5	5.6	2.4	2.5	4.2	3.5
Fairly Difficult	0.7	1.3	0.9	1.3	4.4	7.4	4.3	0.9	4.2	2.9
Fairly Easy	4.4	2.7	0.9	1.3	1.9	3.7	3.8	2.8	2.8	2.8
Very Easy	1.5	1.3	0.9	1.3	3.8	1.9	7.7	1.2	4.8	3.4
N of Valid	136	75	113	79	160	54	209	324	502	826
N of Miss	6	1	7	1	3	5	11	14	20	34

4.20 Additional Questions

Table 4.154: How safe would/do you feel returning to school at this time?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Very safe	36.3	38.4	30.0	36.2	31.8	38.0	39.6	34.5	36.3	35.6
Safe	56.5	53.4	61.8	52.2	56.5	42.0	52.6	57.7	52.7	54.7
Not Safe	7.3	8.2	7.3	10.1	9.7	12.0	5.7	7.5	8.4	8.0
Very not safe	0.0	0.0	0.9	1.4	1.9	8.0	2.1	0.3	2.6	1.7
N of Valid	124	73	110	69	154	50	192	307	465	772
N of Miss	18	3	10	11	9	9	28	31	57	88

Table 4.155: Do you prefer online classes or learning in school?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Online classes	11.7	8.1	10.4	16.5	14.6	11.1	19.4	10.4	16.5	14.1
At a school	71.5	75.7	69.6	63.3	63.3	72.2	56.3	71.8	61.4	65.5
No preference	8.8	10.8	11.3	11.4	16.5	9.3	17.5	10.1	15.3	13.2
I don't know	8.0	5.4	8.7	8.9	5.7	7.4	6.8	7.7	6.8	7.2
N of Valid	137	74	115	79	158	54	206	326	497	823
N of Miss	5	2	5	1	5	5	14	12	25	37

Table 4.156: Do you have enough access to school counseling services (ex., counselors who can help with mental health, feelings, or problems students may be experiencing)?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	45.9	48.6	57.5	57.7	55.8	56.6	74.8	50.6	64.1	58.8
No	3.0	11.1	12.4	14.1	10.4	7.5	12.9	8.2	11.7	10.3
I don't know	51.1	40.3	30.1	28.2	33.8	35.8	12.4	41.2	24.2	30.9
N of Valid	133	72	113	78	154	53	202	318	487	805
N of Miss	9	4	7	2	9	6	18	20	35	55

Table 4.157: How has your relationship with the family you live with been affected during the Coronavirus (COVID-19) pandemic?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Much better	12.7	18.9	10.6	10.4	10.3	9.3	7.4	13.4	9.0	10.7
Somewhat better	15.7	12.2	18.6	13.0	15.4	14.8	12.8	15.9	13.9	14.7
Stayed the same	56.0	45.9	46.0	61.0	53.2	53.7	61.1	50.2	57.8	54.7
Somewhat worse	11.2	18.9	20.4	13.0	15.4	13.0	12.8	16.2	13.7	14.7
Much worse	4.5	4.1	4.4	2.6	5.8	9.3	5.9	4.4	5.7	5.2
N of Valid	134	74	113	77	156	54	203	321	490	811
N of Miss	8	2	7	3	7	5	17	17	32	49

Table 4.158: Do you follow social distancing guidelines and try to stay 6 feet apart from other people not in your household?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	25.5	36.0	32.2	36.7	45.6	54.7	41.7	30.3	43.6	38.3
Rarely	22.6	13.3	24.3	21.5	23.1	13.2	18.4	21.1	19.9	20.4
Sometimes	31.4	24.0	27.0	29.1	18.8	11.3	23.8	28.1	21.7	24.2
Often	11.7	22.7	12.2	8.9	8.1	11.3	11.7	14.4	10.0	11.8
Always	8.8	4.0	4.3	3.8	4.4	9.4	4.4	6.1	4.8	5.3
N of Valid	137	75	115	79	160	53	206	327	498	825
N of Miss	5	1	5	1	3	6	14	11	24	35

Table 4.159: Do your friends follow social distancing guidelines and stay 6 feet apart?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Never	32.6	33.3	38.3	40.5	50.6	58.5	51.2	34.8	50.1	44.1
Rarely	33.3	30.7	29.6	25.3	26.9	17.0	23.2	31.4	24.0	26.9
Sometimes	23.0	16.0	23.5	27.8	14.4	15.1	18.4	21.5	18.2	19.5
Often	5.9	16.0	7.0	6.3	5.6	5.7	5.8	8.6	5.8	6.9
Always	5.2	4.0	1.7	0.0	2.5	3.8	1.4	3.7	1.8	2.5
N of Valid	135	75	115	79	160	53	207	325	499	824
N of Miss	7	1	5	1	3	6	13	13	23	36

Table 4.160: Do you and your friends wear masks or face coverings when you are together?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	44.9	38.7	51.3	51.9	61.2	69.2	66.3	45.7	62.7	56.0	
Rarely	26.5	17.3	16.5	31.6	15.0	13.5	11.2	20.9	15.9	17.9	
Sometimes	16.9	20.0	20.0	11.4	13.8	5.8	16.1	18.7	13.5	15.6	
Often	6.6	17.3	8.7	5.1	8.1	5.8	4.9	9.8	6.0	7.5	
Always	5.1	6.7	3.5	0.0	1.9	5.8	1.5	4.9	1.8	3.0	
N of Valid	136	75	115	79	160	52	205	326	496	822	
N of Miss	6	1	5	1	3	7	15	12	26	38	

Table 4.161: Since the pandemic started, have you felt more sad or hopeless than usual?



RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
No	61.4	68.6	64.5	68.8	50.6	61.5	56.4	64.1	57.1	59.8	
Yes	38.6	31.4	35.5	31.2	49.4	38.5	43.6	35.9	42.9	40.2	
N of Valid	132	70	110	77	156	52	202	312	487	799	
N of Miss	10	6	10	3	7	7	18	26	35	61	

Table 4.162: During the past 30 days, about how often did you feel nervous?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	9.6	14.7	16.5	7.6	24.4	14.8	20.4	13.2	19.0	16.7	
Most of the time	9.6	18.7	15.7	17.7	16.2	18.5	14.6	13.8	16.0	15.2	
Some of the time	25.0	18.7	20.9	24.1	16.9	22.2	22.3	22.1	20.8	21.3	
A little of the time	25.0	17.3	24.3	24.1	15.0	18.5	16.0	23.0	17.2	19.5	
None of the time	30.9	30.7	22.6	26.6	27.5	25.9	26.7	27.9	26.9	27.3	
N of Valid	136	75	115	79	160	54	206	326	499	825	
N of Miss	6	1	5	1	3	5	14	12	23	35	

Table 4.163: During the past 30 days, about how often did you feel hopeless?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	5.1	10.7	7.8	6.4	17.5	3.7	12.1	7.4	12.0	10.2	
Most of the time	4.4	10.7	9.6	9.0	8.8	13.0	8.7	7.7	9.2	8.6	
Some of the time	11.8	10.7	16.5	11.5	8.8	16.7	17.5	13.2	13.7	13.5	
A little of the time	14.0	13.3	15.7	17.9	22.5	20.4	19.9	14.4	20.5	18.1	
None of the time	64.7	54.7	50.4	55.1	42.5	46.3	41.7	57.4	44.6	49.6	
N of Valid	136	75	115	78	160	54	206	326	498	824	
N of Miss	6	1	5	2	3	5	14	12	24	36	

Table 4.164: During the past 30 days, about how often did you feel restless or fidgety?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	9.6	22.7	20.9	11.4	24.4	14.8	21.4	16.6	20.0	18.7	
Most of the time	16.2	17.3	13.0	15.2	16.9	25.9	18.0	15.3	18.0	17.0	
Some of the time	12.5	14.7	17.4	20.3	14.4	14.8	21.4	14.7	18.2	16.8	
A little of the time	18.4	10.7	18.3	20.3	12.5	9.3	11.2	16.6	12.8	14.3	
None of the time	43.4	34.7	30.4	32.9	31.9	35.2	28.2	36.8	30.9	33.2	
N of Valid	136	75	115	79	160	54	206	326	499	825	
N of Miss	6	1	5	1	3	5	14	12	23	35	

Table 4.165: During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	2.9	4.0	6.1	5.1	13.8	5.6	12.2	4.3	10.8	8.3	
Most of the time	4.4	5.3	7.8	5.1	5.6	3.7	6.8	5.8	5.8	5.8	
Some of the time	6.6	14.7	13.0	10.1	11.2	20.4	20.0	10.7	15.7	13.7	
A little of the time	20.6	18.7	12.2	8.9	19.4	14.8	21.5	17.2	18.1	17.7	
None of the time	65.4	57.3	60.9	70.9	50.0	55.6	39.5	62.0	49.6	54.5	
N of Valid	136	75	115	79	160	54	205	326	498	824	
N of Miss	6	1	5	1	3	5	15	12	24	36	

Table 4.166: During the past 30 days, about how often did you feel that everything was an effort?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	8.9	12.0	11.5	8.9	20.8	9.3	16.0	10.5	15.7	13.6	
Most of the time	8.9	5.3	10.6	11.4	10.7	9.3	14.1	8.7	12.0	10.7	
Some of the time	12.6	13.3	14.2	11.4	16.4	16.7	18.4	13.3	16.5	15.2	
A little of the time	14.8	12.0	14.2	16.5	8.2	14.8	16.0	13.9	13.5	13.6	
None of the time	54.8	57.3	49.6	51.9	44.0	50.0	35.4	53.6	42.4	46.8	
N of Valid	135	75	113	79	159	54	206	323	498	821	
N of Miss	7	1	7	1	4	5	14	15	24	39	

Table 4.167: During the past 30 days, about how often did you feel worthless?






RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
All of the time	8.1	13.3	13.0	7.6	17.5	9.3	15.5	11.0	14.2	13.0	
Most of the time	5.1	9.3	11.3	7.6	7.5	7.4	9.7	8.3	8.4	8.4	
Some of the time	6.6	5.3	7.0	6.3	11.2	13.0	16.0	6.4	12.6	10.2	
A little of the time	14.0	17.3	12.2	15.2	14.4	7.4	12.1	14.1	12.8	13.3	
None of the time	66.2	54.7	56.5	63.3	49.4	63.0	46.6	60.1	51.9	55.2	
N of Valid	136	75	115	79	160	54	206	326	499	825	
N of Miss	6	1	5	1	3	5	14	12	23	35	

Table 4.168: I feel that... I know where to go if you have questions about how to practice safe sex?



RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Yes	31.2	47.1	59.1	84.6	78.8	75.5	80.8	47.3	80.4	68.5	
No	68.8	52.9	40.9	15.4	21.2	24.5	19.2	52.7	19.6	31.5	
N of Valid	64	70	88	78	80	53	182	222	393	615	
N of Miss	78	6	32	2	83	6	38	116	129	245	

Table 4.169: I feel that... I feel pressure from my peers to engage in sexual activity?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	6.2	7.1	11.5	6.4	17.5	13.2	16.5	8.6	14.2	12.2
No	93.8	92.9	88.5	93.6	82.5	86.8	83.5	91.4	85.8	87.8
N of Valid	64	70	87	78	80	53	182	221	393	614
N of Miss	78	6	33	2	83	6	38	117	129	246

Table 4.170: I feel that... I feel pressure from social media to engage in sexual activity.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	6.2	10.0	11.5	3.8	21.2	9.4	19.3	9.5	15.3	13.2
No	93.8	90.0	88.5	96.2	78.8	90.6	80.7	90.5	84.7	86.8
N of Valid	64	70	87	78	80	53	181	221	392	613
N of Miss	78	6	33	2	83	6	39	117	130	247

Table 4.171: Have you shared nudes or inappropriate videos on social media or via text?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	1.5	1.4	1.2	6.4	14.1	13.2	23.7	1.4	16.8	11.2
No	92.3	81.9	75.3	69.2	64.1	64.2	52.0	82.4	59.6	67.9
No, but I have seen them	6.2	16.7	23.5	24.4	21.8	22.6	24.3	16.2	23.6	20.9
N of Valid	65	72	85	78	78	53	177	222	386	608
N of Miss	77	4	35	2	85	6	43	116	136	252

Table 4.172: I am comfortable talking to my parents about the details of my personal, sexual health.

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	47.0	53.5	46.6	63.2	42.9	55.8	48.6	48.9	51.3	50.4
No	39.4	31.0	43.2	22.4	41.6	34.6	34.6	38.2	33.6	35.3
No, but I have another trusted adult I feel comfortable with	13.6	15.5	10.2	14.5	15.6	9.6	16.8	12.9	15.1	14.3
N of Valid	66	71	88	76	77	52	179	225	384	609
N of Miss	76	5	32	4	86	7	41	113	138	251

Table 4.173: I feel satisfied with the way my body looks right now.




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Agree	53.0	40.3	23.9	35.1	32.1	30.2	30.2	37.6	31.5	33.8	
Disagree	19.7	26.4	27.3	19.5	32.1	30.2	33.5	24.8	30.0	28.1	
Neutral	27.3	33.3	48.9	45.5	35.9	39.6	36.3	37.6	38.5	38.2	
N of Valid	66	72	88	77	78	53	179	226	387	613	
N of Miss	76	4	32	3	85	6	41	112	135	247	

Table 4.174: How many times in the past year have you used bystander skills (delegated, distracted or been direct to intervene) to help a friend or classmate?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	62.7	43.3	48.1	50.6	46.1	47.2	47.7	50.7	47.9	48.9	
One time	20.3	17.9	17.7	26.0	15.8	17.0	17.8	18.5	18.9	18.8	
2-5 times	15.3	25.4	24.1	19.5	23.7	28.3	22.4	22.0	22.9	22.6	
6 or more times	1.7	13.4	10.1	3.9	14.5	7.5	12.1	8.8	10.3	9.7	
N of Valid	59	67	79	77	76	53	174	205	380	585	
N of Miss	83	9	41	3	87	6	46	133	142	275	

Table 4.175: How often in the last 12 months have you experienced dating abuse, including physical, sexual, emotional/verbal, digital, or financial, by someone you have dated or went out with?





RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	97.0	88.7	94.0	82.1	78.2	79.2	72.1	93.2	76.3	82.5	
1 time	0.0	7.0	4.8	10.3	11.5	9.4	12.3	4.1	11.3	8.7	
2 times	0.0	1.4	1.2	5.1	3.8	5.7	5.6	0.9	5.2	3.6	
3 or more times	3.0	2.8	0.0	2.6	6.4	5.7	10.1	1.8	7.2	5.2	
N of Valid	67	71	84	78	78	53	179	222	388	610	
N of Miss	75	5	36	2	85	6	41	116	134	250	

Table 4.176: How often in the past 30 days has an adult given you or your friends alcohol (beer, wine, hard liquor)?












RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
Never	100.0	94.4	95.3	92.2	80.5	86.5	77.0	96.4	82.0	87.3	
1 time	0.0	4.2	4.7	3.9	9.1	7.7	9.0	3.1	7.8	6.1	
2 times	0.0	1.4	0.0	3.9	2.6	5.8	6.7	0.4	5.2	3.5	
3 or more times	0.0	0.0	0.0	0.0	7.8	0.0	7.3	0.0	4.9	3.1	
N of Valid	67	71	85	77	77	52	178	223	384	607	
N of Miss	75	5	35	3	86	7	42	115	138	253	

Table 4.177: On an average school night, how many hours of sleep do you get?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL	
4 hours or less	7.4	9.7	11.4	6.4	2.5	9.6	14.4	9.6	9.7	9.7	
5 hours	5.9	13.9	13.6	7.7	7.5	1.9	17.8	11.4	11.5	11.5	
6 hours	5.9	6.9	18.2	12.8	21.2	25.0	20.6	11.0	19.7	16.5	
7 hours	16.2	18.1	18.2	35.9	27.5	32.7	20.0	17.5	26.4	23.1	
8 hours	32.4	30.6	22.7	25.6	31.2	19.2	20.6	28.1	23.6	25.2	
9 hours	16.2	20.8	11.4	7.7	7.5	3.8	3.3	15.8	5.1	9.1	
10 or more hours	16.2	0.0	4.5	3.8	2.5	7.7	3.3	6.6	3.8	4.9	
N of Valid	68	72	88	78	80	52	180	228	390	618	
N of Miss	74	4	32	2	83	7	40	110	132	242	

4.21 Frequency of Use

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

- Daily Use – Every Day
- Weekly Use – Once/Week + 3 Times/Week + Every Day
- Annual Use – Once/Year + 6 Times/Year + Once/Month +
Twice/Month + Once/Week + 3 Times/Week + Every Day

The Monthly Use category in previous reports has been changed to Past 30-Day Use. Due to recent changes in federal reporting requirements, Past 30-Day use for tobacco, alcohol, marijuana and prescription drugs must be calculated from the section headed *During the Past 30 Days*. The other drugs are calculated as before by combining the categories of Once/Month thru Daily together of the *How Often Do You Use* data.

An additional drug use category has been created by combining the responses from marijuana, cocaine, inhalants, hallucinogens, heroin, steroids, ecstasy, meth, prescription drugs, over-the-counter drugs, synthetic marijuana and prescription opioid pain killers together to create an illicit drug use variable. This category represents any illicit drug use regardless of the type of drug.

Table 4.178: Past 30-day use: cigarettes?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.8	2.5	4.3	5.1	11.0	0.3	6.9	4.3
No	100.0	100.0	99.2	97.5	95.7	94.9	89.0	99.7	93.1	95.7
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.179: Past 30-day use: e-cigarettes?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.3	1.7	7.6	18.0	20.3	31.1	1.2	22.2	14.0
No	99.3	98.7	98.3	92.4	82.0	79.7	68.9	98.8	77.8	86.0
N of Valid	140	76	119	79	161	59	219	335	518	853
N of Miss	2	0	1	1	2	0	1	3	4	7

Table 4.180: Past 30-day use: alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	2.6	4.2	12.7	21.1	16.9	35.8	2.4	25.5	16.4
No	99.3	97.4	95.8	87.3	78.9	83.1	64.2	97.6	74.5	83.6
N of Valid	140	76	120	79	161	59	218	336	517	853
N of Miss	2	0	0	1	2	0	2	2	5	7

Table 4.181: Past 30-day use: marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.3	0.8	2.5	9.9	10.2	17.4	0.9	12.0	7.6
No	99.3	98.7	99.2	97.5	90.1	89.8	82.6	99.1	88.0	92.4
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.182: Past 30-day use: cocaine?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
No	100.0	100.0	100.0	100.0	99.4	100.0	99.5	100.0	99.6	99.8
N of Valid	142	76	120	80	163	58	220	338	521	859
N of Miss	0	0	0	0	0	1	0	0	1	1

Table 4.183: Past 30-day use: inhalants?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	1.2	1.7	1.4	0.0	1.2	0.7
No	100.0	100.0	100.0	100.0	98.8	98.3	98.6	100.0	98.8	99.3
N of Valid	139	76	119	79	161	59	219	334	518	852
N of Miss	3	0	1	1	2	0	1	4	4	8

Table 4.184: Past 30-day use: hallucinogens?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	0.8	0.5
No	100.0	100.0	100.0	100.0	98.8	100.0	99.1	100.0	99.2	99.5
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.185: Past 30-day use: heroin?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2
No	100.0	100.0	100.0	100.0	99.4	100.0	99.5	100.0	99.6	99.8
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.186: Past 30-day use: steroids?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	0.6	0.0	1.8	0.0	1.0	0.6
No	100.0	100.0	100.0	100.0	99.4	100.0	98.2	100.0	99.0	99.4
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.187: Past 30-day use: ecstasy?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3
No	100.0	98.7	100.0	100.0	99.4	100.0	99.5	99.7	99.6	99.7
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.188: Past 30-day use: meth?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3
No	100.0	98.7	100.0	100.0	99.4	100.0	99.5	99.7	99.6	99.7
N of Valid	141	76	120	80	163	59	219	337	521	858
N of Miss	1	0	0	0	0	0	1	1	1	2

Table 4.189: Past 30-day use: prescription drugs?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.0	0.0	0.0	1.9	1.7	2.3	0.0	1.7	1.1
No	100.0	100.0	100.0	100.0	98.1	98.3	97.7	100.0	98.3	98.9
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.190: Past 30-day use: over-the-counter drugs?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	1.3	0.0	0.0	1.2	1.7	0.9	0.3	1.0	0.7
No	100.0	98.7	100.0	100.0	98.8	98.3	99.1	99.7	99.0	99.3
N of Valid	139	76	120	79	161	59	219	335	518	853
N of Miss	3	0	0	1	2	0	1	3	4	7

Table 4.191: Past 30-day use: opioid painkillers?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.0	2.6	0.0	0.0	1.2	0.0	0.5	0.6	0.6	0.6
No	100.0	97.4	100.0	100.0	98.8	100.0	99.5	99.4	99.4	99.4
N of Valid	140	76	120	79	161	59	219	336	518	854
N of Miss	2	0	0	1	2	0	1	2	4	6

Table 4.192: Past 30-day use: any illicit drug?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Yes	0.7	1.3	0.8	2.5	11.7	15.3	18.2	0.9	13.4	8.5
No	99.3	98.7	99.2	97.5	88.3	84.7	81.8	99.1	86.6	91.5
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.193: Frequency of use: tobacco?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.8	0.0	3.1	5.1	10.5	0.3	5.9	3.7
Weekly	0.0	1.3	0.8	0.0	3.7	5.1	15.5	0.6	8.2	5.2
Annual	0.7	1.3	1.7	3.8	14.1	11.9	25.9	1.2	17.2	10.9
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.194: Frequency of use: e-cigarettes?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	7.4	10.2	14.1	0.0	9.4	5.7
Weekly	0.0	0.0	0.0	1.2	9.2	13.6	19.5	0.0	12.8	7.8
Annual	0.0	1.3	3.4	8.8	19.6	23.7	30.0	1.5	22.8	14.4
N of Valid	142	76	119	80	163	59	220	337	522	859
N of Miss	0	0	1	0	0	0	0	1	0	1

Table 4.195: Frequency of use: alcohol?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.4
Weekly	0.0	0.0	0.0	0.0	1.2	1.7	10.6	0.0	5.0	3.0
Annual	0.7	3.9	10.0	16.2	32.7	22.0	49.1	4.7	35.8	23.6
N of Valid	142	76	120	80	162	59	218	338	519	857
N of Miss	0	0	0	0	1	0	2	0	3	3

Table 4.196: Frequency of use: marijuana?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	6.8	5.9	0.0	3.5	2.1
Weekly	0.0	0.0	0.0	0.0	2.5	8.5	8.2	0.0	5.2	3.1
Annual	0.0	0.0	1.7	3.8	11.1	15.3	25.5	0.6	16.5	10.2
N of Valid	142	76	120	80	162	59	220	338	521	859
N of Miss	0	0	0	0	1	0	0	0	1	1

Table 4.197: Frequency of use: cocaine?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Annual	0.0	1.3	0.0	0.0	0.6	0.0	0.9	0.3	0.6	0.5 
N of Valid	142	76	120	80	163	58	220	338	521	859
N of Miss	0	0	0	0	0	1	0	0	1	1

Table 4.198: Frequency of use: inhalants?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	1.7	0.5	0.0	0.6	0.3 
Weekly	0.0	0.0	0.0	0.0	0.6	1.7	0.5	0.0	0.6	0.3 
Annual	0.0	1.3	0.0	0.0	0.6	3.4	0.5	0.3	0.8	0.6 
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.199: Frequency of use: hallucinogens?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Annual	0.0	1.3	0.0	0.0	1.8	3.4	4.1	0.3	2.7	1.7 
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.200: Frequency of use: heroin?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Annual	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3 
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.201: Frequency of use: steroids?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.9	0.0	0.6	0.3 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	1.4	0.0	0.8	0.5 
Annual	0.0	0.0	0.8	0.0	0.6	0.0	3.2	0.3	1.5	1.0 
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.202: Frequency of use: ecstasy?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Annual	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3 
N of Valid	141	76	120	80	163	59	220	337	522	859
N of Miss	1	0	0	0	0	0	0	1	0	1

Table 4.203: Frequency of use: meth?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Weekly	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Annual	0.0	1.3	0.0	0.0	0.6	0.0	0.5	0.3	0.4	0.3 
N of Valid	141	76	120	80	163	59	219	337	521	858
N of Miss	1	0	0	0	0	0	1	1	1	2

Table 4.204: Frequency of use: prescription drugs?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	0.1 
Weekly	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.4	0.2 
Annual	0.0	0.0	0.8	0.0	1.8	3.4	3.2	0.3	2.3	1.5 
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.205: Frequency of use: over-the-counter drugs?




RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	1.7	0.0	0.0	0.4	0.2 
Weekly	0.0	0.0	0.0	0.0	1.2	1.7	0.0	0.0	0.6	0.3 
Annual	0.0	1.3	0.0	0.0	2.5	1.7	1.8	0.3	1.7	1.2 
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.206: Frequency of use: opioid painkillers?







RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.4	0.2 
Weekly	0.0	0.0	0.0	0.0	1.8	0.0	0.9	0.0	1.0	0.6 
Annual	2.1	2.6	0.0	1.2	4.3	5.1	5.9	1.5	4.6	3.4 
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Table 4.207: Frequency of use: any illicit drug?

RESPONSE	6th	7th	8th	9th	10th	11th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.6	10.2	6.8	0.0	4.2	2.6 
Weekly	0.0	0.0	0.0	0.0	3.7	11.9	10.0	0.0	6.7	4.1 
Annual	2.1	2.6	3.3	5.0	15.3	23.7	28.6	2.7	20.3	13.4 
N of Valid	142	76	120	80	163	59	220	338	522	860
N of Miss	0	0	0	0	0	0	0	0	0	0

Chapter 5

Narrative Report

5.1 Introduction

Tobacco, alcohol, drug use and violence continue to be a persistent problem facing the youth of America. The use of mind-altering chemicals has proven to be especially harmful to the adolescent growth and development process. Psychoactive drugs interfere with physical, social, and emotional growth during the critical years of adolescent development.

An adolescent who uses intoxicants is not only at high risk of becoming drug dependent but is also at an increased risk of dropping out of school, getting involved in crime, attempting suicide, or becoming involved in an assortment of unacceptable behaviors.

The prevention of adolescent drug and alcohol use, bullying and related behaviors is most likely to occur when parents, teachers, faith leaders, other individuals and community organizations, who are part of the child's friendship circle...

- are well informed of the harmful effects of drugs,
- understand potential danger from threatening behaviors,
- recognize behavioral changes that accompany drug use,

- and understand how drug use and violence is encouraged and accepted in the social world of the child.

Another key to successful prevention programming is the direct involvement of youth in planning and implementing programs.

This report will help parents, school personnel, students, and other "youth care givers" understand the extent of drug use and threatening (bullying) behaviors in your community.

Your questions concerning this report or information on other reports and services of **Pride Surveys** may be obtained by calling the **Pride Surveys** office at 1-800-279-6361.

5.1.1 The Pride Surveys

As with any type of meaningful survey, it is important that the data collected are of high quality and utility. The Pride Surveys were developed to provide accurate, reliable and useful information about students through their reported behaviors, perceptions and living environments. Questionnaire forms and administration procedures have undergone extensive reviews by independent evaluators over the years. The survey provides users with data of

high quality and practical application. For more technical information about the development of the questionnaire, see the *Pride Technical Report: The Pride Questionnaire for Grades 6-12 Developmental Study*. These studies are available on the Pride Surveys website at www.pridesurveys.com.

5.1.2 The Report

This report was prepared to be used as part of a community-wide prevention program. For maximum use of your school drug and violence survey, we suggest that you review each section carefully, share the information with school officials, teachers, students and parents, and prepare a press release to inform your community of the results.

This narrative report contains five sections, including the introductory Section 5.1. Section 5.2 contains information on *Gateway Drugs* (tobacco, alcohol, and marijuana). Section 5.3 contains information on *Other Illicit Drugs* (cocaine, uppers, downers, inhalants, hallucinogens, heroin, steroids, prescription drugs and opioid painkillers). The following information on each drug category has been selected for analysis in this report:

- perceived risk of drug use,
- frequency of drug use reported by students,
- when students reported using drugs,
- where students reported using drugs,
- friends' use of drugs,
- age of onset of use of drugs,
- availability of drugs as reported by students.

Section 5.4 contains suggestions for community awareness activities utilizing the media and presentations of survey findings to various audiences.

Note that all statistics compiled from your survey results are highlighted in **bold**.

It is important that your school survey be viewed as part of an ongoing process that provides needed information about the prevalence and patterns of tobacco, alcohol and other drug use by students in your community. By using the **Pride Surveys** in your assessment process, you can be confident of high quality, consistent, and reliable information to assist you in your drug prevention efforts. For additional assistance with questionnaire data, call the Pride Surveys Office at 1-800-279-6361. For additional information about the health impact of drugs visit the Pride Surveys website at www.pridesurveys.com.

5.2 Gateway Drugs

The *gateway drugs* are defined in this report as tobacco, alcohol, and marijuana. In most states, alcohol and tobacco products are illegal when used by minors, but are legal when used by adults. Nevertheless, they are generally easy to obtain and are widely used by students. Use of alcohol and cigarettes at early ages has been linked to later use of illicit drugs, thus the term *gateway drugs*. Marijuana is the illicit drug most widely used by the adolescent population. Although marijuana is itself a dangerous illicit drug, it is also a strong predictor for use of other addictive drugs. In this section, harmful effects, prevalence, and patterns of tobacco products (cigarettes, smokeless tobacco, and cigars), alcohol (beer, wine coolers, and liquor), and marijuana use are reported.

5.2.1 Tobacco

Harmful Effects of Tobacco Products

The use of tobacco products was not always considered to be drug use. However, cigarette smoke contains more than 1,200 chemicals, none of which are beneficial to man. When cigarette smoke is absorbed into the body, it decreases the oxygen-carrying capacity of the blood and increases the clotting rate. This reaction, combined with hardening of the arteries associated with smoking, can cause a heart attack. Using tobacco products is a major cause of emphysema, chronic bronchitis, lung cancer, heart disease and cancer of the mouth.

Research indicates that mothers who smoke during pregnancy may damage the unborn child. Women who take birth control pills should not smoke because of increased risk of blood clots, stroke, heart attack and liver tumors.

It is important that students know the health consequences of tobacco use, but they may be influenced more by the social stigma and the unattractive appearance using tobacco can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for adolescents who are usually concerned about their appearance.

Frequency and Effects of Tobacco Use

While millions of people in this country have quit smoking cigarettes, there are still millions that continue to smoke despite warnings of detrimental health effects. It is important to examine the use of cigarettes by students, for they are engaging in an unhealthy practice. Also, students who start smoking tobacco early are more prone to try other drugs, particularly marijuana, than students who do not use tobacco products.

Table 5.1: 30-Day Use of Tobacco

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	0.0	1.3	0.8	0.0	7.4	5.1	19.1

Additional information about frequency of cigarette smoking by your students may be found in the Percentage Tables chapter of your Pride report.

Locations and Times of Tobacco Use

A knowledge of the patterns of adolescent tobacco use is important when planning and implementing prevention programs. Two of the most important questions that were asked on the *Pride Surveys* were *Where* and *When* various drugs are used. Students were asked to respond to various locations and times they used tobacco products. Responses to *Where* students used gateway drugs included *At Home, At School, In a Car, Friend's House and Other* places in the community. Time of use responses consisted of *Before School, During School, After School, Week Nights and Weekends*. This information is important in providing insight into the use patterns of tobacco products by your students.

Although there was some variation, students who smoked cigarettes reported smoking at most locations and times. This finding may be explained by the highly addictive nature of the nicotine in tobacco, the non-intoxicating effects of smoking tobacco (as opposed to the intoxicating effects of alcohol), and adult tolerance for possession and use of tobacco products by minors. However, as explained earlier, cigarette smoking does present health hazards for the users and for those who share a common environment.

Table 5.2: Reported Location of Tobacco Use For Your Students

LOCATION	6th	7th	8th	9th	10th	11th	12th
At Home	0.7	0.0	0.8	2.5	4.3	3.4	14.5
At School	0.0	0.0	0.0	0.0	2.5	0.0	2.3
In a Car	0.0	0.0	0.0	0.0	2.5	3.4	10.9
Friend's House	0.0	0.0	0.8	0.0	4.3	6.8	11.4
Other	0.0	0.0	0.0	0.0	2.5	3.4	7.3

Table 5.3: Reported Times of Tobacco Use For Your Students

TIME	6th	7th	8th	9th	10th	11th	12th
Before School	0.0	0.0	0.0	0.0	1.2	3.4	7.7
During School	0.0	0.0	0.0	0.0	1.2	0.0	1.8
After School	0.0	0.0	0.0	0.0	2.5	3.4	11.4
Week Night	0.7	0.0	0.0	1.3	1.2	1.7	10.5
Weekend	0.0	1.3	0.0	2.5	2.5	5.1	15.0

5.2.2 Alcohol

Harmful Effects of Alcohol

Alcohol is a central nervous system depressant, which relaxes the inhibiting and controlling mechanisms of the brain. The effects of drinking alcohol depend on the amount consumed, body size, food intake, age, genetic susceptibility, and tolerance. Alcohol is metabolized at the rate of about 1/2 ounce per hour, and coffee, tea, or cold showers will not speed up this process. The effects of drinking alcohol can range from mild intoxication, to mental confusion, to aggression, to respiratory depression and death. Repeated or chronic use of alcohol may cause damage to the liver, brain, stomach, skin, and other systems of the body.

The sources of alcohol most available to youth for consumption are beer, wine or wine coolers, and various forms of liquor. It is important for youth and

adults to understand that sources with lower percentages of alcohol, such as beer and wine coolers, are equally as capable of causing intoxication and dependency as liquor. However, there appears to be a progression of alcohol use that begins with beer or wine coolers and on to liquor. Drinking liquor produces higher levels of intoxication, probably due to its higher concentration of alcohol.

Since the human body builds a tolerance to alcohol, there is a potential for addiction for those who drink. This risk of addiction is greater for the developing adolescent than for mature adults. Junior and senior high students who use alcohol run the risk of delaying or retarding their normal physical, mental and social development. Drinking and driving is a popular practice among teenagers, and alcohol-related accidents are a major cause of death among 15- to 19-year-olds.

Frequency and Effects of Alcohol Use


Although drinking alcoholic beverages is illegal for minors, beer, wine coolers, and liquor are popular intoxicants for students. It should be kept in mind that these data are from 12- to 18-year-old students. Not only are they minors under the law, and therefore violating the law when using alcohol, but they are also young adolescents who are abusing alcohol at least once a month or more often.

Table 5.4: 30-Day Use of Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Alcohol	0.7	2.6	4.2	12.7	21.1	16.9	35.8


YOUR NOTES:

30-Day Use of Alcohol



Source: Pride Surveys

Location of Any Alcohol Use




Source: Pride Surveys

Locations and Times of Alcohol Use

Drinking alcoholic beverages can produce a mind-altered or intoxicated state. Given the impairment in thinking and judgement produced by alcohol intoxication, time of use is an important consideration for targeting prevention activities. The following figures contain percentage data for the times of alcohol use as reported by junior and senior high students in your community.

It is important to note that past research indicates that *At School* is the least popular location for use and *During School* is the least popular time of use. *Weekends* tends to be the most popular time of use and *At Home* tends to be the most popular with younger students while *Friend's House* and *Other* tends to be the most popular with older students. These data strongly support the concept of parent and community involvement in reducing alcohol use by youth.

Time of Any Alcohol Use



Source: Pride Surveys

Availability of Tobacco Products & Alcohol

YOUR NOTES:

The question of availability of tobacco products has been included on the *Pride Surveys*.

Students were asked to report how easy it was for them to get alcohol, specifically in the forms of beer, coolers, breezers, etc. and liquor. Students could respond that they *Cannot Get* alcohol, or that alcohol was *Very Difficult*, *Fairly Difficult*, *Fairly Easy*, or *Very Easy* to get. The following table provides the percentages of students who responded to the *Fairly Easy* or *Very Easy* categories for obtaining tobacco products as well as beer, wine coolers, liquor, and marijuana.

Use of tobacco products and alcohol by minors is illegal, yet they are readily available to students. Popular culture condones and often encourages the use of tobacco and alcohol. While it is important to discourage the illegal use of tobacco and alcohol through formal education and community prevention programs, it is also important to reduce the ease by which students may obtain tobacco and alcohol products, whether from home or a neighbor’s home, or from merchants that sell alcoholic beverages to minors. Cooperation of parents, students, and educators with local, state, and federal law enforcement agencies should play an important role in reducing the availability of gateway drugs to students.

Table 5.5: Pct of Students Reporting *Fairly Easy* or *Very Easy* to Get Tobacco and Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	4.4	5.3	10.6	7.6	25.0	20.4	37.8
Alcohol	5.9	8.0	16.8	13.9	31.3	31.5	45.5

5.2.3 Marijuana

Harmful Effects of Marijuana

Marijuana is a crude drug made from the *cannabis sativa* plant, and it contains more than 400 known chemicals. Seventy or more of these chemicals, called "cannabinoids," are found only in the cannabis plant, and in recent years we have learned much about their effect on the human body. One of the cannabinoids, THC (delta-9-tetrahydrocannabinol), is the major mind-altering chemical in marijuana.

Street names for marijuana include *pot*, *grass*, and *weed*. Smoking pot became popular with college age students during the late 60's and early 70's. By the middle 70's the age of users had dropped to junior high and even elementary school levels.

The marijuana used in the 1960's was often quite low in THC content, ranging from .25 to 1 percent, and few health hazards were documented during that period. In the early 1970's, the Mexican marijuana coming into the country averaged 1 to 2 percent THC content. After 1975, Colombian marijuana became more prominent, and it ranged from 3 to 6 percent in THC content. Presently, we have marijuana (a variety called *Sinsemilla*) being grown in the U.S. with THC levels of more than 24 percent. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have increased dramatically. More students are receiving treatment for marijuana addiction than for alcohol addiction.


The THC and other cannabinoids are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body four to six weeks. Thus, the students who smoke pot *only on weekends* will gradually accumulate THC content in their body cells. This build-up of THC is unlike the effect of alcohol, which is water-soluble and metabolized out of the body much more quickly (usually within 24 hours).

Accumulation of THC in the body affects those areas where there is an

accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems. The effect of this drug is even more severe on developing adolescents in junior and senior high school. Not surprisingly, recent research indicates that regular marijuana use reduces the mental efficiency of students and may increase their susceptibility to infection and disease, by interfering with their immune system.

At the federal level, production and use of marijuana is illegal in the United States and most other countries around the world. The following table contains data on your students' use of marijuana at least once a month or more often.

Past 30-Day Use of Marijuana




Source: Pride Surveys

Location and Time of Marijuana Use

Location and time of marijuana use followed a similar pattern to that of alcohol use, although the percentage of students who reported smoking marijuana


was considerably less than the percentage who reported drinking alcohol.

Location of Marijuana Use



Source: Pride Surveys

Time of Any Marijuana Use




Source: Pride Surveys

Friends' Use & Age of Onset of Use of Marijuana

Often, marijuana and other illicit drug use will occur within a friendship circle and those who report use among friends are more likely to use. Past analysis shows that marijuana is typically the most commonly used of illicit drugs. The following graphs present percentage data on friends' use of your students.

It is important to remember that early use is an indicator of increased risk for addiction. Figure 5-8 presents data on age of onset of use of marijuana for your students.

YOUR NOTES:



Source: Pride Surveys

5.3 Other Illicit Drugs

As stated in the previous section, marijuana is the illicit drug most used by junior and senior high students. However, many marijuana users become multiple drug users. Knowledge of the nature and extent of such illicit drug use is very important in gaining a perspective on the overall adolescent drug problem in your community. It will also provide you with information on the percentages of your students who are drug dependent or who are at high risk of becoming drug dependent and in need of professional help.

The other illicit drug categories included in *The Pride Surveys Questionnaire for Grades 6-12* are as follows:

Cocaine	including crack
Inhalants	such as glue or solvents
Hallucinogens	including LSD and PCP
Heroin	opiates
Steroids	
Ecstasy	MDMA
Meth	ice, crank, etc.
Prescription drugs	
Over-the-counter drugs	
Opioid Painkillers	

Additional information on all categories of drugs obtained from your survey may be found in the tabular report.

5.4 The Media and Data Presentation

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol abuse prevention in your community. The results of this survey should be made available to the public in a timely fashion. Therefore, Section 4 of this chapter is devoted to assisting you in utilizing your survey findings to make the community more aware of the extent and nature of adolescent alcohol and other drug use.

5.4.1 Community Awareness

Community awareness that a drug problem exists is important when mobilizing the various components of a community in a planned, systematic process to reduce alcohol and other drug use by youth. Unless the community is convinced that the problem is serious, real, and local – i.e., a threat to their children, families and friends – it is less likely that meaningful community involvement or support will occur. Community awareness involves informing as many people as possible of the extent and nature of the adolescent drug problem. Information collected by your survey of student drug use is very important in community awareness. It is also important for members of the community to understand the harmful nature of drug use. Both information about the harmful effects of drug use and the extent of local drug use is contained in Sections 2 and 3 of this chapter.

Two of the most effective means of conducting community awareness is through electronic and print media and through presentations to community groups such as parent and school groups, civic and business organizations, community coalitions and church groups. Section 4 is designed to assist you in these activities. Section 4.2. contains information about how you can work with the media in releasing your survey data and Section 4.3. contains information to assist you with presentations to various groups in your community. Of course, these are suggestions and you may want to change or modify the suggestions. For example, as you monitor the drug problem through multiple annual surveys, these data can be added to your press releases and

presentations.

5.4.2 The Media

What is generally referred to as *The Media* includes the traditional print media (such as, newspapers, magazines, and newsletters), and electronic media (such as, television, radio, wire services, and web sites). Non-traditional sources may include billboards, t-shirts, posters, pay-roll stuffers, grocery bags, hand bills, etc. The most common of these media used to communicate survey results have been local newspaper news articles and editorials, local television and radio news casts, talk-shows, and interviews.

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type the release double spaced on one side only. The first page should contain the name and address of your school/organization (letterhead is fine). If special News Release paper is available, use it.
2. Name a contact person and his/her office and home phone numbers in the upper right-hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
3. Write FOR IMMEDIATE RELEASE in the upper left-hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
4. Give the news release a brief two or three-line title, centered in all caps and bold for emphasis.
5. Be brief with what you write – one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
6. Write in the active voice and use short sentences and paragraphs.
7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ## in the center of the last page below the last paragraph.
8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.

2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
3. The second paragraph should answer the other W's.
4. Identify your spokesperson no later than the third paragraph.
5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
6. The last paragraph should include background information on your school or organization – a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They

include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a *slow news time*. You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth-oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them 5 to 7 days in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced

by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

5.4.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combating it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and

will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through print materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use. Elementary students' perceptions of where and how they get gateway drugs are important to determine if such perceptions are realistic.

If the presentation is targeted to parents, frequency of use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use and availability of gateway drugs to minors.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called *bullets* are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of *bullets* that can be used in presentations:

- ONE IN FIVE STUDENTS IN GRADES SEVEN AND EIGHT REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR
- ONLY ONE PERCENT OF (–YOUR SCHOOL NAME–) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR
- OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET
- ONE-FOURTH OF SEVENTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

- straightforward
- easy to understand

- relevant to the interests of the audience
- supportive of local drug efforts.

Using Visual Aids

When presenting statistical data, it is advisable to use some visual aids. These may range from a simple handout to more elaborate aids, depending upon the resources and time available to the school or other organizations concerned with drug abuse prevention. A single visual aid may be used, or combination aids may be chosen when preparing for a presentation. Often the time parameters may determine what and how many visual aids can be used. However, you should be cautious not to use too many visual aids or rely too heavily on the aids so that the information presented, and flow of the presentation is diminished.

The following are types of presentation aids that you may want to consider:

1. **PowerPoint Presentations** – have become popular, but require special equipment, (i.e. laptop computer with projector). One of the advantages of a PowerPoint Presentation is that handouts can be generated directly from the presentation without the need to prepare them separately;
2. **Handouts** – are useful in addition to other types of aids and are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
3. **Overhead transparencies** – are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
4. **Flip charts and poster boards** – are easy to use, easy to transport, and require no special equipment, but are sometimes expensive and

time consuming to make and can only be viewed by a relatively small audience;

5. **Slides** – are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require an on-site projector and screen;
6. **Videos** – provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

5.4.4 Sample Press Release

FOR RELEASE *(Time)*
(Date)

(Contact Name)
(Phone)

MOST DRUG AND ALCOHOL USE OCCURS OUTSIDE SCHOOL ENVIRONMENT

(City), (State), (Date) – Students in grades ____ in *(Name of School System)* use drugs and alcohol at nights and weekends, but few of them report ever taking drugs or alcohol during school hours.

"The results of our survey indicates that we have a community drug problem in *(Locality)*, not just a school drug problem," said *(Name & Title of School Official)*.

More than (approximate # students surveyed) students were surveyed in grades ____ through ____ to determine the extent and nature of drug use by adolescents in this community. Nationally, Pride Surveys, the research group that developed the Questionnaire used in this survey, found that students report drug use primarily at two specific times: "Week Nights" and "Weekends". Very little use is reported during school.

*** MORE ***

** Page 2 **

Although few drugs are consumed during school hours, the survey detected both drug and alcohol use outside of school, according to *(Last Name of School Official)*.

Alcohol remained the "drug of choice" of the young people surveyed in *(Locality)*.

____ percent of the senior high students (grades ____) drank beer in the past year;

* ____ percent reported liquor use;

* ____ percent drank wine coolers.

In junior high (grades ____), ____ percent drank beer; ____ percent drank liquor; and ____ percent drank wine coolers.

Cocaine and Marijuana

Local students reported less use of cocaine than marijuana, but drug prevention specialists like Dr. Thomas J. Gleaton, Jr., founder of Pride Surveys cautions that any use of cocaine is disturbing, particularly at young ages.

Marijuana use during the past year was reported by ____ percent of the students in senior high, and ____ percent in junior high. Cocaine was reported by ____ percent of the senior high students, and

*** MORE ***

** Page 3 **

_____ percent of the junior high students.

When

The most popular times for marijuana use were: weekends, _____ percent;
week nights, _____ percent; and after school, _____ percent.

The Pride Questionnaire

The Pride Questionnaire has undergone continuous development since 1982 and provides reliable and accurate information for monitoring adolescent drug use. Pride Surveys is America's largest survey of adolescent drug use. It is based in Marietta, Ga (1-800-279-6361). For additional information on national trends, visit the Pride Surveys website at www.pridesurveys.com.

##

Chapter 6

Drug-Free Communities Support Program Core Measures

6.1 Drug-Free Communities Support Program

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures of which there are currently four (30-Day Use, Perception of Risk, Parental Disapproval and Friends Disapproval). The drug categories measured are tobacco, alcohol, marijuana and prescription drugs. The first set of four tables found on the following page examines these measures broken down by grade level. The second set of four tables examines these measures broken down by gender. The meaning of the *pct* column will vary with each table and is described below. The *n* column represents the number of students who responded to the question (i.e. sample size).

30-Day Use The question *During the past 30 days?* is used to measure this statistic by reporting the percentage of students who responded *Yes* to the question.

Perception of Risk The question *How much do you think people risk harming themselves physically or in other ways if they...* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Moderate Risk* or *Great Risk* to their health.

Perception of Parental Disapproval The questions *How wrong do your parents feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their parents would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Perception of Friends Disapproval The questions *How wrong do your friends feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Table 6.1: Core Measure for 30-Day Use by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	0.0	140	0.7	140	0.7	140	0.0	140
Grade 7	0.0	76	2.6	76	1.3	76	0.0	76
Grade 8	0.8	120	4.2	120	0.8	120	0.0	120
Grade 9	2.5	79	12.7	79	2.5	79	0.0	79
Grade 10	4.3	161	21.1	161	9.9	161	1.9	161
Grade 11	5.1	59	16.9	59	10.2	59	1.7	59
Grade 12	11.0	219	35.8	218	17.4	219	2.3	219
Combined	4.3	854	16.4	853	7.6	854	1.1	854

Table 6.2: Core Measure for 30-Day Use by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	5.4	447	15.9	446	8.5	447	1.3	447
Female	2.8	388	16.8	388	6.4	388	0.8	388
Combined	4.2	835	16.3	834	7.5	835	1.1	835

Table 6.3: Core Measure of Perception of Risk by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	79.6	142	64.1	142	78.2	142	81.0	142
Grade 7	89.3	75	77.3	75	80.3	76	92.0	75
Grade 8	90.0	120	65.3	118	72.5	120	88.3	120
Grade 9	88.8	80	68.4	79	63.7	80	90.0	80
Grade 10	93.2	162	64.4	163	44.8	163	91.9	161
Grade 11	86.4	59	62.7	59	49.2	59	78.0	59
Grade 12	89.1	220	59.5	220	36.4	220	90.0	219
Combined	88.2	858	64.6	856	57.2	860	88.0	856

Table 6.4: Core Measure of Perception of Risk by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	88.8	448	61.4	448	56.9	450	87.6	450
Female	88.0	391	68.4	389	58.3	391	88.9	387
Combined	88.4	839	64.6	837	57.6	841	88.2	837

Table 6.5: Core Measure of Parental Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	92.1	139	85.6	139	93.5	139	93.5	139
Grade 7	92.1	76	86.8	76	96.1	76	96.1	76
Grade 8	90.7	118	83.1	118	92.4	118	94.9	118
Grade 9	90.0	80	80.0	80	92.5	80	97.5	80
Grade 10	90.7	161	86.9	160	82.6	161	97.5	161
Grade 11	90.9	55	83.6	55	85.7	56	91.1	56
Grade 12	76.1	213	77.9	213	69.7	211	94.4	213
Combined	87.3	842	83.0	841	84.9	841	95.1	843

Table 6.6: Core Measure of Parental Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	85.5	440	81.5	439	85.5	440	95.0	441
Female	89.6	384	85.2	384	84.3	383	95.1	384
Combined	87.4	824	83.2	823	84.9	823	95.0	825

Table 6.7: Core Measure of Friends Disapproval by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	89.7	136	85.3	136	92.6	136	91.2	136
Grade 7	84.2	76	86.5	74	92.1	76	90.8	76
Grade 8	87.0	115	81.6	114	87.8	115	88.6	114
Grade 9	79.7	79	74.7	79	81.0	79	91.1	79
Grade 10	64.8	159	66.7	159	56.0	159	85.5	159
Grade 11	67.9	56	64.3	56	67.9	56	80.4	56
Grade 12	52.9	210	49.0	210	42.3	208	83.8	210
Combined	72.3	831	69.7	828	69.5	829	87.1	830

Table 6.8: Core Measure of Friends Disapproval by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	71.2	434	66.2	432	69.7	432	87.3	434
Female	73.6	379	74.3	378	69.4	379	86.8	378
Combined	72.3	813	70.0	810	69.5	811	87.1	812

Table 6.9: Core Measure of Age of Onset by Grade

Grade	Alcohol			Cigarettes			Marijuana			Presc Drugs		
	pct	n	age	pct	n	age	pct	n	age	pct	n	age
Grade 6	4.3	140	10.8	2.1	140	11.7	0.7	140	16.0	0.0	140	0.0
Grade 7	7.9	76	11.8	1.3	75	12.0	0.0	75	0.0	2.6	76	11.0
Grade 8	16.2	117	11.7	2.5	118	13.3	2.5	118	13.7	0.8	118	10.0
Grade 9	23.8	80	12.7	7.5	80	12.8	8.8	80	13.1	0.0	80	0.0
Grade 10	37.3	161	13.2	16.7	162	13.2	17.4	161	13.8	3.1	161	12.6
Grade 11	33.9	56	14.1	19.6	56	14.0	16.1	56	13.9	3.6	56	15.0
Grade 12	56.9	211	14.8	31.3	214	14.2	31.9	213	15.1	3.3	212	13.7
Combined	29.6	841	13.8	14.0	845	13.8	13.8	843	14.5	2.0	843	13.0

Table 6.10: Core Measure of Age of Onset by Sex

Sex	Alcohol			Cigarettes			Marijuana			Presc Drugs		
	pct	n	age	pct	n	age	pct	n	age	pct	n	age
Male	28.8	438	13.8	17.9	441	13.7	14.6	439	14.3	2.1	439	12.4
Female	30.4	385	13.8	9.6	386	13.9	12.7	386	14.9	2.1	386	13.6
Combined	29.5	823	13.8	14.0	827	13.8	13.7	825	14.6	2.1	825	13.0

Table 6.11: Students Perception of Availability by Grade

Grade	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	4.4	136	5.9	136	3.7	135	5.1	136
Grade 7	5.3	75	8.0	75	2.7	75	4.0	75
Grade 8	10.6	113	16.8	113	4.4	113	6.2	113
Grade 9	7.6	79	13.9	79	3.8	79	3.8	79
Grade 10	25.0	160	31.3	160	25.6	160	13.1	160
Grade 11	20.4	54	31.5	54	14.8	54	7.4	54
Grade 12	37.8	209	45.5	209	36.4	209	12.5	208
Combined	19.1	826	24.9	826	17.0	825	8.6	825

Table 6.12: Students Perception of Availability by Sex

Sex	Tobacco		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	21.3	431	23.9	431	17.4	430	8.8	430
Female	16.2	377	25.7	377	15.9	377	7.7	377
Combined	18.9	808	24.8	808	16.7	807	8.3	807