

Pride Surveys Questionnaire for Grades 6 thru 12 Standard Report

2017-18 Knox County Schools

Mt. Vernon, OH

January 09, 2018



PRIDE SURVEYS
2140 Newmarket Pkwy. #116
Marietta, GA 30067
☎ 800.279.6361
☎ 770.726.9327
www.pridesurveys.com

Contents

- 1 Introduction 15**
 - 1.1 How To Use Your Data 15
 - 1.2 2017-2018 Use vs. 2016-2017 Use 16
 - 1.2.1 Pride National Summary 16
 - 1.2.2 Annual Use 16
 - 1.2.3 Monthly Use 18

- 2 Summary 20**
 - 2.1 Core Measures 20
 - 2.2 Annual and Monthly Use 21
 - 2.3 Where Students Use 21
 - 2.4 When Students Use 21
 - 2.5 Risk Factors 22
 - 2.6 Protective Factors 22

- 3 Graphics 23**
 - 3.1 Frequency of Use 24
 - 3.1.1 Annual Use 24
 - 3.1.2 Past 30 Day Use 29
 - 3.2 Perception of Risk 34
 - 3.3 Perception of Parental and Friend Disapproval 41
 - 3.3.1 Perception of Parental Disapproval 41
 - 3.3.2 Perception of Friends' Disapproval 46
 - 3.4 Average Age of Onset of Use 51
 - 3.5 Student Information 64
 - 3.6 Availability 75
 - 3.7 Where & When Do You Use 80

3.7.1	Where Do You Use	80
3.7.2	When Do You Use	85
3.8	Drug Use by Gender	90
3.9	Risk and Protective Factors – Cross Tabulations	104
3.9.1	Attend Church or Synagogue	105
3.9.2	Take Part in Community Activities	106
3.9.3	Make Good Grades	107
3.9.4	Take Part in Sports Teams	108
3.9.5	Take Part in School Activities	109
3.9.6	Get Into Trouble at School	110
3.9.7	Teachers Talk About Dangers of Drugs	111
3.9.8	Parents Talk About Dangers of Drugs	112
3.9.9	Parents Set Clear Rules	113
3.9.10	Parents Punish for Breaking Rules	114
3.10	Safety and Health – Cross Tabulations	115
3.11	Carrying a Gun to School	116
3.12	Involvement in Gangs	117
3.13	Thinking About Suicide	118
3.14	Being Overweight	119
3.15	Threatening/Harmful Behaviors	120
3.16	Trouble with Police	121
3.17	Personal Safety	122
4	Percentage Tables	123
4.1	Personal & Family Information	124
4.2	Student Information	128
4.3	Within The Past Year How Often Have You...	137
4.4	How Easy Is It To Get...	144
4.5	Do You Feel The Following Are Harmful To Your Health?	146
4.6	During the past 30 days:	148
4.7	At What Age Did You First...	150
4.8	How Wrong Do Your Parents Feel It Would Be For You To...	156
4.9	How Wrong Do Your Friends Feel It Would Be For You To...	158
4.10	Where Do You Usually Use...	160
4.11	When Do You Usually Use...	162
4.12	How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?	164
4.13	What Effect Do You Most Often Get When You Use	165

4.14	Vehicle Safety	166
4.15	While At School Have You.....	168
4.16	In My School, I Feel Safe.....	173
4.17	Additional Questions	176
4.18	Frequency of Use	180
5	Narrative Report	189
5.1	Introduction	189
5.1.1	The Pride Surveys Questionnaire	189
5.1.2	The Report	190
5.2	Gateway Drugs	190
5.2.1	Tobacco	191
5.2.2	Alcohol	192
5.2.3	Marijuana	195
5.3	Other Illicit Drugs	197
5.4	The Media and Data Presentation	197
5.4.1	Community Awareness	197
5.4.2	The Media	198
5.4.3	Presentations to School/Community Groups	200
5.4.4	Sample Press Release	203
6	Drug-Free Communities Support Program Core Measures	205
6.1	Drug-Free Communities Support Program	205

List of Tables

1.1	Number of Students Surveyed	15
1.2	Annual Use – 2017-2018 vs 2016-2017 – DFC Drugs	16
1.3	Annual Use – 2017-2018 vs 2016-2017 – Illicit Drugs	17
1.4	Annual Use – 2017-2018 vs 2016-2017 – Illicit Drugs (cont.)	17
1.5	Monthly Use – 2017-2018 vs 2016-2017 – DFC Drugs	18
1.6	Monthly Use – 2017-2018 vs 2016-2017 – Illicit Drugs	18

1.7	Monthly Use – 2017-2018 vs 2016-2017 – Illicit Drugs (cont.)	19
2.1	Core Measures for All Students	20
2.2	Percentage of Students Who Report Using Drugs	21
2.3	Where Do Students Report Using	21
2.4	When Do Students Report Using	21
2.5	Percentage Of Students At Risk	22
2.6	Percentage Of Students Protected	22
3.1	Attend Church or Synagogue	105
3.2	Take Part in Community Activities	106
3.3	Make Good Grades	107
3.4	Take Part in Sports Teams	108
3.5	Take Part in School Activities	109
3.6	Get Into Trouble at School	110
3.7	Teachers Talk About Dangers of Drugs	111
3.8	Parents Talk About Dangers of Drugs	112
3.9	Parents Set Clear Rules	113
3.10	Parents Punish for Breaking Rules	114
4.1	Ethnic Origin	124
4.2	Sex	124
4.3	Age	125
4.4	Do you live with...	125
4.5	Do you have a job?	125
4.6	Does your father have a job?	126
4.7	Does your mother have a job?	126
4.8	What is the educational level of your father?	126
4.9	What is the educational level of your mother?	127
4.10	Do you make good grades?	128
4.11	Do you get into trouble at school?	128
4.12	Do you take part in school sports teams?	128
4.13	Do you take part in school activities such as band, clubs, etc.?	129
4.14	Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?	129
4.15	Do you attend church, synagogue, etc.?	129
4.16	Do your parents talk with you about the problems of tobacco, alcohol and drug use?	130
4.17	Do your teachers talk with you about the problems of tobacco, alcohol and drug use?	130

4.18	Have you skipped school without your parents' permission in the past year?	130
4.19	Does your school set clear rules on using drugs at school?	131
4.20	Does your school set clear rules on bullying or threatening other students at school?	131
4.21	Do your parents set clear rules for you?	131
4.22	Do your parents punish you when you break the rules?	132
4.23	Have you been in trouble with the police?	132
4.24	Do you take part in gang activities?	132
4.25	Have you thought about committing suicide?	133
4.26	Do your friends use tobacco (cigarettes, etc.)?	133
4.27	Do your friends use alcohol (beer, liquor, etc.)?	133
4.28	Do your friends use marijuana (pot, hash, etc.)?	134
4.29	Do your friends use prescription drugs not prescribed to them?	134
4.30	Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?	135
4.31	Do you think that you are overweight?	135
4.32	Has a doctor told you that you are overweight?	135
4.33	Have you bought or sold drugs AT school?	135
4.34	Have you bought or sold drugs when NOT at school?	136
4.35	Have you carried a gun for protection or as a weapon when NOT at school in the past year?	136
4.36	Within the past year how often have you used tobacco?	137
4.37	Within the past year how often have you drunk alcohol?	137
4.38	Within the past year how often have you smoked marijuana?	138
4.39	Within the past year how often have you used cocaine?	138
4.40	Within the past year how often have you used inhalants?	139
4.41	Within the past year how often have you used hallucinogens?	139
4.42	Within the past year how often have you used heroin?	140
4.43	Within the past year how often have you used steroids?	140
4.44	Within the past year how often have you used ecstasy?	141
4.45	Within the past year how often have you used meth?	141
4.46	Within the past year how often have you used prescription drugs?	142
4.47	Within the past year how often have you used over-the-counter drugs?	142
4.48	Within the past year how often have you used synthetic marijuana?	143
4.49	Within the past year how often have you used any illicit drug?	143
4.50	How easy is it to get tobacco (cigarettes, cigars, dip, etc.)?	144
4.51	How easy is it to get alcohol (beer, coolers, liquor, etc.)?	144
4.52	How easy is it to get marijuana (pot, hash, etc.)?	144
4.53	How easy is it to get prescription drugs not prescribed to you?	145

4.54	How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?	146
4.55	How much do you think people risk harming themselves physically or in other ways if they smoke e-cigarettes, e-cigars or e-hookahs?	146
4.56	How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?	146
4.57	How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?	147
4.58	How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?	147
4.59	How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?	147
4.60	During the past 30 days did you smoke part or all of a cigarette?	148
4.61	During the past 30 days did you smoke an e-cigarette, e-cigar, or e-hookah?	148
4.62	During the past 30 days did you drink one or more drinks of an alcoholic beverage?	148
4.63	During the past 30 days have you used marijuana or hashish?	148
4.64	During the past 30 days have you used prescription drugs not prescribed to you?	149
4.65	During the past 30 days have you used over-the-counter drugs (to get high)?	149
4.66	During the past 30 days have you used inhalants (glue, gas, etc.)?	149
4.67	At what age did you first use tobacco?	150
4.68	At what age did you first drink alcohol?	150
4.69	At what age did you first smoke marijuana?	151
4.70	At what age did you first use cocaine?	151
4.71	At what age did you first use inhalants?	152
4.72	At what age did you first use hallucinogens?	152
4.73	At what age did you first use heroin?	153
4.74	At what age did you first use steroids?	153
4.75	At what age did you first use ecstasy?	154
4.76	At what age did you first use meth?	154
4.77	At what age did you first use prescription drugs not prescribed to you?	155
4.78	At what age did you first use over-the-counter drugs to get high?	155
4.79	How wrong do your parents feel it would be for you to smoke tobacco?	156
4.80	How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	156
4.81	How wrong do your parents feel it would be for you to smoke marijuana?	156
4.82	How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?	157
4.83	How wrong do your friends feel it would be for you to smoke tobacco?	158
4.84	How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?	158
4.85	How wrong do your friends feel it would be for you to smoke marijuana?	158

4.86	How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?	159
4.87	Where do you usually use tobacco?	160
4.88	Where do you usually drink alcohol?	160
4.89	Where do you usually smoke marijuana?	161
4.90	Where do you usually use prescription drugs not prescribed to you?	161
4.91	When do you usually use tobacco?	162
4.92	When do you usually drink alcohol?	162
4.93	When do you usually smoke marijuana?	163
4.94	When do you usually use prescription drugs not prescribed to you?	163
4.95	How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	164
4.96	What effect do you most often get when you drink alcohol?	165
4.97	What effect do you most often get when you smoke marijuana?	165
4.98	What effect do you most often get when you use prescription drugs not prescribed to you?	165
4.99	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	166
4.100	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	166
4.101	How often do you wear a seatbelt when driving a car?	167
4.102	How often do you wear a seatbelt when riding in a car driven by someone else?	167
4.103	While at school have you used the Internet or a cell phone to threaten or embarrass someone else by posting mean messages or photos of them?	168
4.104	While at school have you been threatened or embarrassed by someone using the Internet or a cell phone to post mean messages or photos of you?	168
4.105	While at school have you carried a handgun?	168
4.106	While at school have you carried a knife, club or other weapon?	169
4.107	While at school have you threatened a student with a handgun, knife or club?	169
4.108	While at school have you threatened to hurt a student by hitting, slapping or kicking?	169
4.109	While at school have you hurt a student by using a handgun, knife or club?	170
4.110	While at school have you hurt a student by hitting, slapping or kicking?	170
4.111	While at school have you been threatened with a handgun, knife or club by a student?	170
4.112	While at school have you had a student threaten to hit, slap or kick you?	171
4.113	While at school have you been afraid a student may hurt you?	171
4.114	While at school have you been hurt by a student using a handgun, knife or club?	171
4.115	While at school have you been hurt by a student who hit, slapped or kicked you?	172
4.116	In my school, I feel safe in the classroom.	173
4.117	In my school, I feel safe in the cafeteria.	173
4.118	In my school, I feel safe in the halls.	173
4.119	In my school, I feel safe in the bathroom.	174

4.120	In my school, I feel safe in the gym.	174
4.121	In my school, I feel safe on the school bus.	174
4.122	In my school, I feel safe at school events.	175
4.123	In my school, I feel safe in the parking lot.	175
4.124	In my school, I feel safe on the way to or from school.	175
4.125	I have multiple adults in my life who care about me and show me how to be a responsible adult.	176
4.126	I am confident that I will achieve the goals that I set.	176
4.127	I believe hard work and making healthy decisions pays off.	176
4.128	I can go to at least one adult in my school to get help solving problems.	177
4.129	I am able to do things as well as other people.	177
4.130	I feel satisfied with the way my body looks right now.	177
4.131	I will succeed in whatever career path I choose.	178
4.132	How often have you experienced physical dating violence, including being hit or slammed into something by someone you have dated or went out with in the last 12 months.	178
4.133	How often in the past 30 days has an adult given you or your friends alcohol (beer, wine, hard liquor)?	178
4.134	On an average school night, how many hours of sleep do you get?	179
4.135	Past 30 day use cigarettes?	181
4.136	Past 30 day use e-cigarettes?	181
4.137	Past 30 day use alcohol?	181
4.138	Past 30 day use marijuana?	181
4.139	Past 30 day use cocaine?	182
4.140	Past 30 day use inhalants?	182
4.141	Past 30 day use hallucinogens?	182
4.142	Past 30 day use heroin?	182
4.143	Past 30 day use steroids?	183
4.144	Past 30 day use ecstasy?	183
4.145	Past 30 day use meth?	183
4.146	Past 30 day use prescription drugs?	183
4.147	Past 30 day use over-the-counter drugs?	184
4.148	Past 30 day use any illicit drug?	184
4.149	Frequency of use of tobacco?	185
4.150	Frequency of use of alcohol?	185
4.151	Frequency of use of marijuana?	185
4.152	Frequency of use of cocaine?	185
4.153	Frequency of use of inhalants?	186
4.154	Frequency of use of hallucinogens?	186

4.155	Frequency of use of heroin?	186
4.156	Frequency of use of steroids?	186
4.157	Frequency of use of ecstasy?	187
4.158	Frequency of use of meth?	187
4.159	Frequency of use of prescription drugs?	187
4.160	Frequency of use of over-the-counter drugs?	187
4.161	Frequency of use of any illicit drug?	188
5.1	30-Day Use of Tobacco	191
5.2	Reported Location of Tobacco Use For Your Students	192
5.3	Reported Times of Tobacco Use For Your Students	192
5.4	30-Day Use of Alcohol	192
5.5	Pct of Students Reporting <i>Fairly Easy</i> or <i>Very Easy</i> to Get Tobacco and Alcohol	194
6.1	Core Measure for 30 Day Use by Grade	206
6.2	Core Measure of Perception of Risk by Grade	206
6.3	Core Measure of Parental Disapproval by Grade	207
6.4	Core Measure of Friends Disapproval by Grade	207
6.5	Core Measure for 30 Day Use by Sex	207
6.6	Core Measure of Perception of Risk by Sex	208
6.7	Core Measure of Parental Disapproval by Sex	208
6.8	Core Measure of Friends Disapproval by Sex	208

List of Figures

3.1	Annual Use of Tobacco, Alcohol and Illicit Drugs	25
3.2	Annual Use of Marijuana, Cocaine, Inhalants and Hallucinogens	26
3.3	Annual Use of Heroin, Steroids, Ecstasy, and Meth	27
3.4	Annual Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs	28
3.5	Past 30 Day Use of Tobacco, E-Cigarettes, Alcohol and Any Illicit Drug	30
3.6	Past 30 Day Use of Marijuana, Cocaine, Inhalants and Hallucinogens	31
3.7	Past 30 Day Use of Heroin, Steroids, Ecstasy, and Meth	32

3.8	Past 30 Day Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs	33
3.9	Perception of Risk – One or More Packs of Cigarettes/Day	35
3.10	Perception of Risk – Smoke e-cigarettes, e-cigars, e-hookahs	36
3.11	Perception of Risk – Five or More Drinks of Alcohol 1-2/Week	37
3.12	Perception of Risk – 1-2 Drinks of Alcohol Nearly Every Day	38
3.13	Perception of Risk – Smoke Marijuana 1-2/Week	39
3.14	Perception of Risk – Use Prescription Drugs Not Prescribed To You	40
3.15	Perception of Parental Disapproval – Use Tobacco	42
3.16	Perception of Parental Disapproval – Use Alcohol	43
3.17	Perception of Parental Disapproval – Use Marijuana	44
3.18	Perception of Parental Disapproval – Use Prescription Drugs	45
3.19	Perception of Friends’ Disapproval – Use Tobacco	47
3.20	Perception of Friends’ Disapproval – Use Alcohol	48
3.21	Perception of Friends’ Disapproval – Use Marijuana	49
3.22	Perception of Friends’ Disapproval – Use Prescription Drugs	50
3.23	Average Age of Onset of Use of Tobacco	52
3.24	Average Age of Onset of Use of Alcohol	53
3.25	Average Age of Onset of Use of Marijuana	54
3.26	Average Age of Onset of Use of Cocaine	55
3.27	Average Age of Onset of Use of Inhalants	56
3.28	Average Age of Onset of Use of Hallucinogens	57
3.29	Average Age of Onset of Use of Heroin	58
3.30	Average Age of Onset of Use of Steroids	59
3.31	Average Age of Onset of Use of Ecstasy	60
3.32	Average Age of Onset of Use of Meth	61
3.33	Average Age of Onset of Use of Prescription Drugs	62
3.34	Average Age of Onset of Use of Over-the-Counter Drugs	63
3.35	Attend Church or Synagogue	65
3.36	Take Part in Community Activities	66
3.37	Make Good Grades	67
3.38	Take Part in Sports Teams	68
3.39	Take Part in School Activities	69
3.40	Get in Trouble at School	70
3.41	Teachers Talk About the Dangers of Drugs	71
3.42	Parents Talk About the Dangers of Drugs	72
3.43	Parents Set Clear Rules	73

3.44	Parents Punish for Breaking Rules	74
3.45	Availability – Tobacco	76
3.46	Availability – Alcohol	77
3.47	Availability – Marijuana	78
3.48	Availability – Prescription Drugs	79
3.49	Where Do You Use Tobacco	81
3.50	Where Do You Use Alcohol	82
3.51	Where Do You Use Marijuana	83
3.52	Where Do You Use Prescription Drugs	84
3.53	When Do You Use Tobacco	86
3.54	When Do You Use Alcohol	87
3.55	When Do You Use Marijuana	88
3.56	When Do You Use Prescription Drugs	89
3.57	Use of Tobacco by Gender	91
3.58	Use of Alcohol by Gender	92
3.59	Use of Marijuana by Gender	93
3.60	Use of Cocaine by Gender	94
3.61	Use of Inhalants by Gender	95
3.62	Use of Hallucinogens by Gender	96
3.63	Use of Heroin by Gender	97
3.64	Use of Steroids by Gender	98
3.65	Use of Ecstasy by Gender	99
3.66	Use of Meth by Gender	100
3.67	Use of Prescription Drugs by Gender	101
3.68	Use of Over-the-Counter Drugs by Gender	102
3.69	Use of Illicit Drugs by Gender	103
3.70	Attend Church or Synagogue	105
3.71	Take Part in Community Activities	106
3.72	Make Good Grades	107
3.73	Take Part in Sports Teams	108
3.74	Take Part in School Activities	109
3.75	Get Into Trouble at School	110
3.76	Teachers Talk About Dangers of Drugs	111
3.77	Parents Talk About Dangers of Drugs	112
3.78	Parents Set Clear Rules	113
3.79	Parents Punish for Breaking Rules	114

3.80	Drug Use of Students Who Reported Carrying a Gun to School	116
3.81	Drug Use of Students Who Reported Involvement in Gangs	117
3.82	Drug Use of Students Who Reported Thinking About Suicide	118
3.83	Drug Use of Students Who Reported Being Overweight	119
3.84	Drug Use of Students Who Reported Threatening/Harmful Behaviors	120
3.85	Drug Use of Students Who Reported Trouble with Police	121
5.86	30-Day Use of Alcohol	193
5.87	Location of Any Alcohol Use	193
5.88	Time of Any Alcohol Use	193
5.89	Past 30 Day Use of Marijuana	195
5.90	Location of Marijuana Use	196
5.91	Time of Any Marijuana Use	196
5.92	Friends' Use of Marijuana	196

Chapter 1

Introduction

This report contains the data collected in your school(s) using the *Pride Surveys Questionnaire*. The report is organized as follows:

1. A Summary that provides you with the fundamental findings in an abbreviated and easy to read fashion.
2. Color Graphs that provide more expansive results from the survey in pictorial fashion.
3. A List of Tables which contains the complete findings of the survey. This section itemizes student responses by each grade level and each item scale (for example: never, seldom, sometimes, often and a lot).
4. A Narrative Report which includes both text and graphic images. This section also includes a sample news release.

Additionally, the report contains a special section entitled *Drug Free Communities Support Program*. This section was developed to provide the data needed to satisfy core measures required by the Drug Free Communities Support Program, administered by the Substance Abuse and Mental Health Services Administration.

1.1 How To Use Your Data

- Meet the accountability requirements of federal and state agencies that your programs be evidence-based.
- Establish a needs assessment to design and secure funding for new programs.
- Conduct periodic performance evaluations for continuing programs.
- Encourage community-wide support for your programs.
- Determine why negative student behaviors occur by examining risk and protective factors.

Table 1.1: Number of Students Surveyed

Grade	Grade Total	Male	Female
6	544	247	238
8	501	226	237
10	462	196	227
12	304	156	132
6-8	1045	473	475
9-12	766	352	359
Total	1811	825	834

1.2 2017-2018 Use vs. 2016-2017 Use

Table 1.2: Annual Use – 2017-2018 vs 2016-2017 – DFC Drugs

1.2.1 Pride National Summary

The Pride National Summary for a particular school year is a compilation of all the data collected during that school year. The number of states and the number of questionnaires from each state will vary from year to year. While sampling is done to prevent any one state from overwhelming the summary, Pride does not claim that the results are statistically representative of the nation as a whole. However, historically the results from the Pride National Summary have tracked within a few (typically 2 to 3) percentage points of the results from the National Institute on Drug Abuse annual survey which is a nationally representative study.

1.2.2 Annual Use

The following tables compare 2017-2018 annual use figures to the 2016-2017 Pride Summary for all schools. A negative figure in the diff row indicates that 2017-2018 percentages for annual use are below 2016-2017 national percentages and a positive figure in the diff row indicates that 2017-2018 percentages for annual use are above 2016-2017 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

DRUG/Location	6th	8th	10th	12th
Tobacco				
2017-2018	2.1	11.3	17.4	30.7
2016-2017 NS	3.1	6.9	13.9	26.4
diff	-1.0	4.4	3.5	4.3
Alcohol				
2017-2018	4.3	20.7	34.3	50.0
2016-2017 NS	5.3	14.4	33.3	52.9
diff	-1.0	6.3	1.0	-2.9
Marijuana				
2017-2018	0.4	6.9	12.8	29.0
2016-2017 NS	2.3	5.9	16.8	31.9
diff	-1.9	1.0	-4.0	-2.9
Prescription Drugs				
2017-2018	1.5	2.9	2.9	6.8
2016-2017 NS	2.4	2.2	4.6	8.0
diff	-0.9	0.7	-1.7	-1.2

Table 1.3: Annual Use – 2017-2018 vs 2016-2017 – Illicit Drugs

DRUG/Location	6th	8th	10th	12th
Cocaine				
2017-2018	0.4	1.0	1.6	5.1
2016-2017 NS	1.1	0.7	1.5	3.4
diff	-0.7	0.3	0.1	1.7
Inhalants				
2017-2018	1.7	2.2	1.6	1.7
2016-2017 NS	2.7	2.0	2.1	1.7
diff	-1.0	0.2	-0.5	0.0
Hallucinogens				
2017-2018	0.0	1.4	3.4	6.2
2016-2017 NS	0.7	0.8	2.4	4.0
diff	-0.7	0.6	1.0	2.2
Heroin				
2017-2018	0.2	0.6	0.2	0.7
2016-2017 NS	0.7	0.6	1.1	1.6
diff	-0.5	0.0	-0.9	-0.9
Steroids				
2017-2018	0.8	1.6	0.7	1.7
2016-2017 NS	1.6	1.1	1.5	1.7
diff	-0.8	0.5	-0.8	0.0

Table 1.4: Annual Use – 2017-2018 vs 2016-2017 – Illicit Drugs (cont.)

DRUG/Location	6th	8th	10th	12th
Ecstasy				
2017-2018	0.0	0.8	0.5	2.1
2016-2017 NS	0.8	1.0	1.8	3.1
diff	-0.8	-0.2	-1.3	-1.0
Meth				
2017-2018	0.4	0.4	0.7	1.0
2016-2017 NS	1.1	0.7	1.1	1.5
diff	-0.7	-0.3	-0.4	-0.5
Over-the-Counter Drugs				
2017-2018	0.2	0.8	1.4	2.1
2016-2017 NS	1.9	1.6	3.1	4.0
diff	-1.7	-0.8	-1.7	-1.9
Illicit Drugs				
2017-2018	3.8	10.2	14.3	30.7
2016-2017 NS	5.3	9.1	19.4	33.6
diff	-1.5	1.1	-5.1	-2.9

1.2.3 Monthly Use

The following tables compare 2017-2018 monthly use figures to the 2016-2017 Pride Summary for all schools. A negative figure in the diff row indicates that 2017-2018 percentages for monthly use are below 2016-2017 national percentages and a positive figure in the diff row indicates that 2017-2018 percentages for monthly use are above 2016-2017 national percentages. NA means that percentage figures for this particular drug are not available. NS stands for National Summary.

Table 1.5: Monthly Use – 2017-2018 vs 2016-2017 – DFC Drugs

DRUG/Location	6th	8th	10th	12th
Cigarettes				
2017-2018	0.6	5.7	6.6	14.8
2016-2017 NS	NA	NA	NA	NA
diff	NA	NA	NA	NA
Alcohol				
2017-2018	1.5	10.6	13.9	34.2
2016-2017 NS	3.1	6.7	18.0	32.7
diff	-1.6	3.9	-4.1	1.5
Marijuana				
2017-2018	0.4	4.3	7.1	18.9
2016-2017 NS	1.7	3.9	11.4	21.5
diff	-1.3	0.4	-4.3	-2.6
Prescription Drugs				
2017-2018	1.3	1.6	2.0	4.7
2016-2017 NS	2.1	1.8	3.1	5.1
diff	-0.8	-0.2	-1.1	-0.4

Table 1.6: Monthly Use – 2017-2018 vs 2016-2017 – Illicit Drugs

DRUG/Location	6th	8th	10th	12th
Cocaine				
2017-2018	0.2	0.6	0.7	2.1
2016-2017 NS	0.7	0.4	0.9	1.6
diff	-0.5	0.2	-0.2	0.5
Inhalants				
2017-2018	1.5	1.4	0.4	1.4
2016-2017 NS	2.4	1.5	1.5	1.3
diff	-0.9	-0.1	-1.1	0.1
Hallucinogens				
2017-2018	0.0	0.8	0.7	1.4
2016-2017 NS	0.6	0.3	1.0	1.5
diff	-0.6	0.5	-0.3	-0.1
Heroin				
2017-2018	0.0	0.2	0.2	0.3
2016-2017 NS	0.6	0.3	0.8	1.1
diff	-0.6	-0.1	-0.6	-0.8
Steroids				
2017-2018	0.0	0.8	0.7	1.0
2016-2017 NS	0.8	0.5	0.9	1.0
diff	-0.8	0.3	-0.2	0.0

Table 1.7: Monthly Use – 2017-2018 vs 2016-2017 – Illicit Drugs (cont.)

DRUG/Location	6th	8th	10th	12th
Ecstasy				
2017-2018	0.0	0.4	0.2	1.0
2016-2017 NS	0.6	0.4	0.9	1.2
diff	-0.6	0.0	-0.7	-0.2
Meth				
2017-2018	0.2	0.2	0.2	0.3
2016-2017 NS	0.9	0.3	0.8	1.0
diff	-0.7	-0.1	-0.6	-0.7
Over-the-Counter Drugs				
2017-2018	0.2	0.6	1.1	3.0
2016-2017 NS	1.4	1.0	2.0	2.9
diff	-1.2	-0.4	-0.9	0.1
Illicit Drugs				
2017-2018	2.8	6.6	8.0	19.4
2016-2017 NS	4.1	6.0	13.6	23.2
diff	-1.3	0.6	-5.6	-3.8

We recommend that you share the findings of your survey with staff/faculty, administration, boards of education, elected officials, parents, community organizations and the news media.

While the findings are likely to show that certain problems exist within your student population, the overriding message will be that you are taking a fact-based approach to understand and solve these problems.

If you have questions about this report or if you wish to have information on other **Pride Surveys** services and products, please contact:

Pride Surveys
 2140 Newmarket Pkwy SE
 Suite 116
 Marietta, GA 30067
 1-800-279-6361
 1-770-726-9327
info@pridesurveys.com
www.pridesurveys.com

The following information is for **Pride Surveys** internal use only.

- Data Files: us170056-63
- Filter: (grade == 1 or grade == 3 or grade == 5 or grade == 7)

Chapter 2

Summary

Many federal agencies have identified certain data that are most important in measuring drug use and perceptions among youth. These data are often referred to as the *Core Measures* and consist of:

- **Reported 30-day Use** - the percentage of students who have reported use in the last 30 days,
- **Perception of Risk** - the percentage of students who reported that a drug was *Moderate Risk* or *Great Risk*,
- **Perception of Parental Disapproval of Use** - the percentage of students who reported that their parents would feel if was *Wrong* or *Very Wrong* to use,
- **Perception of Friends' Disapproval of Use** - the percentage of students who reported that their friends would feel if was *Wrong* or *Very Wrong* to use,

for the drug categories of cigarettes, alcohol, marijuana, and prescription drugs for 30 day use and perception of risk and tobacco, alcohol, marijuana, and prescription drugs for parental and friends disapproval. The chapter entitled *Drug Free Communities Support Program Core Measures* will delve into these measures in detail. This section will briefly summarize these data.

2.1 Core Measures

Table 2.1: Core Measures for All Students

Measure	Cig/Tob	Alcohol	Marijuana	Presc. Drugs
Past 30 Day Use	5.9	12.7	6.3	2.1
Perceived Risk	82.0	68.4	59.5	84.6
Parental Disapproval	90.5	89.2	89.1	95.5
Friends Disapproval	74.5	73.4	73.3	87.4

2.2 Annual and Monthly Use

Table 2.2: Percentage of Students Who Report Using Drugs

DRUG	ANNUAL	MONTHLY
Tobacco	13.3	7.9
Cigarettes	–	5.9
E-cigarettes	–	5.5
Alcohol	24.1	12.7
Marijuana	10.1	6.3
Cocaine	1.6	0.7
Inhalants	1.8	1.2
Hallucinogens	2.3	0.6
Heroin	0.4	0.2
Steroids	1.1	0.6
Ecstasy	0.7	0.3
Meth	0.6	0.2
Prescription Drugs	3.1	2.1
Over-the-Counter Drugs	1.0	1.0
Any Illicit Drug	12.7	7.9

2.3 Where Students Use

Table 2.3: Where Do Students Report Using

DRUG	AT HOME	AT SCHOOL	IN A CAR	FRIENDS' HOUSE	OTHER
Tobacco	6.0	1.0	3.4	5.0	4.0
Alcohol	11.4	0.2	0.8	10.9	4.5
Marijuana	3.5	0.3	2.1	5.5	3.0
Presc Drugs	1.5	0.4	0.2	0.7	0.7

2.4 When Students Use

Table 2.4: When Do Students Report Using

DRUG	BEFORE SCHOOL	DURING SCHOOL	AFTER SCHOOL	WEEK NIGHT	WEEK END
Tobacco	2.8	1.0	5.4	4.2	7.3
Alcohol	0.4	0.2	1.8	2.0	17.8
Marijuana	1.3	0.4	3.0	2.9	6.6
Presc Drugs	0.4	0.3	0.5	0.6	1.4

2.5 Risk Factors

Table 2.5: Percentage Of Students At Risk

FACTOR	PCT AT RISK
Guns NOT at School	6.1
Guns AT School	2.0
Gang Activity	1.2
Contemplate Suicide	8.0
Trouble With Police	15.6
Threaten A Student With a Gun, Knife or Club	1.0
Threaten To Hurt A Student By Hitting, Slapping or Kicking	16.6
Hurt A Student With A Gun, Knife or Club	0.6
Hurt A Student By Hitting, Slapping or Kicking	12.3
Been Threatened With a Gun, Knife or Club	6.4
Had A Student Threaten To Hit, Slap or Kick	27.6
Been Afraid A Student May Hurt You	22.4
Been Hurt By A Student With A Gun, Knife or Club	1.2
Been Hurt By A Student By Hitting, Slapping or Kicking	18.1

2.6 Protective Factors

Table 2.6: Percentage Of Students Protected

FACTOR	PCT PROTECTED
Make Good Grades	77.0
Attend Church or Synagogue	37.8
Take Part in Community Activities	27.1
Take Part in School Activities	42.2
Teachers Talk About the Dangers of Drugs	23.9
Parents Talk About the Dangers of Drugs	36.6

Chapter 3

Graphics

The following graphs will assist you in understanding the relationship of student behavior to alcohol and other drug usage. You are encouraged to make overheads or slides from the graphs for presentations to school faculty, parents, media, and other audiences in the community.

The *Location* and *Time* of drug use graphs will be helpful in understanding the need for a commitment to drug abuse prevention by parents and the larger community - not just by schools. Student alcohol and other drug use occurs most often outside the school and at times when school is not in session.

The *Perceived Harm* of alcohol and other drugs will assist with understanding how the false assumptions concerning harm are related to drug use. When drugs are perceived as harmless, the probability of use increases.


Research indicates that easy access, *Availability*, to drugs increases the probability of use. Availability of alcohol and other drugs normally increases at higher grade levels.

3.1 Frequency of Use

3.1.1 Annual Use


The following section contains graphs depicting the percentage of students who reported any use within the past year of various drugs broken down by grade level.

Annual Use of Tobacco, Alcohol and Illicit Drugs




Source: Pride Surveys

Annual Use of Marijuana, Cocaine, Inhalants and Hallucinogens




Source: Pride Surveys

Annual Use of Heroin, Steroids, Ecstasy, and Meth



Source: Pride Surveys

Annual Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs




Source: Pride Surveys

3.1.2 Past 30 Day Use


The following section contains graphs depicting the percentage of students who reported past 30 day use of various drugs broken down by grade level.

Past 30 Day Use of Tobacco, E-Cigarettes, Alcohol and Any Illicit Drug




Source: Pride Surveys

Past 30 Day Use of Marijuana, Cocaine, Inhalants and Hallucinogens




Source: Pride Surveys

Past 30 Day Use of Heroin, Steroids, Ecstasy, and Meth



Source: Pride Surveys

Past 30 Day Use of Prescription Drugs, OTC Drugs and Any Illicit Drugs




Source: Pride Surveys

3.2 Perception of Risk


The following section contains graphs depicting how students responded to the questions on the risk of using certain drugs broken down by grade level.

Perception of Risk -- One or More Packs of Cigarettes/Day




Source: Pride Surveys

Perception of Risk -- Smoke e-cigarettes, e-cigars, e-hookahs




Source: Pride Surveys

Perception of Risk -- Five or More Drinks of Alcohol 1-2/Week




Source: Pride Surveys

Perception of Risk -- 1-2 Drinks of Alcohol Nearly Every Day




Source: Pride Surveys

Perception of Risk -- Smoke Marijuana 1-2/Week



Source: Pride Surveys

Perception of Risk -- Use Prescription Drugs Not Prescribed To You




Source: Pride Surveys

3.3 Perception of Parental and Friend Disapproval

3.3.1 Perception of Parental Disapproval


The following section contains graphs depicting how students responded to the questions on parental disapproval of using certain drugs broken down by grade level.

Perception of Parental Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Parental Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Parental Disapproval -- Use Marijuana



Source: Pride Surveys

Perception of Parental Disapproval -- Use Prescription Drugs




Source: Pride Surveys

3.3.2 Perception of Friends' Disapproval


The following section contains graphs depicting how students responded to the questions on friends' disapproval of using certain drugs broken down by grade level.

Perception of Friends' Disapproval -- Use Tobacco




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Alcohol




Source: Pride Surveys

Perception of Friends' Disapproval -- Use Marijuana



Source: Pride Surveys

Perception of Friends' Disapproval -- Use Prescription Drugs




Source: Pride Surveys

3.4 Average Age of Onset of Use


The following section contains graphs depicting the average age of onset of use (i.e. first use) for only those students who reported using certain drugs broken down by grade level.

Average Age of Onset of Use of Tobacco




Source: Pride Surveys

Average Age of Onset of Use of Alcohol




Source: Pride Surveys

Average Age of Onset of Use of Marijuana




Source: Pride Surveys

Average Age of Onset of Use of Cocaine




Source: Pride Surveys

Average Age of Onset of Use of Inhalants




Source: Pride Surveys

Average Age of Onset of Use of Hallucinogens




Source: Pride Surveys

Average Age of Onset of Use of Heroin




Source: Pride Surveys

Average Age of Onset of Use of Steroids




Source: Pride Surveys

Average Age of Onset of Use of Ecstasy




Source: Pride Surveys

Average Age of Onset of Use of Meth




Source: Pride Surveys

Average Age of Onset of Use of Prescription Drugs



Source: Pride Surveys

Average Age of Onset of Use of Over-the-Counter Drugs




Source: Pride Surveys

3.5 Student Information


The following section contains graphs depicting how students responded to questions that past analysis indicates are correlated with substance use broken down by grade level.

Attend Church or Synagogue




Source: Pride Surveys

Take Part in Community Activities




Source: Pride Surveys

Make Good Grades




Source: Pride Surveys

Take Part in Sports Teams




Source: Pride Surveys

Take Part in School Activities




Source: Pride Surveys

Get in Trouble at School




Source: Pride Surveys

Teachers Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Talk About the Dangers of Drugs




Source: Pride Surveys

Parents Set Clear Rules



Source: Pride Surveys

Parents Punish for Breaking Rules




Source: Pride Surveys

3.6 Availability


The following section contains graphs depicting how students responded to questions on the availability of certain drugs broken down by grade level.

Availability -- Tobacco




Source: Pride Surveys

Availability -- Alcohol




Source: Pride Surveys

Availability -- Marijuana



Source: Pride Surveys

Availability -- Prescription Drugs




Source: Pride Surveys

3.7 Where & When Do You Use

3.7.1 Where Do You Use


The following section contains graphs depicting how students responded to questions on where they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *At School* is typically the least popular location for drug use.

Where Do You Use Tobacco




Source: Pride Surveys

Where Do You Use Alcohol




Source: Pride Surveys

Where Do You Use Marijuana



Source: Pride Surveys

Where Do You Use Prescription Drugs




Source: Pride Surveys

3.7.2 When Do You Use


The following section contains graphs depicting how students responded to questions on when they use certain drugs broken down by grade level. Past analysis of national summary data indicates that *During School* is typically the least popular time for drug use.

When Do You Use Tobacco




Source: Pride Surveys

When Do You Use Alcohol




Source: Pride Surveys

When Do You Use Marijuana



Source: Pride Surveys

When Do You Use Prescription Drugs




Source: Pride Surveys

3.8 Drug Use by Gender


The following section contains graphs depicting how students responded to questions on use in the past year of certain drugs broken down by grade and sex.

Use of Tobacco by Gender




Source: Pride Surveys

Use of Alcohol by Gender




Source: Pride Surveys

Use of Marijuana by Gender




Source: Pride Surveys

Use of Cocaine by Gender




Source: Pride Surveys

Use of Inhalants by Gender




Source: Pride Surveys

Use of Hallucinogens by Gender




Source: Pride Surveys

Use of Heroin by Gender




Source: Pride Surveys

Use of Steroids by Gender




Source: Pride Surveys

Use of Ecstasy by Gender




Source: Pride Surveys

Use of Meth by Gender




Source: Pride Surveys

Use of Prescription Drugs by Gender




Source: Pride Surveys

Use of Over-the-Counter Drugs by Gender



Source: Pride Surveys

Use of Illicit Drugs by Gender



Source: Pride Surveys

3.9 Risk and Protective Factors – Cross Tabulations

This section looks at the following questions:

- Attend Church or Synagogue
- Take Part in Community Activities
- Make Good Grades
- Take Part in Sports Teams
- Take Part in School Activities
- Get Into Trouble at School
- Teachers Talk About Dangers of Drugs
- Parents Talk About Dangers of Drugs
- Parents Set Clear Rules
- Parents Punish for Breaking Rules

How students responded to each question is presented in table form. Students are then grouped based on how they responded to each question. The percent of illicit drug use for each subgroup is calculated and presented in graphic form. For example, if the bar for *Never* is at 40%, this means 40% of the students who marked *Never* reported using an illicit drug.


3.9.1 Attend Church or Synagogue

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.1: Attend Church or Synagogue

RESPONSE	PCT
Never	30.1
Seldom	14.4
Sometimes	17.7
Often	13.5
A Lot	24.4

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.2 Take Part in Community Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.2: Take Part in Community Activities

RESPONSE	PCT
Never	41.3
Seldom	15.6
Sometimes	16.0
Often	11.6
A Lot	15.5

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.3 Make Good Grades

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.3: Make Good Grades

RESPONSE	PCT
Never	0.8
Seldom	2.2
Sometimes	20.0
Often	37.1
A Lot	39.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.4 Take Part in Sports Teams

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.4: Take Part in Sports Teams

RESPONSE	PCT
Never	33.5
Seldom	8.9
Sometimes	13.3
Often	15.1
A Lot	29.2

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.5 Take Part in School Activities

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.5: Take Part in School Activities

RESPONSE	PCT
Never	34.7
Seldom	10.5
Sometimes	12.5
Often	14.3
A Lot	27.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.9.6 Get Into Trouble at School

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.6: Get Into Trouble at School

RESPONSE	PCT
Never	51.2
Seldom	33.0
Sometimes	12.8
Often	2.1
A Lot	0.9

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.7 Teachers Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.7: Teachers Talk About Dangers of Drugs

RESPONSE	PCT
Never	20.0
Seldom	25.1
Sometimes	30.9
Often	14.6
A Lot	9.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.




3.9.8 Parents Talk About Dangers of Drugs

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.8: Parents Talk About Dangers of Drugs

RESPONSE	PCT
Never	15.8
Seldom	16.8
Sometimes	30.7
Often	21.3
A Lot	15.3

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.9 Parents Set Clear Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.9: Parents Set Clear Rules

RESPONSE	PCT
Never	2.1
Seldom	4.1
Sometimes	12.1
Often	23.1
A Lot	58.6

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys


3.9.10 Parents Punish for Breaking Rules

Students could respond to this question by marking Never, Seldom, Sometimes, Often or A Lot. The following table shows what percent of all students responded Never, what percent responded Sometimes, etc.

Table 3.10: Parents Punish for Breaking Rules

RESPONSE	PCT
Never	4.9
Seldom	8.3
Sometimes	25.3
Often	32.9
A Lot	28.5

Students are grouped based on how they responded to the question and the percent of illicit drug use in the past year is calculated for each group. For example, if the bar for *Never* is at 40% this means 40% of the students who marked *Never* reported using an illicit drug.



Source: Pride Surveys

3.10 Safety and Health – Cross Tabulations

The following graphs and tables summarize some of the *Student Information* questions in regard to drug use. These data are calculated by examining specific subsets of your population. For example, a percentage is calculated for students who report carrying a gun and their liquor use. This percentage is calculated as follows:

$$\frac{\text{Number of those reporting carrying a gun to school and claiming to use liquor}}{\text{Number of those reporting carrying a gun and validly responding to the question *How Often Do You Use Liquor*}}$$

The *Ratio* describes the relationship between the groups examined on each graph. For example, in looking at Guns vs. No Guns if the cocaine ratio were 5.3, this would mean the percentage of students who report cocaine use was 5.3 times higher for students who report bringing a gun to school compared to those who don't.

3.11 Carrying a Gun to School

Total number of students surveyed = 1811

Total number who responded to this question = 1739

34 student(s) reported carrying a gun to school. (2.0% of total responding)

Of the 34 student(s) who reported carrying a gun to school,

14 report(s) using alcohol (43.8%),


9 report(s) using marijuana (28.1%),

5 report(s) using cocaine (15.6%),

3 report(s) using Meth (10.0%).

NOTE: Results based on students who reported one or more instances of carrying a gun to school

Drug Use of Students Who Reported Carrying a Gun to School vs. Students Who Did Not



Source: Pride Surveys

Drug	Gun	No Gun	Ratio
Alcohol	43.8%	23.6%	1.9
Marijuana	28.1%	9.6%	2.9
Cocaine	15.6%	1.4%	11.1
Meth	10.0%	0.4%	25.0
N of Students	34	1705	

3.12 Involvement in Gangs

Total number of students surveyed = 1811

Total number who responded to this question = 1776

79 student(s) reported involvement in gangs. (4.4% of total responding)

Of the 79 student(s) who reported involvement in gangs,


33 report(s) using alcohol (45.2%),

26 report(s) using marijuana (35.1%),

14 report(s) using cocaine (19.2%),

6 report(s) using Meth (8.3%).

Drug Use of Students Who Reported Involvement in Gangs vs. Students Who Did Not



Source: Pride Surveys

NOTE: Results based on students who reported any involvement with gangs

Drug	Gang	No Gang	Ratio
Alcohol	45.2%	23.2%	1.9
Marijuana	35.1%	8.9%	3.9
Cocaine	19.2%	0.8%	24.0
Meth	8.3%	0.2%	41.5
N of Students	79	1697	

3.13 Thinking About Suicide

Total number of students surveyed = 1811

Total number who responded to this question = 1770

141 student(s) reported thinking about suicide. (8.0% of total responding)

Of the 141 student(s) who reported thinking about suicide,

66 report(s) using alcohol (48.2%),


34 report(s) using marijuana (24.8%),

10 report(s) using cocaine (7.3%),

2 report(s) using Meth (1.5%).

NOTE: Results based on students who reported thinking Often or A Lot about committing suicide

Drug Use of Students Who Reported Thinking About Suicide vs. Students Who Did Not



Source: Pride Surveys

Drug	Suicide	No Suicide	Ratio
Alcohol	48.2%	22.1%	2.2
Marijuana	24.8%	8.9%	2.8
Cocaine	7.3%	1.2%	6.1
Meth	1.5%	0.5%	3.0
N of Students	141	1629	

3.14 Being Overweight

Total number of students surveyed = 1811

Total number who responded to this question = 1767

480 student(s) reported being overweight. (27.2% of total responding)

Of the 480 student(s) who reported being overweight,

148 report(s) using alcohol (31.8%),


61 report(s) using marijuana (13.0%),

14 report(s) using cocaine (3.0%),

6 report(s) using Meth (1.3%).

NOTE: Results based on students who reported thinking that they were overweight

Drug Use of Students Who Reported Being Overweight vs. Students Who Did Not



Source: Pride Surveys

Drug	Overweight	No Overweight	Ratio
Alcohol	31.8%	21.6%	1.5
Marijuana	13.0%	9.0%	1.4
Cocaine	3.0%	1.2%	2.5
Meth	1.3%	0.3%	4.3
N of Students	480	1287	

3.15 Threatening/Harmful Behaviors

Total number of students surveyed = 1811

Total number who responded to this question = 1755

294 student(s) reported threatening/harmful behaviors. (16.8% of total responding)

Of the 294 student(s) who reported threatening/harmful behaviors,

122 report(s) using alcohol (43.1%),


55 report(s) using marijuana (19.4%),

11 report(s) using cocaine (3.9%),

4 report(s) using Meth (1.4%).

NOTE: Results based on students who reported either threatening with a gun, knife or club or threatening to hit, slap or kick

Drug Use of Students Who Reported Threatening/Harmful Behaviors vs. Students Who Did Not



Source: Pride Surveys

Drug	Threat	No Threat	Ratio
Alcohol	43.1%	20.2%	2.1
Marijuana	19.4%	8.0%	2.4
Cocaine	3.9%	1.2%	3.3
Meth	1.4%	0.4%	3.5
N of Students	294	1461	

3.16 Trouble with Police

Total number of students surveyed = 1811

Total number who responded to this question = 1790

279 student(s) reported trouble with police. (15.6% of total responding)

Of the 279 student(s) who reported trouble with police,

136 report(s) using alcohol (50.2%),


78 report(s) using marijuana (28.6%),

20 report(s) using cocaine (7.4%),

8 report(s) using Meth (3.0%).

NOTE: Results based on students who reported any trouble with police

Drug Use of Students Who Reported Trouble with Police vs. Students Who Did Not



Source: Pride Surveys

Drug	Police	No Police	Ratio
Alcohol	50.2%	19.3%	2.6
Marijuana	28.6%	6.7%	4.3
Cocaine	7.4%	0.6%	12.3
Meth	3.0%	0.1%	30.0
N of Students	279	1511	

3.17 Personal Safety

Total number of students surveyed = 1811

384 students report being afraid another student will hurt them at school.
(22.4% of total responding)

Of these 384 students, 14 report carrying a gun to school (3.7%).

317 students report getting hurt at school. (18.1% of total responding)

Of these 317 students, 15 report carrying a gun to school (4.9%).

Chapter 4

Percentage Tables

This chapter contains your school survey results in tabular form. Each table corresponds to an item on the questionnaire. The tables contain percentage data by grade level, grades 6 through 8 combined, grades 9 through 12 combined, and all grades combined. The *N of Valid* column contains the number of students who responded to the question and the *N of Missing* column contains the number of students who did not respond to the question. The remaining columns contain the percentages of students responding to the particular response categories.

The percentage tables of the report appear in the same order as corresponding questions on the questionnaire. The Table of Contents contains the percentage tables by section and gives the page number where each section is located. The List of Tables contains the location of each individual table.

4.1 Personal & Family Information

Table 4.1: Ethnic Origin

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
White	79.2	88.4	92.3	96.0	83.6	93.8	88.0
African American	2.1	0.4	1.1	0.3	1.3	0.8	1.1
Hispanic/Latino	2.5	2.2	1.8	1.3	2.4	1.6	2.0
Asian/Pacific Islander	1.0	0.8	0.9	0.7	0.9	0.8	0.8
Native American	2.3	1.2	0.2	0.0	1.8	0.1	1.1
Mixed Origin	10.3	4.9	3.3	1.7	7.7	2.7	5.5
Other	2.7	2.0	0.4	0.0	2.4	0.3	1.5
N of Valid	524	491	455	299	1015	754	1769
N of Miss	20	10	7	5	30	12	42

Table 4.2: Sex

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Male	50.9	48.8	46.3	54.2	49.9	49.5	49.7
Female	49.1	51.2	53.7	45.8	50.1	50.5	50.3
N of Valid	485	463	423	288	948	711	1659
N of Miss	59	38	39	16	97	55	152

Table 4.3: Age

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
10 or under	0.2	0.0	0.0	0.0	0.1	0.0	0.1
11	54.5	0.0	0.0	0.0	28.4	0.0	16.4
12	42.2	0.0	0.0	0.0	21.9	0.0	12.7
13	2.9	53.3	0.0	0.0	27.1	0.0	15.6
14	0.0	44.7	0.0	0.0	21.5	0.0	12.4
15	0.0	2.0	52.9	0.3	1.0	32.0	14.1
16	0.0	0.0	45.3	0.0	0.0	27.3	11.6
17	0.2	0.0	1.7	49.3	0.1	20.7	8.8
18	0.0	0.0	0.0	47.4	0.0	18.8	8.0
19+	0.0	0.0	0.0	3.0	0.0	1.2	0.5
N of Valid	543	501	461	304	1044	765	1809
N of Miss	1	0	1	0	1	1	2

Table 4.4: Do you live with...

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Both Parents	65.9	60.6	57.7	57.7	63.4	57.7	61.0
Mother Only	9.2	13.3	15.8	15.7	11.2	15.8	13.1
Father Only	1.7	3.8	3.1	6.3	2.7	4.4	3.4
Mother & Stepfather	9.4	9.8	12.9	8.7	9.6	11.2	10.3
Father & Stepmother	2.8	3.8	3.6	3.0	3.3	3.3	3.3
Other	10.9	8.8	6.9	8.7	9.9	7.6	8.9
N of Valid	531	480	449	300	1011	749	1760
N of Miss	13	21	13	4	34	17	51

Table 4.5: Do you have a job?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	0.4	1.7	1.4	5.6	1.0	3.0	1.9
Yes, Part-time	5.6	9.4	28.9	51.4	7.4	37.8	20.4
No	94.0	88.9	69.7	43.1	91.5	59.1	77.7
N of Valid	498	470	436	288	968	724	1692
N of Miss	46	31	26	16	77	42	119

Table 4.6: Does your father have a job?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	75.0	80.1	84.8	84.6	77.5	84.7	80.5
Yes, Part-time	15.6	10.2	6.2	4.2	12.9	5.4	9.8
No	9.4	9.7	9.0	11.2	9.6	9.9	9.7
N of Valid	501	472	422	286	973	708	1681
N of Miss	43	29	40	18	72	58	130

Table 4.7: Does your mother have a job?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes, Full-time	59.2	59.3	72.9	71.9	59.2	72.5	64.9
Yes, Part-time	21.6	21.3	15.2	11.5	21.4	13.7	18.1
No	19.2	19.4	12.0	16.7	19.3	13.8	17.0
N of Valid	510	474	442	288	984	730	1714
N of Miss	34	27	20	16	61	36	97

Table 4.8: What is the educational level of your father?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Some High School	9.0	11.6	7.7	6.3	10.3	7.1	8.9
High School Graduate	31.8	33.9	43.4	52.6	32.8	47.1	39.2
Some College	16.7	16.3	13.3	16.0	16.5	14.4	15.6
College Graduate	42.5	38.1	35.7	25.0	40.3	31.4	36.3
N of Valid	412	404	392	268	816	660	1476
N of Miss	132	97	70	36	229	106	335

Table 4.9: What is the educational level of your mother?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Some High School	5.3	6.9	5.6	7.3	6.1	6.3	6.2
High School Graduate	21.5	26.7	26.0	32.1	24.1	28.5	26.0
Some College	16.2	21.7	18.0	19.7	18.9	18.7	18.8
College Graduate	57.0	44.7	50.4	40.9	50.9	46.6	49.0
N of Valid	433	423	411	274	856	685	1541
N of Miss	111	78	51	30	189	81	270

4.2 Student Information

Table 4.10: Do you make good grades?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	0.7	1.0	1.1	0.3	0.9	0.8	0.8
Seldom	1.9	2.6	3.3	0.3	2.2	2.1	2.2
Sometimes	21.2	22.2	20.5	13.3	21.7	17.6	20.0
Often	36.1	34.1	38.1	42.2	35.1	39.7	37.1
A Lot	40.0	40.1	37.0	43.9	40.1	39.7	39.9
N of Valid	537	499	459	301	1036	760	1796
N of Miss	7	2	3	3	9	6	15

Table 4.11: Do you get into trouble at school?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	45.8	40.2	57.3	69.3	43.1	62.1	51.2
Seldom	35.3	38.4	31.1	23.0	36.8	27.9	33.0
Sometimes	15.5	15.7	10.9	6.0	15.6	9.0	12.8
Often	2.8	3.9	0.2	1.0	3.3	0.5	2.1
A Lot	0.6	1.8	0.4	0.7	1.2	0.5	0.9
N of Valid	535	492	457	300	1027	757	1784
N of Miss	9	9	5	4	18	9	27

Table 4.12: Do you take part in school sports teams?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	42.5	28.7	28.1	33.7	35.9	30.3	33.5
Seldom	8.2	8.2	9.2	11.1	8.2	10.0	8.9
Sometimes	13.6	13.6	13.7	11.8	13.6	12.9	13.3
Often	11.5	16.5	18.2	14.5	13.9	16.7	15.1
A Lot	24.3	33.1	30.8	29.0	28.5	30.1	29.2
N of Valid	515	478	445	297	993	742	1735
N of Miss	29	23	17	7	52	24	76

Table 4.13: Do you take part in school activities such as band, clubs, etc.?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	31.0	37.4	35.7	35.5	34.1	35.6	34.7
Seldom	7.3	12.3	11.2	12.3	9.7	11.7	10.5
Sometimes	13.5	11.7	13.2	11.3	12.6	12.5	12.5
Often	15.0	12.5	14.5	15.6	13.8	15.0	14.3
A Lot	33.2	26.2	25.3	25.2	29.8	25.3	27.9
N of Valid	533	497	454	301	1030	755	1785
N of Miss	11	4	8	3	15	11	26

Table 4.14: Do you take part in community activities such as scouts, rec. teams, youth clubs, etc.?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	40.3	41.5	43.2	39.7	40.9	41.8	41.3
Seldom	14.5	13.0	17.8	18.7	13.8	18.1	15.6
Sometimes	14.9	16.3	16.0	17.7	15.5	16.7	16.0
Often	11.1	12.2	11.0	12.7	11.6	11.6	11.6
A Lot	19.2	17.1	12.1	11.3	18.2	11.8	15.5
N of Valid	531	492	456	300	1023	756	1779
N of Miss	13	9	6	4	22	10	32

Table 4.15: Do you attend church, synagogue, etc.?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	25.5	28.0	32.4	37.8	26.7	34.5	30.1
Seldom	11.3	13.2	17.1	17.6	12.2	17.3	14.4
Sometimes	17.3	18.0	18.2	17.2	17.6	17.8	17.7
Often	15.2	15.5	11.8	9.8	15.3	11.0	13.5
A Lot	30.7	25.3	20.6	17.6	28.1	19.4	24.4
N of Valid	514	478	451	296	992	747	1739
N of Miss	30	23	11	8	53	19	72

Table 4.16: Do your parents talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	15.7	12.9	15.3	21.7	14.4	17.8	15.8
Seldom	12.5	16.5	19.0	21.4	14.5	19.9	16.8
Sometimes	31.1	25.8	34.7	32.1	28.5	33.7	30.7
Often	22.4	24.8	19.2	17.1	23.6	18.4	21.3
A Lot	18.2	20.0	11.8	7.7	19.1	10.2	15.3
N of Valid	527	496	458	299	1023	757	1780
N of Miss	17	5	4	5	22	9	31

Table 4.17: Do your teachers talk with you about the problems of tobacco, alcohol and drug use?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	20.2	16.3	21.0	24.3	18.3	22.3	20.0
Seldom	17.0	25.8	30.2	30.7	21.3	30.4	25.1
Sometimes	31.6	31.0	30.5	30.3	31.3	30.4	30.9
Often	18.1	14.7	13.0	10.7	16.5	12.1	14.6
A Lot	13.0	12.1	5.3	4.0	12.6	4.8	9.3
N of Valid	529	496	453	300	1025	753	1778
N of Miss	15	5	9	4	20	13	33

Table 4.18: Have you skipped school without your parents' permission in the past year?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	95.3	91.3	91.0	84.7	93.4	88.5	91.3
Seldom	1.7	3.0	4.2	6.0	2.3	4.9	3.4
Sometimes	1.3	3.0	3.1	5.0	2.1	3.8	2.9
Often	0.6	1.6	1.3	2.3	1.1	1.7	1.3
A Lot	1.1	1.0	0.4	2.0	1.1	1.1	1.1
N of Valid	534	496	456	300	1030	756	1786
N of Miss	10	5	6	4	15	10	25

Table 4.19: Does your school set clear rules on using drugs at school?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	4.2	2.8	3.1	3.7	3.5	3.3	3.5
Seldom	4.0	6.5	4.4	3.0	5.2	3.9	4.6
Sometimes	6.3	8.9	14.1	13.9	7.6	14.0	10.3
Often	15.5	20.1	28.2	26.4	17.7	27.5	21.8
A Lot	70.0	61.7	50.2	53.0	66.0	51.3	59.8
N of Valid	524	493	454	296	1017	750	1767
N of Miss	20	8	8	8	28	16	44

Table 4.20: Does your school set clear rules on bullying or threatening other students at school?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	2.6	3.7	7.5	5.0	3.1	6.5	4.6
Seldom	2.6	6.9	10.8	10.7	4.7	10.8	7.3
Sometimes	6.4	13.6	21.5	21.1	9.9	21.3	14.7
Often	19.1	22.6	27.0	21.7	20.8	24.9	22.5
A Lot	69.2	53.2	33.2	41.5	61.5	36.5	50.9
N of Valid	533	491	452	299	1024	751	1775
N of Miss	11	10	10	5	21	15	36

Table 4.21: Do your parents set clear rules for you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	0.8	1.6	2.2	5.0	1.2	3.3	2.1
Seldom	2.1	4.9	3.5	7.4	3.4	5.0	4.1
Sometimes	11.0	11.0	12.1	15.8	11.0	13.5	12.1
Often	15.9	24.6	28.1	25.8	20.1	27.2	23.1
A Lot	70.3	57.9	54.2	46.0	64.3	50.9	58.6
N of Valid	529	492	456	298	1021	754	1775
N of Miss	15	9	6	6	24	12	36

Table 4.22: Do your parents punish you when you break the rules?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	4.1	4.0	4.2	9.1	4.1	6.1	4.9
Seldom	7.8	8.2	7.7	10.4	8.0	8.8	8.3
Sometimes	25.3	26.9	23.6	25.3	26.1	24.2	25.3
Often	32.5	31.9	35.5	31.3	32.2	33.8	32.9
A Lot	30.3	28.9	29.1	23.9	29.6	27.0	28.5
N of Valid	538	498	454	297	1036	751	1787
N of Miss	6	3	8	7	9	15	24

Table 4.23: Have you been in trouble with the police?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	88.9	82.8	85.2	77.9	86.0	82.3	84.4
Seldom	7.6	10.5	10.9	12.8	9.0	11.6	10.1
Sometimes	2.0	3.6	2.6	7.0	2.8	4.4	3.5
Often	0.7	2.0	0.4	0.7	1.4	0.5	1.0
A Lot	0.7	1.0	0.9	1.7	0.9	1.2	1.0
N of Valid	540	494	458	298	1034	756	1790
N of Miss	4	7	4	6	11	10	21

Table 4.24: Do you take part in gang activities?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	94.2	95.1	97.1	96.3	94.6	96.8	95.6
Seldom	3.0	3.0	1.5	1.7	3.0	1.6	2.4
Sometimes	1.5	0.4	0.7	0.3	1.0	0.5	0.8
Often	0.0	0.4	0.0	0.0	0.2	0.0	0.1
A Lot	1.3	1.0	0.7	1.7	1.2	1.1	1.1
N of Valid	533	492	455	296	1025	751	1776
N of Miss	11	9	7	8	20	15	35

Table 4.25: Have you thought about committing suicide?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	79.5	68.1	63.3	60.9	74.0	62.3	69.1
Seldom	7.9	14.6	15.3	18.4	11.1	16.5	13.4
Sometimes	8.3	7.7	12.4	10.5	8.0	11.7	9.5
Often	1.3	4.7	4.2	3.7	2.9	4.0	3.4
A Lot	3.0	4.9	4.9	6.5	3.9	5.5	4.6
N of Valid	532	492	452	294	1024	746	1770
N of Miss	12	9	10	10	21	20	41

Table 4.26: Do your friends use tobacco (cigarettes, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	93.7	69.4	46.6	32.9	82.0	41.2	64.8
Seldom	1.9	10.5	14.9	12.5	6.0	14.0	9.4
Sometimes	2.4	9.1	18.7	24.1	5.6	20.8	12.0
Often	0.9	6.3	9.9	13.6	3.5	11.3	6.8
A Lot	1.1	4.7	9.9	16.9	2.8	12.7	7.0
N of Valid	536	493	455	295	1029	750	1779
N of Miss	8	8	7	9	16	16	32

Table 4.27: Do your friends use alcohol (beer, liquor, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	95.2	66.5	40.9	27.9	81.5	35.7	62.2
Seldom	2.2	13.7	17.3	14.4	7.7	16.1	11.3
Sometimes	1.7	9.6	24.1	27.2	5.5	25.3	13.8
Often	0.4	7.6	10.4	15.8	3.8	12.5	7.5
A Lot	0.6	2.7	7.3	14.8	1.6	10.3	5.2
N of Valid	537	490	452	298	1027	750	1777
N of Miss	7	11	10	6	18	16	34

Table 4.28: Do your friends use marijuana (pot, hash, etc.)?






RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	97.3	76.6	56.5	40.9	87.4	50.3	71.7	
Seldom	1.3	8.6	15.5	14.5	4.8	15.1	9.2	
Sometimes	0.0	8.0	13.9	22.0	3.8	17.1	9.4	
Often	0.4	4.5	6.5	9.1	2.4	7.5	4.6	
A Lot	0.9	2.3	7.6	13.5	1.6	10.0	5.1	
N of Valid	528	487	446	296	1015	742	1757	
N of Miss	16	14	16	8	30	24	54	

Table 4.29: Do your friends use prescription drugs not prescribed to them?






RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Never	97.0	92.1	86.5	84.1	94.6	85.6	90.8	
Seldom	1.3	5.5	7.9	7.8	3.3	7.9	5.3	
Sometimes	0.4	1.4	3.3	4.1	0.9	3.6	2.0	
Often	0.6	1.0	1.5	1.7	0.8	1.6	1.1	
A Lot	0.8	0.0	0.7	2.4	0.4	1.3	0.8	
N of Valid	530	492	453	295	1022	748	1770	
N of Miss	14	9	9	9	23	18	41	

Table 4.30: Have you had 5 or more glasses of beer, coolers, breezers or liquor within a few hours?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	99.3	92.7	83.3	68.9	96.1	77.7	88.3
Seldom	0.6	3.9	7.2	9.8	2.1	8.2	4.7
Sometimes	0.0	1.8	4.6	10.1	0.9	6.8	3.4
Often	0.0	0.6	1.5	4.7	0.3	2.8	1.3
A Lot	0.2	1.0	3.3	6.4	0.6	4.5	2.2
N of Valid	540	493	456	296	1033	752	1785
N of Miss	4	8	6	8	12	14	26

Table 4.31: Do you think that you are overweight?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	20.7	30.9	31.7	25.5	25.6	29.3	27.2
No	79.3	69.1	68.3	74.5	74.4	70.7	72.8
N of Valid	526	489	454	298	1015	752	1767
N of Miss	18	12	8	6	30	14	44

Table 4.32: Has a doctor told you that you are overweight?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	4.0	7.6	10.0	12.1	5.7	10.8	7.9
No	96.0	92.4	90.0	87.9	94.3	89.2	92.1
N of Valid	527	487	452	297	1014	749	1763
N of Miss	17	14	10	7	31	17	48

Table 4.33: Have you bought or sold drugs AT school?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	1.0	1.6	4.4	0.8	2.7	1.6
No	99.4	99.0	98.4	95.6	99.2	97.3	98.4
N of Valid	531	483	450	296	1014	746	1760
N of Miss	13	18	12	8	31	20	51

Table 4.34: Have you bought or sold drugs when NOT at school?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	3.3	5.3	14.5	1.9	8.9	4.9 
No	99.4	96.7	94.7	85.5	98.1	91.1	95.1 
N of Valid	520	481	450	290	1001	740	1741
N of Miss	24	20	12	14	44	26	70

Table 4.35: Have you carried a gun for protection or as a weapon when NOT at school in the past year?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	6.0	7.0	4.4	7.4	6.5	5.6	6.1 
No	94.0	93.0	95.6	92.6	93.5	94.4	93.9 
N of Valid	530	488	453	296	1018	749	1767
N of Miss	14	13	9	8	27	17	44

4.3 Within The Past Year How Often Have You...

Table 4.36: Within the past year how often have you used tobacco?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	97.9	88.7	82.6	69.3	93.5	77.4	86.7
Once/year	1.7	4.1	3.6	7.2	2.8	5.0	3.8
6 times/year	0.0	1.8	2.2	3.4	0.9	2.7	1.6
Once/month	0.0	1.8	1.1	1.4	0.9	1.2	1.0
Twice/month	0.2	0.4	1.3	2.0	0.3	1.6	0.9
Once/week	0.2	0.4	1.6	1.0	0.3	1.3	0.7
3 times/week	0.0	1.4	1.6	1.7	0.7	1.6	1.1
Every day	0.0	1.2	6.0	14.0	0.6	9.2	4.2
N of Valid	530	488	449	293	1018	742	1760
N of Miss	14	13	13	11	27	24	51

Table 4.37: Within the past year how often have you drunk alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	95.7	79.3	65.7	50.0	87.8	59.5	75.9
Once/year	3.4	13.1	16.4	16.1	8.0	16.3	11.5
6 times/year	0.8	3.3	7.4	9.6	2.0	8.3	4.6
Once/month	0.0	1.6	3.8	6.8	0.8	5.0	2.6
Twice/month	0.2	1.0	3.6	6.2	0.6	4.6	2.3
Once/week	0.0	1.4	2.0	9.2	0.7	4.9	2.4
3 times/week	0.0	0.2	1.1	1.0	0.1	1.1	0.5
Every day	0.0	0.0	0.0	1.0	0.0	0.4	0.2
N of Valid	530	489	446	292	1019	738	1757
N of Miss	14	12	16	12	26	28	54

Table 4.38: Within the past year how often have you smoked marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.6	93.1	87.2	71.0	96.5	80.8	89.9
Once/year	0.4	2.4	4.7	9.9	1.4	6.8	3.6
6 times/year	0.0	1.6	1.1	2.7	0.8	1.8	1.2
Once/month	0.0	0.2	0.9	2.0	0.1	1.4	0.6
Twice/month	0.0	0.6	1.3	1.7	0.3	1.5	0.8
Once/week	0.0	0.6	0.9	4.4	0.3	2.3	1.1
3 times/week	0.0	0.6	2.0	1.7	0.3	1.9	1.0
Every day	0.0	0.8	1.8	6.5	0.4	3.7	1.8
N of Valid	531	491	445	293	1022	738	1760
N of Miss	13	10	17	11	23	28	51

Table 4.39: Within the past year how often have you used cocaine?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.6	99.0	98.4	94.9	99.3	97.0	98.4
Once/year	0.2	0.2	0.4	2.4	0.2	1.2	0.6
6 times/year	0.0	0.2	0.4	0.7	0.1	0.5	0.3
Once/month	0.0	0.4	0.4	0.3	0.2	0.4	0.3
Twice/month	0.2	0.0	0.2	0.3	0.1	0.3	0.2
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.2	0.0	1.4	0.1	0.5	0.3
N of Valid	528	490	448	292	1018	740	1758
N of Miss	16	11	14	12	27	26	53

Table 4.40: Within the past year how often have you used inhalants?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	98.3	97.8	98.4	98.3	98.0	98.4	98.2
Once/year	1.5	1.2	0.9	1.0	1.4	0.9	1.2
6 times/year	0.0	0.2	0.4	0.0	0.1	0.3	0.2
Once/month	0.2	0.0	0.2	0.3	0.1	0.3	0.2
Twice/month	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Once/week	0.0	0.2	0.0	0.0	0.1	0.0	0.1
3 times/week	0.0	0.4	0.0	0.0	0.2	0.0	0.1
Every day	0.0	0.0	0.0	0.3	0.0	0.1	0.1
N of Valid	523	489	446	292	1012	738	1750
N of Miss	21	12	16	12	33	28	61

Table 4.41: Within the past year how often have you used hallucinogens?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	98.6	96.6	93.8	99.3	95.5	97.7
Once/year	0.0	0.2	2.2	3.8	0.1	2.8	1.3
6 times/year	0.0	0.4	0.4	1.0	0.2	0.7	0.4
Once/month	0.0	0.0	0.7	0.3	0.0	0.5	0.2
Twice/month	0.0	0.6	0.0	0.7	0.3	0.3	0.3
Once/week	0.0	0.2	0.0	0.0	0.1	0.0	0.1
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.3	0.0	0.1	0.1
N of Valid	529	490	446	292	1019	738	1757
N of Miss	15	11	16	12	26	28	54

Table 4.42: Within the past year how often have you used heroin?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.8	99.4	99.8	99.3	99.6	99.6	99.6
Once/year	0.2	0.2	0.0	0.3	0.2	0.1	0.2
6 times/year	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Once/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Twice/month	0.0	0.0	0.0	0.3	0.0	0.1	0.1
Once/week	0.0	0.0	0.2	0.0	0.0	0.1	0.1
3 times/week	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	526	488	445	292	1014	737	1751
N of Miss	18	13	17	12	31	29	60

Table 4.43: Within the past year how often have you used steroids?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.2	98.4	99.3	98.3	98.8	98.9	98.9
Once/year	0.6	0.6	0.0	0.7	0.6	0.3	0.5
6 times/year	0.2	0.2	0.0	0.0	0.2	0.0	0.1
Once/month	0.0	0.0	0.2	0.7	0.0	0.4	0.2
Twice/month	0.0	0.0	0.2	0.0	0.0	0.1	0.1
Once/week	0.0	0.2	0.0	0.0	0.1	0.0	0.1
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.6	0.2	0.3	0.3	0.3	0.3
N of Valid	525	486	444	292	1011	736	1747
N of Miss	19	15	18	12	34	30	64

Table 4.44: Within the past year how often have you used ecstasy?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	100.0	99.2	99.5	97.9	99.6	98.9	99.3
Once/year	0.0	0.2	0.2	0.7	0.1	0.4	0.2
6 times/year	0.0	0.2	0.0	0.3	0.1	0.1	0.1
Once/month	0.0	0.2	0.0	0.3	0.1	0.1	0.1
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.0	0.0	0.2	0.0	0.0	0.1	0.1
3 times/week	0.0	0.2	0.0	0.7	0.1	0.3	0.2
Every day	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	526	490	444	292	1016	736	1752
N of Miss	18	11	18	12	29	30	59

Table 4.45: Within the past year how often have you used meth?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.6	99.6	99.3	99.0	99.6	99.2	99.4
Once/year	0.2	0.0	0.2	0.3	0.1	0.3	0.2
6 times/year	0.0	0.2	0.2	0.3	0.1	0.3	0.2
Once/month	0.0	0.0	0.2	0.0	0.0	0.1	0.1
Twice/month	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Once/week	0.2	0.2	0.0	0.0	0.2	0.0	0.1
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.0	0.0	0.3	0.0	0.1	0.1
N of Valid	520	487	442	291	1007	733	1740
N of Miss	24	14	20	13	38	33	71

Table 4.46: Within the past year how often have you used prescription drugs?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	98.5	97.1	97.1	93.2	97.8	95.5	96.9
Once/year	0.8	1.6	0.9	2.1	1.2	1.4	1.3
6 times/year	0.2	0.2	0.9	0.3	0.2	0.7	0.4
Once/month	0.0	0.2	0.5	1.0	0.1	0.7	0.3
Twice/month	0.0	0.4	0.2	1.0	0.2	0.5	0.3
Once/week	0.0	0.2	0.2	1.0	0.1	0.5	0.3
3 times/week	0.4	0.2	0.2	0.3	0.3	0.3	0.3
Every day	0.2	0.0	0.0	1.0	0.1	0.4	0.2
N of Valid	527	487	443	292	1014	735	1749
N of Miss	17	14	19	12	31	31	62

Table 4.47: Within the past year how often have you used over-the-counter drugs?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.8	99.2	98.6	97.9	99.5	98.4	99.0
Once/year	0.2	0.2	0.0	0.3	0.2	0.1	0.2
6 times/year	0.0	0.0	0.5	0.0	0.0	0.3	0.1
Once/month	0.0	0.2	0.2	0.3	0.1	0.3	0.2
Twice/month	0.0	0.0	0.5	0.0	0.0	0.3	0.1
Once/week	0.0	0.2	0.2	0.3	0.1	0.3	0.2
3 times/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Every day	0.0	0.2	0.0	1.0	0.1	0.4	0.2
N of Valid	526	484	443	292	1010	735	1745
N of Miss	18	17	19	12	35	31	66

Table 4.48: Within the past year how often have you used synthetic marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	99.8	98.8	98.0	98.6	99.3	98.2	98.9
Once/year	0.2	0.6	1.1	0.7	0.4	1.0	0.6
6 times/year	0.0	0.4	0.2	0.0	0.2	0.1	0.2
Once/month	0.0	0.0	0.2	0.0	0.0	0.1	0.1
Twice/month	0.0	0.0	0.2	0.0	0.0	0.1	0.1
Once/week	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3 times/week	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Every day	0.0	0.0	0.2	0.7	0.0	0.4	0.2
N of Valid	526	486	444	291	1012	735	1747
N of Miss	18	15	18	13	33	31	64

Table 4.49: Within the past year how often have you used any illicit drug?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	96.2	89.8	85.7	69.3	93.2	79.2	87.3
Once/year	2.6	4.3	5.1	10.2	3.4	7.1	5.0
6 times/year	0.2	1.8	1.6	2.7	1.0	2.0	1.4
Once/month	0.2	0.4	0.7	2.0	0.3	1.2	0.7
Twice/month	0.0	0.8	1.6	2.4	0.4	1.9	1.0
Once/week	0.2	0.8	0.9	4.4	0.5	2.3	1.2
3 times/week	0.4	0.2	2.2	2.0	0.3	2.2	1.1
Every day	0.2	1.8	2.2	6.8	1.0	4.0	2.3
N of Valid	531	491	449	293	1022	742	1764
N of Miss	13	10	13	11	23	24	47

4.4 How Easy Is It To Get...

Table 4.50: How easy is it to get tobacco (cigarettes, cigars, dip, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	86.5	74.5	57.2	42.2	80.8	51.2	68.3	
Very Difficult	2.3	2.3	1.8	1.4	2.3	1.6	2.0	
Fairly Difficult	1.9	4.0	3.2	0.7	2.9	2.2	2.6	
Fairly Easy	4.6	10.4	16.6	15.9	7.4	16.3	11.1	
Very Easy	4.8	8.8	21.2	39.8	6.7	28.6	15.9	
N of Valid	524	479	439	289	1003	728	1731	
N of Miss	20	22	23	15	42	38	80	

Table 4.51: How easy is it to get alcohol (beer, coolers, liquor, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	83.7	67.1	50.5	36.3	75.7	44.8	62.8	
Very Difficult	2.9	2.9	2.1	1.7	2.9	1.9	2.5	
Fairly Difficult	1.9	6.7	7.4	8.7	4.2	7.9	5.7	
Fairly Easy	5.8	11.2	18.7	28.0	8.4	22.4	14.3	
Very Easy	5.8	12.1	21.4	25.3	8.8	23.0	14.7	
N of Valid	521	480	434	289	1001	723	1724	
N of Miss	23	21	28	15	44	43	87	

Table 4.52: How easy is it to get marijuana (pot, hash, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	91.7	81.0	63.4	50.2	86.5	58.1	74.6	
Very Difficult	3.1	4.2	1.6	2.8	3.6	2.1	3.0	
Fairly Difficult	1.4	3.5	6.7	7.3	2.4	6.9	4.3	
Fairly Easy	2.3	4.0	15.3	16.3	3.1	15.7	8.4	
Very Easy	1.6	7.3	13.0	23.5	4.3	17.2	9.7	
N of Valid	516	479	432	289	995	721	1716	
N of Miss	28	22	30	15	50	45	95	

Table 4.53: How easy is it to get prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Don't Know/Can't Get	88.5	81.6	72.5	71.1	85.2	71.9	79.6	
Very Difficult	2.3	2.5	3.7	3.8	2.4	3.8	3.0	
Fairly Difficult	2.7	4.7	5.1	8.0	3.7	6.3	4.8	
Fairly Easy	3.3	5.1	8.1	7.3	4.2	7.8	5.7	
Very Easy	3.1	6.1	10.6	9.8	4.6	10.3	7.0	
N of Valid	513	473	432	287	986	719	1705	
N of Miss	31	28	30	17	59	47	106	

4.5 Do You Feel The Following Are Harmful To Your Health?

Table 4.54: How much do you think people risk harming themselves physically or in other ways if they smoke one or more packs of cigarettes per day?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	14.4	9.6	8.7	8.2	12.1	8.5	10.6
Slight Risk	6.3	8.0	8.4	6.8	7.1	7.8	7.4
Moderate Risk	19.6	20.1	19.6	15.0	19.8	17.8	19.0
Great Risk	59.7	62.3	63.3	70.0	60.9	65.9	63.1
N of Valid	526	488	450	293	1014	743	1757
N of Miss	18	13	12	11	31	23	54

Table 4.55: How much do you think people risk harming themselves physically or in other ways if they smoke e-cigarettes, e-cigars or e-hookahs?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	15.1	14.4	12.8	12.9	14.7	12.8	13.9
Slight Risk	10.8	19.9	27.9	26.8	15.2	27.4	20.4
Moderate Risk	29.9	33.1	36.4	37.6	31.4	36.9	33.8
Great Risk	44.2	32.6	22.9	22.7	38.6	22.8	31.9
N of Valid	518	487	445	295	1005	740	1745
N of Miss	26	14	17	9	40	26	66

Table 4.56: How much do you think people risk harming themselves physically or in other ways if they have five or more drinks of an alcoholic beverage (beer, coolers, liquor) once or twice a week?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	16.4	12.6	9.5	11.5	14.6	10.3	12.8
Slight Risk	14.7	18.5	22.3	21.7	16.5	22.1	18.9
Moderate Risk	27.5	32.3	34.5	38.3	29.8	36.0	32.4
Great Risk	41.4	36.6	33.8	28.5	39.1	31.7	36.0
N of Valid	524	486	444	295	1010	739	1749
N of Miss	20	15	18	9	35	27	62

Table 4.57: How much do you think people risk harming themselves physically or in other ways if they take one or two drinks of an alcoholic beverage (beer, coolers, liquor) nearly every day?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	17.7	18.7	15.4	15.3	18.2	15.4	17.0 
Slight Risk	19.2	21.4	20.6	20.7	20.3	20.6	20.4 
Moderate Risk	25.2	25.7	32.2	27.8	25.4	30.5	27.6 
Great Risk	37.9	34.2	31.8	36.3	36.1	33.6	35.0 
N of Valid	520	486	447	295	1006	742	1748
N of Miss	24	15	15	9	39	24	63

Table 4.58: How much do you think people risk harming themselves physically or in other ways if they smoke marijuana once or twice a week?









RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	16.0	20.5	28.1	33.3	18.2	30.2	23.3 
Slight Risk	8.7	15.5	22.3	27.6	12.0	24.4	17.3 
Moderate Risk	20.7	22.1	22.3	20.4	21.4	21.6	21.4 
Great Risk	54.6	41.9	27.2	18.7	48.5	23.9	38.0 
N of Valid	518	484	448	294	1002	742	1744
N of Miss	26	17	14	10	43	24	67

Table 4.59: How much do you think people risk harming themselves physically or in other ways if they use prescription drugs that are not prescribed to them?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
No Risk	14.3	8.9	7.0	7.5	11.7	7.2	9.8 
Slight Risk	4.2	6.8	5.4	6.2	5.5	5.7	5.6 
Moderate Risk	15.1	14.7	19.4	18.8	14.9	19.2	16.7 
Great Risk	66.4	69.6	68.2	67.5	68.0	67.9	67.9 
N of Valid	524	484	444	292	1008	736	1744
N of Miss	20	17	18	12	37	30	67

4.6 During the past 30 days:

Table 4.60: During the past 30 days did you smoke part or all of a cigarette?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	5.7	6.6	14.8	3.0	9.8	5.9 
No	99.4	94.3	93.4	85.2	97.0	90.2	94.1 
N of Valid	539	493	455	298	1032	753	1785
N of Miss	5	8	7	6	13	13	26

Table 4.61: During the past 30 days did you smoke an e-cigarette, e-cigar, or e-hookah?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	4.5	7.3	13.4	2.4	9.7	5.5 
No	99.4	95.5	92.7	86.6	97.6	90.3	94.5 
N of Valid	535	492	453	298	1027	751	1778
N of Miss	9	9	9	6	18	15	33

Table 4.62: During the past 30 days did you drink one or more drinks of an alcoholic beverage?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.5	10.6	13.9	34.2	5.9	22.0	12.7 
No	98.5	89.4	86.1	65.8	94.1	78.0	87.3 
N of Valid	534	491	453	298	1025	751	1776
N of Miss	10	10	9	6	20	15	35

Table 4.63: During the past 30 days have you used marijuana or hashish?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.4	4.3	7.1	18.9	2.3	11.8	6.3 
No	99.6	95.7	92.9	81.1	97.7	88.2	93.7 
N of Valid	532	488	448	297	1020	745	1765
N of Miss	12	13	14	7	25	21	46

Table 4.64: During the past 30 days have you used prescription drugs not prescribed to you?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.3	1.6	2.0	4.7	1.5	3.1	2.1 
No	98.7	98.4	98.0	95.3	98.5	96.9	97.9 
N of Valid	533	490	452	297	1023	749	1772
N of Miss	11	11	10	7	22	17	39

Table 4.65: During the past 30 days have you used over-the-counter drugs (to get high)?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.6	1.1	3.0	0.4	1.9	1.0 
No	99.8	99.4	98.9	97.0	99.6	98.1	99.0 
N of Valid	527	490	451	297	1017	748	1765
N of Miss	17	11	11	7	28	18	46

Table 4.66: During the past 30 days have you used inhalants (glue, gas, etc.)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.5	1.4	0.4	1.4	1.5	0.8	1.2 
No	98.5	98.6	99.6	98.6	98.5	99.2	98.8 
N of Valid	529	485	446	296	1014	742	1756
N of Miss	15	16	16	8	31	24	55

4.7 At What Age Did You First...

Table 4.67: At what age did you first use tobacco?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	96.8	86.4	77.8	64.6	91.9	72.6	83.8
10 or under	1.5	3.5	2.9	2.7	2.4	2.8	2.6
11	1.1	2.9	2.0	4.1	2.0	2.8	2.3
12	0.2	2.1	4.9	3.1	1.1	4.2	2.4
13	0.0	3.1	3.4	4.8	1.5	3.9	2.5
14	0.0	2.1	2.7	6.5	1.0	4.2	2.3
15	0.0	0.0	4.9	3.7	0.0	4.5	1.9
16	0.0	0.0	0.9	5.8	0.0	2.8	1.2
17 or older	0.4	0.0	0.4	4.8	0.2	2.2	1.0
N of Valid	536	487	446	294	1023	740	1763
N of Miss	8	14	16	10	22	26	48

Table 4.68: At what age did you first drink alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	92.0	75.4	58.5	40.5	84.1	51.4	70.3
10 or under	5.2	5.4	4.0	3.7	5.3	3.9	4.7
11	1.9	4.3	3.4	3.1	3.0	3.2	3.1
12	0.2	4.3	4.0	4.4	2.2	4.2	3.0
13	0.2	7.9	6.5	4.4	3.8	5.7	4.6
14	0.0	2.7	9.6	8.2	1.3	9.1	4.6
15	0.0	0.0	9.9	9.9	0.0	9.9	4.2
16	0.0	0.0	3.6	16.3	0.0	8.6	3.6
17 or older	0.6	0.0	0.4	9.5	0.3	4.1	1.9
N of Valid	535	483	446	294	1018	740	1758
N of Miss	9	18	16	10	27	26	53

Table 4.69: At what age did you first smoke marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.2	91.9	82.4	67.0	95.8	76.3	87.6
10 or under	0.4	1.7	0.7	2.4	1.0	1.4	1.1
11	0.2	0.6	0.7	0.0	0.4	0.4	0.4
12	0.2	1.9	1.6	2.0	1.0	1.8	1.3
13	0.0	2.9	2.0	2.0	1.4	2.0	1.7
14	0.0	1.0	4.7	5.8	0.5	5.1	2.5
15	0.0	0.0	6.1	8.5	0.0	7.0	3.0
16	0.0	0.0	1.6	4.8	0.0	2.8	1.2
17 or older	0.0	0.0	0.2	7.5	0.0	3.1	1.3
N of Valid	532	484	444	294	1016	738	1754
N of Miss	12	17	18	10	29	28	57

Table 4.70: At what age did you first use cocaine?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.4	99.2	98.4	94.9	99.3	97.0	98.3
10 or under	0.2	0.0	0.0	0.3	0.1	0.1	0.1
11	0.0	0.0	0.2	0.0	0.0	0.1	0.1
12	0.4	0.4	0.0	0.0	0.4	0.0	0.2
13	0.0	0.4	0.4	0.7	0.2	0.5	0.3
14	0.0	0.0	0.7	0.0	0.0	0.4	0.2
15	0.0	0.0	0.2	0.3	0.0	0.3	0.1
16	0.0	0.0	0.0	1.7	0.0	0.7	0.3
17 or older	0.0	0.0	0.0	2.0	0.0	0.8	0.3
N of Valid	533	483	448	293	1016	741	1757
N of Miss	11	18	14	11	29	25	54

Table 4.71: At what age did you first use inhalants?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	97.7	97.7	98.7	99.3	97.7	98.9	98.2
10 or under	1.1	0.6	0.0	0.3	0.9	0.1	0.6
11	0.9	0.2	0.4	0.0	0.6	0.3	0.5
12	0.0	0.6	0.4	0.0	0.3	0.3	0.3
13	0.2	0.8	0.2	0.0	0.5	0.1	0.3
14	0.0	0.0	0.0	0.3	0.0	0.1	0.1
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.2	0.0	0.0	0.1	0.1
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	530	483	445	292	1013	737	1750
N of Miss	14	18	17	12	32	29	61

Table 4.72: At what age did you first use hallucinogens?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.6	98.8	97.3	94.2	99.2	96.0	97.9
10 or under	0.2	0.0	0.0	0.3	0.1	0.1	0.1
11	0.2	0.2	0.2	0.0	0.2	0.1	0.2
12	0.0	0.2	0.0	0.0	0.1	0.0	0.1
13	0.0	0.6	0.0	0.0	0.3	0.0	0.2
14	0.0	0.2	0.5	0.3	0.1	0.4	0.2
15	0.0	0.0	1.1	1.0	0.0	1.1	0.5
16	0.0	0.0	0.9	2.7	0.0	1.6	0.7
17 or older	0.0	0.0	0.0	1.4	0.0	0.5	0.2
N of Valid	532	484	441	293	1016	734	1750
N of Miss	12	17	21	11	29	32	61

Table 4.73: At what age did you first use heroin?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.4	99.4	99.8	99.7	99.4	99.7	99.5
10 or under	0.2	0.0	0.0	0.3	0.1	0.1	0.1
11	0.0	0.0	0.2	0.0	0.0	0.1	0.1
12	0.4	0.0	0.0	0.0	0.2	0.0	0.1
13	0.0	0.4	0.0	0.0	0.2	0.0	0.1
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.2	0.0	0.0	0.1	0.0	0.1
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	532	485	440	293	1017	733	1750
N of Miss	12	16	22	11	28	33	61

Table 4.74: At what age did you first use steroids?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	98.9	98.3	99.3	99.0	98.6	99.2	98.9
10 or under	0.9	0.2	0.2	0.3	0.6	0.3	0.5
11	0.0	0.2	0.2	0.0	0.1	0.1	0.1
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.2	0.6	0.0	0.0	0.4	0.0	0.2
14	0.0	0.4	0.2	0.0	0.2	0.1	0.2
15	0.0	0.0	0.0	0.3	0.0	0.1	0.1
16	0.0	0.2	0.0	0.3	0.1	0.1	0.1
17 or older	0.0	0.0	0.0	0.0	0.0	0.0	0.0
N of Valid	534	481	440	292	1015	732	1747
N of Miss	10	20	22	12	30	34	64

Table 4.75: At what age did you first use ecstasy?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.4	99.2	99.5	98.3	99.3	99.0	99.2
10 or under	0.4	0.2	0.0	0.3	0.3	0.1	0.2
11	0.2	0.0	0.2	0.0	0.1	0.1	0.1
12	0.0	0.2	0.0	0.0	0.1	0.0	0.1
13	0.0	0.2	0.0	0.0	0.1	0.0	0.1
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.2	0.7	0.0	0.4	0.2
17 or older	0.0	0.2	0.0	0.7	0.1	0.3	0.2
N of Valid	534	481	440	294	1015	734	1749
N of Miss	10	20	22	10	30	32	62

Table 4.76: At what age did you first use meth?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	98.9	99.6	99.3	98.6	99.2	99.0	99.1
10 or under	0.7	0.0	0.0	0.3	0.4	0.1	0.3
11	0.0	0.2	0.2	0.0	0.1	0.1	0.1
12	0.4	0.0	0.0	0.0	0.2	0.0	0.1
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.2	0.3	0.0	0.3	0.1
15	0.0	0.0	0.2	0.0	0.0	0.1	0.1
16	0.0	0.2	0.0	0.3	0.1	0.1	0.1
17 or older	0.0	0.0	0.0	0.3	0.0	0.1	0.1
N of Valid	534	484	442	294	1018	736	1754
N of Miss	10	17	20	10	27	30	57

Table 4.77: At what age did you first use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	98.1	97.5	96.2	94.2	97.8	95.4	96.8
10 or under	0.9	0.4	0.5	0.7	0.7	0.5	0.6
11	0.7	0.0	0.7	0.0	0.4	0.4	0.4
12	0.2	0.6	0.5	0.0	0.4	0.3	0.3
13	0.0	1.0	0.7	1.0	0.5	0.8	0.6
14	0.0	0.2	1.1	0.3	0.1	0.8	0.4
15	0.0	0.2	0.2	1.4	0.1	0.7	0.3
16	0.0	0.0	0.2	1.4	0.0	0.7	0.3
17 or older	0.0	0.0	0.0	1.0	0.0	0.4	0.2
N of Valid	535	481	442	293	1016	735	1751
N of Miss	9	20	20	11	29	31	60

Table 4.78: At what age did you first use over-the-counter drugs to get high?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never used	99.4	98.8	98.6	97.3	99.1	98.1	98.7
10 or under	0.6	0.2	0.0	0.0	0.4	0.0	0.2
11	0.0	0.2	0.5	0.0	0.1	0.3	0.2
12	0.0	0.4	0.2	0.0	0.2	0.1	0.2
13	0.0	0.0	0.0	0.3	0.0	0.1	0.1
14	0.0	0.4	0.2	0.3	0.2	0.3	0.2
15	0.0	0.0	0.5	1.0	0.0	0.7	0.3
16	0.0	0.0	0.0	0.3	0.0	0.1	0.1
17 or older	0.0	0.0	0.0	0.7	0.0	0.3	0.1
N of Valid	532	481	444	293	1013	737	1750
N of Miss	12	20	18	11	32	29	61

4.8 How Wrong Do Your Parents Feel It Would Be For You To...

Table 4.79: How wrong do your parents feel it would be for you to smoke tobacco?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.1	3.3	4.5	5.2	3.7	4.8	4.2
A little bit wrong	1.1	4.1	6.3	13.7	2.6	9.3	5.4
Wrong	9.2	15.7	17.8	23.0	12.3	19.9	15.5
Very wrong	85.5	76.9	71.4	58.1	81.4	66.1	75.0
N of Valid	531	484	444	291	1015	735	1750
N of Miss	13	17	18	13	30	31	61

Table 4.80: How wrong do your parents feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	3.6	3.7	4.5	5.8	3.7	5.0	4.2
A little bit wrong	2.7	7.5	5.6	13.4	5.0	8.7	6.5
Wrong	13.7	13.3	17.6	21.3	13.5	19.1	15.8
Very wrong	80.1	75.5	72.2	59.5	77.9	67.2	73.4
N of Valid	527	481	443	291	1008	734	1742
N of Miss	17	20	19	13	37	32	69

Table 4.81: How wrong do your parents feel it would be for you to smoke marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	3.8	4.1	5.2	10.7	4.0	7.4	5.4
A little bit wrong	0.8	4.6	8.6	10.7	2.6	9.4	5.5
Wrong	2.7	9.3	12.2	13.1	5.8	12.6	8.7
Very wrong	92.8	82.0	74.0	65.5	87.6	70.6	80.5
N of Valid	527	482	442	290	1009	732	1741
N of Miss	17	19	20	14	36	34	70

Table 4.82: How wrong do your parents feel it would be for you to use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Not at all wrong	4.2	3.1	2.3	3.4	3.7	2.7	3.3
A little bit wrong	0.9	1.5	1.8	0.3	1.2	1.2	1.2
Wrong	6.6	5.0	5.2	6.5	5.8	5.7	5.8
Very wrong	88.3	90.4	90.7	89.7	89.3	90.3	89.7
N of Valid	529	481	443	291	1010	734	1744
N of Miss	15	20	19	13	35	32	67

4.9 How Wrong Do Your Friends Feel It Would Be For You To...

Table 4.83: How wrong do your friends feel it would be for you to smoke tobacco?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	4.9	9.9	13.4	21.7	7.3	16.7	11.2	
A little bit wrong	4.5	11.8	22.0	24.8	8.0	23.1	14.3	
Wrong	16.2	23.2	26.6	23.4	19.5	25.3	22.0	
Very wrong	74.3	55.2	38.0	30.1	65.3	34.8	52.5	
N of Valid	530	475	440	286	1005	726	1731	
N of Miss	14	26	22	18	40	40	80	

Table 4.84: How wrong do your friends feel it would be for you to have one or two drinks of an alcoholic beverage nearly every day?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	4.9	11.3	13.5	21.1	8.0	16.5	11.6	
A little bit wrong	6.7	13.4	22.9	21.1	9.9	22.2	15.0	
Wrong	16.3	22.5	25.4	28.0	19.3	26.4	22.3	
Very wrong	72.1	52.7	38.2	29.8	62.9	34.8	51.1	
N of Valid	526	476	437	289	1002	726	1728	
N of Miss	18	25	25	15	43	40	83	

Table 4.85: How wrong do your friends feel it would be for you to smoke marijuana?





RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Not wrong at all	4.2	12.8	22.6	30.6	8.3	25.8	15.7	
A little bit wrong	1.9	10.3	17.6	18.8	5.9	18.0	11.0	
Wrong	13.2	17.3	22.4	19.1	15.1	21.1	17.6	
Very wrong	80.7	59.6	37.4	31.6	70.6	35.1	55.7	
N of Valid	523	475	438	288	998	726	1724	
N of Miss	21	26	24	16	47	40	87	

Table 4.86: How wrong do your friends feel it would be for you to use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Not wrong at all	4.4	6.0	4.1	8.0	5.1	5.7	5.4
A little bit wrong	3.3	6.8	12.2	8.0	4.9	10.5	7.3
Wrong	14.9	17.9	21.1	21.5	16.3	21.2	18.4
Very wrong	77.4	69.3	62.6	62.6	73.6	62.6	68.9
N of Valid	522	469	436	289	991	725	1716
N of Miss	22	32	26	15	54	41	95

4.10 Where Do You Usually Use...

Table 4.87: Where do you usually use tobacco?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	96.5	85.6	80.5	71.4	91.3	76.9	85.2
At home	0.6	4.0	9.5	13.5	2.2	11.1	6.0
At school	0.4	0.4	1.7	2.0	0.4	1.8	1.0
In a car	0.0	1.4	4.8	10.5	0.7	7.0	3.4
Friend's house	0.2	4.2	7.8	10.5	2.1	8.9	5.0
Other	0.6	4.0	3.9	10.2	2.2	6.4	4.0
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.88: Where do you usually drink alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	94.1	79.8	65.2	49.0	87.3	58.7	75.2
At home	2.6	8.0	16.5	25.0	5.2	19.8	11.4
At school	0.2	0.4	0.0	0.3	0.3	0.1	0.2
In a car	0.0	0.6	0.9	2.3	0.3	1.4	0.8
Friend's house	0.6	7.4	15.8	27.6	3.8	20.5	10.9
Other	1.3	4.0	5.6	9.5	2.6	7.2	4.5
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.89: Where do you usually smoke marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	97.4	88.6	82.3	69.7	93.2	77.3	86.5
At home	0.0	1.2	6.7	8.9	0.6	7.6	3.5
At school	0.2	0.2	0.6	0.3	0.2	0.5	0.3
In a car	0.0	0.6	3.2	6.6	0.3	4.6	2.1
Friend's house	0.0	4.2	7.1	15.1	2.0	10.3	5.5
Other	0.2	2.8	3.2	8.2	1.4	5.2	3.0
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.90: Where do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	95.2	92.6	91.6	88.8	94.0	90.5	92.5
At home	1.3	1.6	1.7	1.6	1.4	1.7	1.5
At school	0.2	0.6	0.0	1.3	0.4	0.5	0.4
In a car	0.2	0.0	0.2	0.3	0.1	0.3	0.2
Friend's house	0.2	0.2	1.1	2.0	0.2	1.4	0.7
Other	0.2	0.0	0.6	2.6	0.1	1.4	0.7
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

4.11 When Do You Usually Use...

Table 4.91: When do you usually use tobacco?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	95.8	86.2	81.0	72.4	91.2	77.5	85.4
Before school	0.0	1.0	4.3	8.2	0.5	5.9	2.8
During school	0.2	0.2	1.5	3.3	0.2	2.2	1.0
After school	0.0	3.0	9.1	13.2	1.4	10.7	5.4
Week nights	0.0	2.0	6.3	12.2	1.0	8.6	4.2
Weekends	0.7	7.2	9.7	15.5	3.8	12.0	7.3
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.92: When do you usually drink alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	93.6	80.0	68.4	50.3	87.1	61.2	76.1
Before school	0.4	0.2	0.4	0.7	0.3	0.5	0.4
During school	0.2	0.2	0.2	0.3	0.2	0.3	0.2
After school	0.4	1.2	2.6	3.9	0.8	3.1	1.8
Week nights	0.6	1.0	3.2	4.6	0.8	3.8	2.0
Weekends	2.2	14.2	24.7	41.4	7.9	31.3	17.8
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.93: When do you usually smoke marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	96.3	88.6	82.9	71.7	92.6	78.5	86.6
Before school	0.0	0.6	1.7	4.3	0.3	2.7	1.3
During school	0.2	0.2	0.6	0.7	0.2	0.7	0.4
After school	0.0	2.2	4.3	7.6	1.1	5.6	3.0
Week nights	0.0	1.8	4.3	7.6	0.9	5.6	2.9
Weekends	0.0	5.2	8.9	17.4	2.5	12.3	6.6
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

Table 4.94: When do you usually use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do not use	95.0	92.4	90.3	88.5	93.8	89.6	92.0
Before school	0.6	0.2	0.2	1.0	0.4	0.5	0.4
During school	0.2	0.2	0.2	0.7	0.2	0.4	0.3
After school	0.6	0.6	0.0	1.0	0.6	0.4	0.5
Week nights	0.0	0.2	0.6	2.0	0.1	1.2	0.6
Weekends	0.6	0.4	2.2	3.3	0.5	2.6	1.4
N of Valid	544	501	462	304	1045	766	1811
N of Miss	0	0	0	0	0	0	0

4.12 How Do You Feel About Someone Your Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day?

Table 4.95: How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Neither approve nor disapprove	5.3	18.6	25.0	34.1	11.8	28.6	19.0	
Somewhat disapprove	3.5	11.8	19.6	19.2	7.6	19.4	12.6	
Strongly disapprove	79.2	57.9	46.3	37.2	68.7	42.8	57.6	
Don't know or can't say	12.1	11.8	9.1	9.6	11.9	9.3	10.8	
N of Valid	456	442	408	261	898	669	1567	
N of Miss	88	59	54	43	147	97	244	

4.13 What Effect Do You Most Often Get When You Use

Table 4.96: What effect do you most often get when you drink alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	95.8	82.8	69.8	53.5	89.6	63.3	78.6
No High	3.2	10.7	11.9	12.6	6.8	12.2	9.0
A Little High	0.6	4.4	13.7	17.5	2.4	15.2	7.8
Very High	0.0	0.6	1.8	9.8	0.3	5.0	2.3
Bombed/Stoned	0.4	1.5	2.7	6.6	0.9	4.3	2.3
N of Valid	527	477	437	286	1004	723	1727
N of Miss	17	24	25	18	41	43	84

Table 4.97: What effect do you most often get when you smoke marijuana?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	99.8	92.3	85.3	72.6	96.2	80.2	89.5
No High	0.0	0.4	1.4	0.3	0.2	1.0	0.5
A Little High	0.0	3.3	5.3	11.1	1.6	7.6	4.1
Very High	0.0	1.3	2.8	4.9	0.6	3.6	1.9
Bombed/Stoned	0.2	2.7	5.3	11.1	1.4	7.6	4.0
N of Valid	520	478	434	288	998	722	1720
N of Miss	24	23	28	16	47	44	91

Table 4.98: What effect do you most often get when you use prescription drugs not prescribed to you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Do Not Use	98.3	98.1	96.8	94.4	98.2	95.8	97.2
No High	1.3	1.0	0.5	0.4	1.2	0.4	0.9
A Little High	0.2	0.4	1.6	1.8	0.3	1.7	0.9
Very High	0.0	0.2	0.5	1.8	0.1	1.0	0.5
Bombed/Stoned	0.2	0.2	0.7	1.8	0.2	1.1	0.6
N of Valid	523	481	432	285	1004	717	1721
N of Miss	21	20	30	19	41	49	90

4.14 Vehicle Safety

Table 4.99: During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
0 times	99.4	97.8	98.4	94.9	98.6	97.0	97.9
1 time	0.2	1.0	0.9	3.4	0.6	1.9	1.1
2 or 3 times	0.0	0.6	0.0	0.7	0.3	0.3	0.3
4 or 5 times	0.0	0.0	0.0	0.3	0.0	0.1	0.1
6 or more times	0.4	0.6	0.7	0.7	0.5	0.7	0.6
N of Valid	528	489	443	293	1017	736	1753
N of Miss	16	12	19	11	28	30	58

Table 4.100: During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
0 times	90.2	89.5	90.9	92.8	89.9	91.7	90.6
1 time	5.1	6.2	4.5	3.8	5.6	4.2	5.0
2 or 3 times	1.9	2.3	2.5	2.4	2.1	2.5	2.2
4 or 5 times	0.4	0.6	0.2	0.3	0.5	0.3	0.4
6 or more times	2.5	1.4	1.8	0.7	2.0	1.4	1.7
N of Valid	528	487	441	293	1015	734	1749
N of Miss	16	14	21	11	30	32	62

Table 4.101: How often do you wear a seatbelt when driving a car?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	1.5	2.7	0.7	3.4	2.1	1.8	2.0
Seldom	0.4	1.2	0.2	0.3	0.8	0.3	0.6
Sometimes	2.5	3.3	4.3	4.8	2.9	4.5	3.6
Most of the time	1.7	5.4	5.2	7.2	3.5	6.0	4.5
Always	8.5	11.8	60.3	73.9	10.1	65.7	33.6
I don't drive	85.3	75.7	29.4	10.3	80.6	21.8	55.7
N of Valid	517	485	446	291	1002	737	1739
N of Miss	27	16	16	13	43	29	72

Table 4.102: How often do you wear a seatbelt when riding in a car driven by someone else?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	1.7	2.9	1.6	3.1	2.3	2.2	2.3
Seldom	2.1	5.0	3.0	0.7	3.5	2.1	2.9
Sometimes	4.8	8.9	9.9	8.6	6.8	9.4	7.9
Most of the time	14.5	25.3	24.3	19.3	19.7	22.3	20.8
Always	76.7	58.0	61.2	68.3	67.7	64.0	66.1
N of Valid	516	483	436	290	999	726	1725
N of Miss	28	18	26	14	46	40	86

4.15 While At School Have You...

Table 4.103: While at school have you used the Internet or a cell phone to threaten or embarrass someone else by posting mean messages or photos of them?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	95.9	92.4	94.1	96.2	94.2	94.9	94.5
One time	2.8	5.5	4.3	3.1	4.1	3.8	4.0
2-5 times	0.9	1.8	0.9	0.3	1.4	0.7	1.1
6 or more times	0.4	0.2	0.7	0.3	0.3	0.5	0.4
N of Valid	536	487	438	290	1023	728	1751
N of Miss	8	14	24	14	22	38	60

Table 4.104: While at school have you been threatened or embarrassed by someone using the Internet or a cell phone to post mean messages or photos of you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	79.3	72.1	79.2	83.1	75.9	80.7	77.9
One time	10.6	14.8	9.8	7.6	12.6	8.9	11.1
2-5 times	5.8	9.8	8.0	8.6	7.7	8.3	7.9
6 or more times	4.3	3.3	3.0	0.7	3.8	2.1	3.1
N of Valid	537	488	437	290	1025	727	1752
N of Miss	7	13	25	14	20	39	59

Table 4.105: While at school have you carried a handgun?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	97.4	98.6	98.6	97.6	97.9	98.2	98.0
One time	1.1	0.4	0.9	0.7	0.8	0.8	0.8
2-5 times	0.6	0.4	0.2	0.7	0.5	0.4	0.5
6 or more times	0.9	0.6	0.2	1.0	0.8	0.6	0.7
N of Valid	530	485	433	291	1015	724	1739
N of Miss	14	16	29	13	30	42	72

Table 4.106: While at school have you carried a knife, club or other weapon?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	90.6	92.1	93.8	90.3	91.4	92.4	91.8
One time	3.4	2.3	2.5	2.1	2.8	2.3	2.6
2-5 times	2.1	2.3	1.6	1.7	2.2	1.7	1.9
6 or more times	3.9	3.3	2.1	5.9	3.6	3.6	3.6
N of Valid	534	484	437	290	1018	727	1745
N of Miss	10	17	25	14	27	39	66

Table 4.107: While at school have you threatened a student with a handgun, knife or club?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	99.1	98.8	99.1	99.0	98.9	99.0	99.0
One time	0.8	0.8	0.5	0.3	0.8	0.4	0.6
2-5 times	0.2	0.0	0.2	0.3	0.1	0.3	0.2
6 or more times	0.0	0.4	0.2	0.3	0.2	0.3	0.2
N of Valid	530	482	436	290	1012	726	1738
N of Miss	14	19	26	14	33	40	73

Table 4.108: While at school have you threatened to hurt a student by hitting, slapping or kicking?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	85.3	77.6	84.6	88.2	81.6	86.0	83.4
One time	8.1	10.9	6.0	6.3	9.4	6.1	8.1
2-5 times	4.9	6.0	6.7	2.1	5.4	4.9	5.2
6 or more times	1.7	5.6	2.8	3.5	3.5	3.1	3.3
N of Valid	532	486	434	287	1018	721	1739
N of Miss	12	15	28	17	27	45	72

Table 4.109: While at school have you hurt a student by using a handgun, knife or club?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	99.6	99.8	99.1	99.0	99.7	99.0	99.4
One time	0.0	0.2	0.5	0.3	0.1	0.4	0.2
2-5 times	0.0	0.0	0.5	0.3	0.0	0.4	0.2
6 or more times	0.4	0.0	0.0	0.3	0.2	0.1	0.2
N of Valid	530	480	437	291	1010	728	1738
N of Miss	14	21	25	13	35	38	73

Table 4.110: While at school have you hurt a student by hitting, slapping or kicking?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	88.1	82.9	89.5	92.4	85.6	90.7	87.7
One time	8.0	9.4	7.2	3.5	8.7	5.7	7.4
2-5 times	2.7	5.2	2.1	2.8	3.9	2.4	3.3
6 or more times	1.1	2.5	1.2	1.4	1.8	1.3	1.6
N of Valid	523	479	429	289	1002	718	1720
N of Miss	21	22	33	15	43	48	91

Table 4.111: While at school have you been threatened with a handgun, knife or club by a student?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	91.9	92.0	95.8	96.2	91.9	96.0	93.6
One time	5.1	4.4	3.2	1.4	4.8	2.5	3.8
2-5 times	2.3	2.3	0.9	1.0	2.3	1.0	1.7
6 or more times	0.8	1.3	0.0	1.4	1.0	0.6	0.8
N of Valid	531	474	433	289	1005	722	1727
N of Miss	13	27	29	15	40	44	84

Table 4.112: While at school have you had a student threaten to hit, slap or kick you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	64.4	67.2	78.6	86.2	65.8	81.7	72.4
One time	14.8	14.2	8.0	5.2	14.5	6.9	11.3
2-5 times	12.5	10.4	9.0	4.5	11.5	7.2	9.7
6 or more times	8.2	8.1	4.4	4.1	8.2	4.3	6.5
N of Valid	526	479	435	290	1005	725	1730
N of Miss	18	22	27	14	40	41	81

Table 4.113: While at school have you been afraid a student may hurt you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	68.5	76.5	81.3	90.3	72.3	84.9	77.6
One time	16.3	11.5	12.2	4.5	14.0	9.1	12.0
2-5 times	6.5	7.2	4.6	4.2	6.9	4.4	5.8
6 or more times	8.8	4.7	1.8	1.0	6.9	1.5	4.6
N of Valid	523	469	434	288	992	722	1714
N of Miss	21	32	28	16	53	44	97

Table 4.114: While at school have you been hurt by a student using a handgun, knife or club?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	98.3	98.8	99.1	99.7	98.5	99.3	98.8
One time	1.1	0.6	0.7	0.0	0.9	0.4	0.7
2-5 times	0.2	0.2	0.0	0.0	0.2	0.0	0.1
6 or more times	0.4	0.4	0.2	0.3	0.4	0.3	0.3
N of Valid	529	482	432	287	1011	719	1730
N of Miss	15	19	30	17	34	47	81

Table 4.115: While at school have you been hurt by a student who hit, slapped or kicked you?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	72.4	78.8	88.7	94.1	75.5	90.8	81.9
One time	12.3	12.0	7.2	2.8	12.2	5.4	9.4
2-5 times	9.1	7.1	3.0	2.4	8.1	2.8	5.9
6 or more times	6.2	2.1	1.2	0.7	4.3	1.0	2.9
N of Valid	529	482	432	289	1011	721	1732
N of Miss	15	19	30	15	34	45	79

4.16 In My School, I Feel Safe...

Table 4.116: In my school, I feel safe in the classroom.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	4.0	5.0	4.1	4.5	4.5	4.3	4.4
Seldom	3.0	5.4	4.4	1.4	4.2	3.2	3.7
Sometimes	8.9	10.6	12.2	11.1	9.7	11.7	10.5
Often	21.7	25.2	31.2	26.7	23.3	29.4	25.9
A Lot	62.5	53.8	48.2	56.2	58.4	51.4	55.4
N of Valid	531	480	436	288	1011	724	1735
N of Miss	13	21	26	16	34	42	76

Table 4.117: In my school, I feel safe in the cafeteria.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	9.4	7.5	5.1	5.6	8.5	5.3	7.2
Seldom	6.8	6.5	7.9	2.8	6.6	5.9	6.3
Sometimes	15.6	15.6	15.0	12.3	15.6	13.9	14.9
Often	23.7	24.0	29.9	29.1	23.8	29.6	26.2
A Lot	44.5	46.5	42.1	50.2	45.5	45.3	45.4
N of Valid	532	480	432	285	1012	717	1729
N of Miss	12	21	30	19	33	49	82

Table 4.118: In my school, I feel safe in the halls.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	11.8	9.0	6.1	5.2	10.4	5.7	8.5
Seldom	10.2	6.1	5.6	3.5	8.3	4.8	6.8
Sometimes	16.1	16.1	15.4	11.9	16.1	14.0	15.2
Often	22.0	25.5	28.7	28.0	23.7	28.4	25.6
A Lot	39.8	43.4	44.3	51.4	41.6	47.1	43.9
N of Valid	527	479	429	286	1006	715	1721
N of Miss	17	22	33	18	39	51	90

Table 4.119: In my school, I feel safe in the bathroom.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	13.5	9.2	7.2	6.7	11.5	7.0	9.6
Seldom	9.4	7.8	5.4	2.1	8.6	4.1	6.7
Sometimes	15.6	13.7	13.5	10.5	14.7	12.3	13.7
Often	20.7	23.3	27.0	27.4	21.9	27.2	24.1
A Lot	40.8	46.0	46.9	53.3	43.3	49.4	45.8
N of Valid	532	476	429	285	1008	714	1722
N of Miss	12	25	33	19	37	52	89

Table 4.120: In my school, I feel safe in the gym.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	8.4	6.8	4.7	5.5	7.7	5.0	6.6
Seldom	6.5	5.3	4.5	3.5	5.9	4.1	5.2
Sometimes	10.7	10.6	11.1	11.8	10.7	11.3	11.0
Often	19.3	24.5	31.1	26.6	21.8	29.3	24.9
A Lot	55.1	52.8	48.7	52.6	54.0	50.3	52.4
N of Valid	523	470	425	289	993	714	1707
N of Miss	21	31	37	15	52	52	104

Table 4.121: In my school, I feel safe on the school bus.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	15.1	9.5	9.4	7.7	12.4	8.7	10.9
Seldom	8.5	7.0	7.3	3.2	7.8	5.6	6.9
Sometimes	14.3	15.2	13.4	12.6	14.8	13.1	14.1
Often	19.1	25.2	26.4	25.6	22.0	26.1	23.7
A Lot	42.9	43.1	43.5	50.9	43.0	46.5	44.5
N of Valid	503	473	425	285	976	710	1686
N of Miss	41	28	37	19	69	56	125

Table 4.122: In my school, I feel safe at school events.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	12.0	8.0	6.1	6.6	10.1	6.3	8.5
Seldom	7.1	6.1	4.9	2.4	6.6	3.9	5.5
Sometimes	13.0	13.5	11.7	11.1	13.2	11.5	12.5
Often	22.5	24.9	27.9	26.1	23.7	27.2	25.1
A Lot	45.4	47.4	49.4	53.7	46.3	51.1	48.3
N of Valid	524	473	427	287	997	714	1711
N of Miss	20	28	35	17	48	52	100

Table 4.123: In my school, I feel safe in the parking lot.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	22.1	11.1	7.2	6.6	16.9	7.0	12.7
Seldom	13.1	11.1	6.5	4.5	12.2	5.7	9.5
Sometimes	13.5	16.4	14.3	11.8	14.9	13.2	14.2
Often	18.9	21.6	28.3	27.0	20.2	27.8	23.3
A Lot	32.4	39.7	43.7	50.2	35.9	46.3	40.2
N of Valid	525	476	428	289	1001	717	1718
N of Miss	19	25	34	15	44	49	93

Table 4.124: In my school, I feel safe on the way to or from school.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	12.0	7.6	4.7	4.9	9.9	4.8	7.8
Seldom	8.4	4.2	4.0	1.4	6.4	2.9	5.0
Sometimes	11.2	17.0	9.6	10.5	14.0	10.0	12.3
Often	18.1	21.7	29.1	28.3	19.8	28.8	23.5
A Lot	50.3	49.5	52.6	54.9	49.9	53.5	51.4
N of Valid	525	471	426	286	996	712	1708
N of Miss	19	30	36	18	49	54	103

4.17 Additional Questions

Table 4.125: I have multiple adults in my life who care about me and show me how to be a responsible adult.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Strongly Disagree	2.8	4.6	3.8	9.0	3.7	6.0	4.6
Disagree	1.2	1.8	2.2	2.2	1.5	2.2	1.8
Neutral	5.3	8.5	5.5	5.6	6.8	5.5	6.3
Agree	27.2	24.9	27.5	23.9	26.1	25.9	26.1
Strongly Agree	63.4	60.1	61.0	59.3	61.9	60.3	61.2
N of Valid	492	434	364	268	926	632	1558
N of Miss	52	67	98	36	119	134	253

Table 4.126: I am confident that I will achieve the goals that I set.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Strongly Disagree	3.2	3.2	3.3	5.1	3.2	4.1	3.6
Disagree	1.6	4.1	2.7	3.7	2.8	3.1	2.9
Neutral	14.9	14.6	14.0	7.3	14.8	11.1	13.3
Agree	44.2	45.6	43.8	43.2	44.8	43.6	44.3
Strongly Agree	36.1	32.6	36.2	40.7	34.4	38.1	35.9
N of Valid	496	439	365	273	935	638	1573
N of Miss	48	62	97	31	110	128	238

Table 4.127: I believe hard work and making healthy decisions pays off.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Strongly Disagree	3.0	2.8	3.8	7.7	2.9	5.5	3.9
Disagree	1.2	1.2	1.1	1.1	1.2	1.1	1.1
Neutral	6.1	5.8	4.4	4.8	6.0	4.5	5.4
Agree	24.2	30.6	32.2	30.3	27.2	31.3	28.9
Strongly Agree	65.6	59.6	58.6	56.1	62.8	57.5	60.7
N of Valid	508	431	367	271	939	638	1577
N of Miss	36	70	95	33	106	128	234

Table 4.128: I can go to at least one adult in my school to get help solving problems.






RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Strongly Disagree	4.2	7.2	7.3	8.5	5.6	7.8	6.5	
Disagree	3.4	7.0	6.5	4.1	5.0	5.5	5.2	
Neutral	12.4	14.4	16.8	10.0	13.3	13.9	13.6	
Agree	33.7	34.2	36.1	31.5	33.9	34.2	34.0	
Strongly Agree	46.3	37.2	33.2	45.9	42.1	38.6	40.7	
N of Valid	501	430	368	270	931	638	1569	
N of Miss	43	71	94	34	114	128	242	

Table 4.129: I am able to do things as well as other people.






RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Strongly Disagree	4.8	5.1	4.9	5.6	4.9	5.2	5.0	
Disagree	4.8	4.8	5.4	4.1	4.8	4.8	4.8	
Neutral	19.2	17.7	18.1	14.1	18.5	16.4	17.7	
Agree	39.6	38.9	41.9	43.7	39.3	42.7	40.6	
Strongly Agree	31.6	33.6	29.7	32.6	32.5	30.9	31.9	
N of Valid	500	435	370	270	935	640	1575	
N of Miss	44	66	92	34	110	126	236	

Table 4.130: I feel satisfied with the way my body looks right now.






RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL	
Strongly Disagree	8.0	12.9	11.3	13.7	10.3	12.3	11.1	
Disagree	7.6	9.2	14.6	16.2	8.3	15.3	11.2	
Neutral	18.2	26.0	24.2	22.1	21.9	23.3	22.5	
Agree	32.4	29.0	31.7	30.3	30.8	31.1	30.9	
Strongly Agree	33.9	22.8	18.2	17.7	28.7	18.0	24.3	
N of Valid	490	434	363	271	924	634	1558	
N of Miss	54	67	99	33	121	132	253	

Table 4.131: I will succeed in whatever career path I choose.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Strongly Disagree	3.9	4.6	3.8	5.2	4.2	4.4	4.3
Disagree	2.9	2.8	3.6	2.2	2.8	3.0	2.9
Neutral	15.5	18.1	18.6	15.3	16.7	17.2	16.9
Agree	36.7	38.3	41.6	41.0	37.4	41.4	39.0
Strongly Agree	41.1	36.2	32.3	36.2	38.8	34.0	36.8
N of Valid	491	431	365	268	922	633	1555
N of Miss	53	70	97	36	123	133	256








Table 4.132: How often have you experienced physical dating violence, including being hit or slammed into something by someone you have dated or went out with in the last 12 months.

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	95.2	92.7	91.5	91.0	94.0	91.3	92.9
1 time	3.4	4.6	4.3	4.5	3.9	4.4	4.1
2 times	0.0	1.0	0.6	1.5	0.5	1.0	0.7
4 or more times	1.5	1.7	3.7	3.0	1.6	3.4	2.3
N of Valid	475	413	352	267	888	619	1507
N of Miss	69	88	110	37	157	147	304

Table 4.133: How often in the past 30 days has an adult given you or your friends alcohol (beer, wine, hard liquor)?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Never	96.5	88.1	87.4	70.8	92.6	80.4	87.6
1 time	1.9	5.7	6.1	15.2	3.7	10.0	6.2
2 times	1.0	2.9	1.7	4.5	1.9	2.9	2.3
4 or more times	0.6	3.3	4.7	9.5	1.9	6.8	3.9
N of Valid	482	421	358	264	903	622	1525
N of Miss	62	80	104	40	142	144	286

Table 4.134: On an average school night, how many hours of sleep do you get?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
a. 4 or less hours	5.4	7.3	6.4	7.5	6.3	6.9	6.6 
b. 5 hours	2.9	6.9	9.5	15.5	4.8	12.0	7.7 
c. 6 hours	7.3	13.7	23.7	25.7	10.3	24.5	16.1 
d. 7 hours	15.2	21.6	27.6	29.4	18.2	28.4	22.3 
e. 8 hours	29.0	31.3	23.4	18.1	30.0	21.2	26.4 
f. 9 hours	26.5	14.7	7.2	2.6	21.0	5.3	14.5 
g. 10 or more hours	13.8	4.5	2.2	1.1	9.4	1.8	6.3 
N of Valid	480	422	359	265	902	624	1526
N of Miss	64	79	103	39	143	142	285

4.18 Frequency of Use

The last section of tables presents the frequency of drug use *How Often Do You Use* data with the categories *collapsed* as follows:

- Daily Use – Every Day
- Weekly Use – Once/Week + 3 Times/Week + Every Day
- Annual Use – Once/Year + 6 Times/Year + Once/Month +
Twice/Month + Once/Week + 3 Times/Week + Every Day

The Monthly Use category in previous reports has been changed to Past 30 Day Use. Due to recent changes in federal reporting requirements, Past 30 Day use for tobacco, alcohol, marijuana and prescription drugs must be calculated from the section headed *During the Past 30 Days*:. The other drugs are calculated as before by combining the categories of Once/Month thru Daily together of the *How Often Do You Use* data.

An additional drug use category has been created by combining the responses from marijuana, cocaine, inhalants, hallucinogens, heroin, steroids, ecstasy, meth, prescription drugs and over-the-counter drugs together to create an illicit drug use variable. This category represents any illicit drug use regardless of the type of drug.

Table 4.135: Past 30 day use cigarettes?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	5.7	6.6	14.8	3.0	9.8	5.9 
No	99.4	94.3	93.4	85.2	97.0	90.2	94.1 
N of Valid	539	493	455	298	1032	753	1785
N of Miss	5	8	7	6	13	13	26

Table 4.136: Past 30 day use e-cigarettes?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.6	4.5	7.3	13.4	2.4	9.7	5.5 
No	99.4	95.5	92.7	86.6	97.6	90.3	94.5 
N of Valid	535	492	453	298	1027	751	1778
N of Miss	9	9	9	6	18	15	33

Table 4.137: Past 30 day use alcohol?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.5	10.6	13.9	34.2	5.9	22.0	12.7 
No	98.5	89.4	86.1	65.8	94.1	78.0	87.3 
N of Valid	534	491	453	298	1025	751	1776
N of Miss	10	10	9	6	20	15	35

Table 4.138: Past 30 day use marijuana?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.4	4.3	7.1	18.9	2.3	11.8	6.3 
No	99.6	95.7	92.9	81.1	97.7	88.2	93.7 
N of Valid	532	488	448	297	1020	745	1765
N of Miss	12	13	14	7	25	21	46

Table 4.139: Past 30 day use cocaine?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.6	0.7	2.1	0.4	1.2	0.7 
No	99.8	99.4	99.3	97.9	99.6	98.8	99.3 
N of Valid	528	490	448	292	1018	740	1758
N of Miss	16	11	14	12	27	26	53

Table 4.140: Past 30 day use inhalants?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.5	1.4	0.4	1.4	1.5	0.8	1.2 
No	98.5	98.6	99.6	98.6	98.5	99.2	98.8 
N of Valid	529	485	446	296	1014	742	1756
N of Miss	15	16	16	8	31	24	55

Table 4.141: Past 30 day use hallucinogens?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.8	0.7	1.4	0.4	0.9	0.6 
No	100.0	99.2	99.3	98.6	99.6	99.1	99.4 
N of Valid	529	490	446	292	1019	738	1757
N of Miss	15	11	16	12	26	28	54

Table 4.142: Past 30 day use heroin?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.2	0.2	0.3	0.1	0.3	0.2 
No	100.0	99.8	99.8	99.7	99.9	99.7	99.8 
N of Valid	526	488	445	292	1014	737	1751
N of Miss	18	13	17	12	31	29	60

Table 4.143: Past 30 day use steroids?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.8	0.7	1.0	0.4	0.8	0.6 
No	100.0	99.2	99.3	99.0	99.6	99.2	99.4 
N of Valid	525	486	444	292	1011	736	1747
N of Miss	19	15	18	12	34	30	64

Table 4.144: Past 30 day use ecstasy?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.0	0.4	0.2	1.0	0.2	0.5	0.3 
No	100.0	99.6	99.8	99.0	99.8	99.5	99.7 
N of Valid	526	490	444	292	1016	736	1752
N of Miss	18	11	18	12	29	30	59

Table 4.145: Past 30 day use meth?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.2	0.2	0.3	0.2	0.3	0.2 
No	99.8	99.8	99.8	99.7	99.8	99.7	99.8 
N of Valid	520	487	442	291	1007	733	1740
N of Miss	24	14	20	13	38	33	71

Table 4.146: Past 30 day use prescription drugs?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	1.3	1.6	2.0	4.7	1.5	3.1	2.1 
No	98.7	98.4	98.0	95.3	98.5	96.9	97.9 
N of Valid	533	490	452	297	1023	749	1772
N of Miss	11	11	10	7	22	17	39

Table 4.147: Past 30 day use over-the-counter drugs?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	0.2	0.6	1.1	3.0	0.4	1.9	1.0 
No	99.8	99.4	98.9	97.0	99.6	98.1	99.0 
N of Valid	527	490	451	297	1017	748	1765
N of Miss	17	11	11	7	28	18	46

Table 4.148: Past 30 day use any illicit drug?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Yes	2.8	6.6	8.0	19.4	4.6	12.5	7.9 
No	97.2	93.4	92.0	80.6	95.4	87.5	92.1 
N of Valid	543	500	460	299	1043	759	1802
N of Miss	1	1	2	5	2	7	9

Table 4.149: Frequency of use of tobacco?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	1.2	6.0	14.0	0.6	9.2	4.2 
Weekly	0.2	3.1	9.1	16.7	1.6	12.1	6.0 
Annual	2.1	11.3	17.4	30.7	6.5	22.6	13.3 
N of Valid	530	488	449	293	1018	742	1760
N of Miss	14	13	13	11	27	24	51

Table 4.150: Frequency of use of alcohol?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	1.0	0.0	0.4	0.2 
Weekly	0.0	1.6	3.1	11.3	0.8	6.4	3.1 
Annual	4.3	20.7	34.3	50.0	12.2	40.5	24.1 
N of Valid	530	489	446	292	1019	738	1757
N of Miss	14	12	16	12	26	28	54

Table 4.151: Frequency of use of marijuana?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.8	1.8	6.5	0.4	3.7	1.8 
Weekly	0.0	2.0	4.7	12.6	1.0	7.9	3.9 
Annual	0.4	6.9	12.8	29.0	3.5	19.2	10.1 
N of Valid	531	491	445	293	1022	738	1760
N of Miss	13	10	17	11	23	28	51

Table 4.152: Frequency of use of cocaine?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.2	0.0	1.4	0.1	0.5	0.3 
Weekly	0.0	0.2	0.0	1.4	0.1	0.5	0.3 
Annual	0.4	1.0	1.6	5.1	0.7	3.0	1.6 
N of Valid	528	490	448	292	1018	740	1758
N of Miss	16	11	14	12	27	26	53

Table 4.153: Frequency of use of inhalants?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.3	0.0	0.1	0.1 
Weekly	0.0	0.6	0.0	0.3	0.3	0.1	0.2 
Annual	1.7	2.2	1.6	1.7	2.0	1.6	1.8 
N of Valid	523	489	446	292	1012	738	1750
N of Miss	21	12	16	12	33	28	61

Table 4.154: Frequency of use of hallucinogens?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.3	0.0	0.1	0.1 
Weekly	0.0	0.2	0.0	0.3	0.1	0.1	0.1 
Annual	0.0	1.4	3.4	6.2	0.7	4.5	2.3 
N of Valid	529	490	446	292	1019	738	1757
N of Miss	15	11	16	12	26	28	54

Table 4.155: Frequency of use of heroin?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.2	0.2	0.0	0.1	0.1	0.1 
Annual	0.2	0.6	0.2	0.7	0.4	0.4	0.4 
N of Valid	526	488	445	292	1014	737	1751
N of Miss	18	13	17	12	31	29	60

Table 4.156: Frequency of use of steroids?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.6	0.2	0.3	0.3	0.3	0.3 
Weekly	0.0	0.8	0.2	0.3	0.4	0.3	0.3 
Annual	0.8	1.6	0.7	1.7	1.2	1.1	1.1 
N of Valid	525	486	444	292	1011	736	1747
N of Miss	19	15	18	12	34	30	64

Table 4.157: Frequency of use of ecstasy?



RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Weekly	0.0	0.2	0.2	0.7	0.1	0.4	0.2 
Annual	0.0	0.8	0.5	2.1	0.4	1.1	0.7 
N of Valid	526	490	444	292	1016	736	1752
N of Miss	18	11	18	12	29	30	59

Table 4.158: Frequency of use of meth?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.0	0.0	0.3	0.0	0.1	0.1 
Weekly	0.2	0.2	0.0	0.3	0.2	0.1	0.2 
Annual	0.4	0.4	0.7	1.0	0.4	0.8	0.6 
N of Valid	520	487	442	291	1007	733	1740
N of Miss	24	14	20	13	38	33	71

Table 4.159: Frequency of use of prescription drugs?




RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	0.0	0.0	1.0	0.1	0.4	0.2 
Weekly	0.6	0.4	0.5	2.4	0.5	1.2	0.8 
Annual	1.5	2.9	2.9	6.8	2.2	4.5	3.1 
N of Valid	527	487	443	292	1014	735	1749
N of Miss	17	14	19	12	31	31	62

Table 4.160: Frequency of use of over-the-counter drugs?







RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.0	0.2	0.0	1.0	0.1	0.4	0.2 
Weekly	0.0	0.4	0.2	1.4	0.2	0.7	0.4 
Annual	0.2	0.8	1.4	2.1	0.5	1.6	1.0 
N of Valid	526	484	443	292	1010	735	1745
N of Miss	18	17	19	12	35	31	66

Table 4.161: Frequency of use of any illicit drug?

RESPONSE	6th	8th	10th	12th	6-8th	9-12th	TOTAL
Daily	0.2	1.8	2.2	6.8	1.0	4.0	2.3 
Weekly	0.8	2.9	5.3	13.3	1.8	8.5	4.6 
Annual	3.8	10.2	14.3	30.7	6.8	20.8	12.7 
N of Valid	531	491	449	293	1022	742	1764
N of Miss	13	10	13	11	23	24	47

Chapter 5

Narrative Report

5.1 Introduction

Tobacco, alcohol, drug use and violence continues to be a persistent problem facing the youth of America. The use of mind-altering chemicals has proven to be especially harmful to the adolescent growth and development process. Psychoactive drugs interfere with physical, social, and emotional growth during the critical years of adolescent development.

An adolescent who uses intoxicants is not only at high risk of becoming drug dependent but is also at an increased risk of dropping out of school, getting involved in crime, attempting suicide, or becoming involved in an assortment of unacceptable behaviors.

The prevention of adolescent drug and alcohol use, bullying and related behaviors is most likely to occur when parents, teachers, faith leaders, other individuals and community organizations, who are part of the child's friendship circle...

- are well informed of the harmful effects of drugs,
- understand potential danger from threatening behaviors,
- recognize behavioral changes that accompany drug use,

- and understand how drug use and violence is encouraged and accepted in the social world of the child.

Another key to successful prevention programming is the direct involvement of youth in planning and implementing programs.

This report will help parents, school personnel, students, and other "youth care givers" understand the extent of drug use and threatening (bullying) behaviors in your community.

Your questions concerning this report or information on other reports and services of **Pride Surveys** may be obtained by calling the **Pride Surveys** office at 1-800-279-6361.

5.1.1 The Pride Surveys Questionnaire

As with any type of meaningful survey, it is important that the data collected are of high quality and utility. The **Pride Surveys Questionnaire** was developed to provide accurate, reliable and useful information about students through their reported behaviors, perceptions and living environments. Questionnaire forms and administration procedures have undergone extensive reviews by independent evaluators over the years. The survey provides users

with data of high quality and practical application. For more technical information about the development of the questionnaire, see the *Pride Technical Report: The Pride Questionnaire for Grades 6-12 Developmental Study*. These studies are available on the Pride Surveys website at www.pridesurveys.com.

5.1.2 The Report

This report was prepared to be used as part of a community-wide prevention program. For maximum use of your school drug and violence survey, we suggest that you review each section carefully, share the information with school officials, teachers, students and parents, and prepare a press release to inform your community of the results.

This narrative report contains five sections, including the introductory Section 5.1. Section 5.2 contains information on *Gateway Drugs* (tobacco, alcohol, and marijuana). Section 5.3 contains information on *Other Illicit Drugs* (cocaine, uppers, downers, inhalants, hallucinogens, heroin and steroids). The following information on each drug category has been selected for analysis in this report:

- perceived risk of drug use,
- frequency of drug use reported by students,
- when students reported using drugs,
- where students reported using drugs,
- friends' use of drugs,
- age of onset of use of drugs,
- availability of drugs as reported by students.

Section 5.4 contains suggestions for community awareness activities utilizing the media and presentations of survey findings to various audiences.

Note that all statistics compiled from your survey results are highlighted in **bold**.

It is important that your school survey be viewed as part of an ongoing process that provides needed information about the prevalence and patterns of tobacco, alcohol and other drug use by students in your community. By using the **Pride Surveys** in your assessment process, you can be confident of high quality, consistent, and reliable information to assist you in your drug prevention efforts. For additional assistance with questionnaire data, call the Pride Surveys Office at 1-800-279-6361. For additional information about the health impact of drugs visit the Pride Surveys website at www.pridesurveys.com.

5.2 Gateway Drugs

The *gateway drugs* are defined in this report as tobacco, alcohol, and marijuana. In most states, alcohol and tobacco products are illegal when used by minors, but are legal when used by adults. Nevertheless, they are generally easy to obtain and are widely used by students. Use of alcohol and cigarettes at early ages has been linked to later use of illicit drugs, thus the term *gateway drugs*. Marijuana is the illicit drug most widely used by the adolescent population. Although marijuana is itself a dangerous illicit drug, it is also a strong predictor for use of other addictive drugs. In this section, harmful effects, prevalence, and patterns of tobacco products (cigarettes, smokeless tobacco, and cigars), alcohol (beer, wine coolers, and liquor), and marijuana use are reported.

5.2.1 Tobacco

Harmful Effects of Tobacco Products

The use of tobacco products was not always considered to be drug use. However, cigarette smoke contains more than 1,200 chemicals, none of which are beneficial to man. When cigarette smoke is absorbed into the body, it decreases the oxygen-carrying capacity of the blood and increases the clotting rate. This reaction, combined with hardening of the arteries associated with smoking, can cause a heart attack. Using tobacco products is a major cause of emphysema, chronic bronchitis, lung cancer, heart disease and cancer of the mouth.

Research indicates that mothers who smoke during pregnancy may damage the unborn child. Women who take birth control pills should not smoke because of increased risk of blood clots, stroke, heart attack and liver tumors.

It is important that students know the health consequences of tobacco use, but they may be influenced more by the social stigma and the unattractive appearance using tobacco can cause. For example, young people may choose not to smoke because cigarette smoke makes their hair smell bad, turns their teeth and fingers yellow, and causes bad breath. These are important considerations for adolescents who are usually concerned about their appearance.

Frequency and Effects of Tobacco Use

While millions of people in this country have quit smoking cigarettes, there are still millions that continue to smoke despite warnings of detrimental health effects. It is important to examine the use of cigarettes by students, for they are engaging in an unhealthy practice. Also, students who start smoking tobacco early are more prone to try other drugs, particularly marijuana, than students who do not use tobacco products.

Table 5.1: 30-Day Use of Tobacco

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	0.4	0.0	5.3	0.0	11.6	0.0	20.1

Additional information about frequency of cigarette smoking by your students may be found in the Percentage Tables chapter of your Pride report.

Locations and Times of Tobacco Use

A knowledge of the patterns of adolescent tobacco use is important when planning and implementing prevention programs. Two of the most important questions that were asked on the *Pride Surveys* were *Where* and *When* various drugs are used. Students were asked to respond to various locations and times they used tobacco products. Responses to *Where* students used gateway drugs included *At Home, At School, In a Car, Friend's House and Other* places in the community. Time of use responses consisted of *Before School, During School, After School, Week Nights and Weekends*. This information is important in providing insight into the use patterns of tobacco products by your students.

Although there was some variation, students who smoked cigarettes reported smoking at most locations and times. This finding may be explained by the highly addictive nature of the nicotine in tobacco, the non-intoxicating effects of smoking tobacco (as opposed to the intoxicating effects of alcohol), and adult tolerance for possession and use of tobacco products by minors. However, as explained earlier, cigarette smoking does present health hazards for the users and for those who share a common environment.

Table 5.2: Reported Location of Tobacco Use For Your Students

LOCATION	6th	7th	8th	9th	10th	11th	12th
At Home	0.6	0.0	4.0	0.0	9.5	0.0	13.5
At School	0.4	0.0	0.4	0.0	1.7	0.0	2.0
In a Car	0.0	0.0	1.4	0.0	4.8	0.0	10.5
Friend's House	0.2	0.0	4.2	0.0	7.8	0.0	10.5
Other	0.6	0.0	4.0	0.0	3.9	0.0	10.2

Table 5.3: Reported Times of Tobacco Use For Your Students

TIME	6th	7th	8th	9th	10th	11th	12th
Before School	0.0	0.0	1.0	0.0	4.3	0.0	8.2
During School	0.2	0.0	0.2	0.0	1.5	0.0	3.3
After School	0.0	0.0	3.0	0.0	9.1	0.0	13.2
Week Night	0.0	0.0	2.0	0.0	6.3	0.0	12.2
Weekend	0.7	0.0	7.2	0.0	9.7	0.0	15.5

5.2.2 Alcohol

Harmful Effects of Alcohol

Alcohol is a central nervous system depressant, which relaxes the inhibiting and controlling mechanisms of the brain. The effects of drinking alcohol depend on the amount consumed, body size, food intake, age, genetic susceptibility, and tolerance. Alcohol is metabolized at the rate of about 1/2 ounce per hour, and coffee, tea, or cold showers will not speed up this process. The effects of drinking alcohol can range from mild intoxication, to mental confusion, to aggression, to respiratory depression and death. Repeated or chronic use of alcohol may cause damage to the liver, brain, stomach, skin, and other systems of the body.

The sources of alcohol most available to youth for consumption are beer, wine or wine coolers, and various forms of liquor. It is important for youth and

adults to understand that sources with lower percentages of alcohol, such as beer and wine coolers, are equally as capable of causing intoxication and dependency as liquor. However, there appears to be a progression of alcohol use that begins with beer or wine coolers and on to liquor. Drinking liquor produces higher levels of intoxication, probably due to its higher concentration of alcohol.

Since the human body builds a tolerance to alcohol, there is a potential for addiction for those who drink. This risk of addiction is greater for the developing adolescent than for mature adults. Junior and senior high students who use alcohol run the risk of delaying or retarding their normal physical, mental and social development. Drinking and driving is a popular practice among teenagers, and alcohol-related accidents are a major cause of death among 15- to 19-year-olds.

Frequency and Effects of Alcohol Use


Although drinking alcoholic beverages is illegal for minors, beer, wine coolers, and liquor are popular intoxicants for students. It should be kept in mind that these data are from 12- to 18-year-old students. Not only are they minors under the law, and therefore violating the law when using alcohol, but they are also young adolescents who are abusing alcohol at least once a month or more often.

Table 5.4: 30-Day Use of Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Alcohol	1.5	0.0	10.6	0.0	13.9	0.0	34.2


YOUR NOTES:

30-Day Use of Alcohol



Source: Pride Surveys

Location of Any Alcohol Use




Source: Pride Surveys

Locations and Times of Alcohol Use

Drinking alcoholic beverages can produce a mind-altered or intoxicated state. Given the impairment in thinking and judgement produced by alcohol intoxication, time of use is an important consideration for targeting prevention activities. The following figures contain percentage data for the times of alcohol use as reported by junior and senior high students in your community.

It is important to note that past research indicates that *At School* is the least popular location for use and *During School* is the least popular time of use. *Weekends* tends to be the most popular time of use and *At Home* tends to be the most popular with younger students while *Friend's House* and *Other* tends to be the most popular with older students. These data strongly support the concept of parent and community involvement in reducing alcohol use by youth.

Time of Any Alcohol Use



Source: Pride Surveys

Availability of Tobacco Products & Alcohol

The question of availability of tobacco products has been included on the ***Pride Surveys***.

Students were asked to report how easy it was for them to get alcohol, specifically in the forms of beer, coolers, breezers, etc. and liquor. Students could respond that they *Cannot Get* alcohol, or that alcohol was *Very Difficult*, *Fairly Difficult*, *Fairly Easy*, or *Very Easy* to get. The following table provides the percentages of students who responded to the *Fairly Easy* or *Very Easy* categories for obtaining tobacco products as well as beer, wine coolers, liquor, and marijuana.

Use of tobacco products and alcohol by minors is illegal, yet they are readily available to students. Popular culture condones and often encourages the use of tobacco and alcohol. While it is important to discourage the illegal use of tobacco and alcohol through formal education and community prevention programs, it is also important to reduce the ease by which students may obtain tobacco and alcohol products, whether from home or a neighbor's home, or from merchants that sell alcoholic beverages to minors. Cooperation of parents, students, and educators with local, state, and federal law enforcement agencies should play an important role in reducing the availability of gateway drugs to students.

Table 5.5: Pct of Students Reporting *Fairly Easy* or *Very Easy* to Get Tobacco and Alcohol

DRUG	6th	7th	8th	9th	10th	11th	12th
Tobacco	9.4	0.0	19.2	0.0	37.8	0.0	55.7
Alcohol	11.5	0.0	23.3	0.0	40.1	0.0	53.3

YOUR NOTES:

5.2.3 Marijuana

Harmful Effects of Marijuana

Marijuana is a crude drug made from the *cannabis sativa* plant, and it contains more than 400 known chemicals. Seventy or more of these chemicals, called "cannabinoids," are found only in the cannabis plant, and in recent years we have learned much about their effect on the human body. One of the cannabinoids, THC (delta-9-tetrahydrocannabinol), is the major mind-altering chemical in marijuana.

Street names for marijuana include *pot*, *grass*, and *weed*. Smoking pot became popular with college age students during the late 60's and early 70's. By the middle 70's the age of users had dropped to junior high and even elementary school levels.

The marijuana used in the 1960's was often quite low in THC content, ranging from .25 to 1 percent, and few health hazards were documented during that period. In the early 1970's, the Mexican marijuana coming into the country averaged 1 to 2 percent THC content. After 1975, Colombian marijuana became more prominent, and it ranged from 3 to 6 percent in THC content. Presently, we have marijuana (a variety called *Sinsemilla*) being grown in the U.S. with THC levels of more than 24 percent. Because of the stronger, more potent varieties now available, the intoxicating and health effects of smoking marijuana have increased dramatically. More students are receiving treatment for marijuana addiction than for alcohol addiction.


The THC and other cannabinoids are fat-soluble chemicals and accumulate in the fatty linings of cells. They are metabolized very slowly, and may stay in the body four to six weeks. Thus, the students who smoke pot *only on weekends* will gradually accumulate THC content in their body cells. This build-up of THC is unlike the effect of alcohol, which is water-soluble and metabolized out of the body much more quickly (usually within 24 hours).

Accumulation of THC in the body affects those areas where there is an

accumulation of fatty cells, such as the brain, heart, lungs and reproductive systems. The effect of this drug is even more severe on developing adolescents in junior and senior high school. Not surprisingly, recent research indicates that regular marijuana use reduces the mental efficiency of students and may increase their susceptibility to infection and disease, by interfering with their immune system.

At the federal level, production and use of marijuana is illegal in the United States and most other countries around the world. The following table contains data on your students' use of marijuana at least once a month or more often.

Past 30 Day Use of Marijuana




Location and Time of Marijuana Use

Location and time of marijuana use followed a similar pattern to that of alcohol use, although the percentage of students who reported smoking marijuana


was considerably less than the percentage who reported drinking alcohol.

Location of Marijuana Use



Source: Pride Surveys

Time of Any Marijuana Use



Source: Pride Surveys


Friends' Use & Age of Onset of Use of Marijuana

Often, marijuana and other illicit drug use will occur within a friendship circle and those who report use among friends are more likely to use. Past analysis shows that marijuana is typically the most commonly used of illicit drugs. The following graphs present percentage data on friends' use of your students.

It is important to remember that early use is an indicator of increased risk for addiction. Figure 5-8 presents data on age of onset of use of marijuana for your students.

YOUR NOTES:

Friends' Use of Marijuana



Source: Pride Surveys

5.3 Other Illicit Drugs

As stated in the previous section, marijuana is the illicit drug most used by junior and senior high students. However, many marijuana users become multiple drug users. Knowledge of the nature and extent of such illicit drug use is very important in gaining a perspective on the overall adolescent drug problem in your community. It will also provide you with information on the percentages of your students who are drug dependent or who are at high risk of becoming drug dependent and in need of professional help.

The other illicit drug categories included in *The Pride Surveys Questionnaire for Grades 6-12* are as follows:

Cocaine	including crack
Inhalants	such as glue or solvents
Hallucinogens	including LSD and PCP
Heroin	opiates
Steroids	
Ecstasy	MDMA
Meth	ice, crank, etc.
Prescription drugs	
Over-the-counter drugs	

Additional information on all categories of drugs obtained from your survey may be found in the tabular report.

5.4 The Media and Data Presentation

Your school-based survey results can be utilized in many ways to promote and support drug and alcohol abuse prevention in your community. The results of this survey should be made available to the public in a timely fashion. Therefore, Section 4 of this chapter is devoted to assisting you in utilizing your survey findings to make the community more aware of the extent and nature of adolescent alcohol and other drug use.

5.4.1 Community Awareness

Community awareness that a drug problem exists is important when mobilizing the various components of a community in a planned, systematic process to reduce alcohol and other drug use by youth. Unless the community is convinced that the problem is serious, real, and local – i.e., a threat to their children, families and friends – it is less likely that meaningful community involvement or support will occur. Community awareness involves informing as many people as possible of the extent and nature of the adolescent drug problem. Information collected by your survey of student drug use is very important in community awareness. It is also important for members of the community to understand the harmful nature of drug use. Both information about the harmful affects of drug use and the extent of local drug use is contained in Sections 2 and 3 of this chapter.

Two of the most effective means of conducting community awareness is through electronic and print media and through presentations to community groups such as parent and school groups, civic and business organizations, community coalitions and church groups. Section 4 is designed to assist you in these activities. Section 4.2. contains information about how you can work with the media in releasing your survey data and Section 4.3. contains information to assist you with presentations to various groups in your community. Of course, these are suggestions and you may want to change or modify the suggestions. For example, as you monitor the drug problem through multiple annual surveys, these data can be added to your press releases and

presentations.

5.4.2 The Media

What is generally referred to as *The Media* includes the traditional print media (such as, newspapers, magazines, and newsletters), and electronic media (such as, television, radio, wire services, and web sites). Non-traditional sources may include billboards, t-shirts, posters, pay-roll stuffers, grocery bags, hand bills, etc. The most common of these media used to communicate survey results have been local newspaper news articles and editorials, local television and radio news casts, talk-shows, and interviews.

HOW TO GET STARTED!

You can set a date for the announcement of your school data. Choose a *slow news day* when nothing major is scheduled in the community. Mid-morning on Tuesday may be a good time, giving the reporters time to prepare their stories for an afternoon or early morning edition of the newspaper, or an early evening broadcast or telecast.

Develop a local news media profile, showing the names, addresses, phone numbers and contact persons for each newspaper, station and type of program. Keep up with times you contact each one, news releases or other materials you provide them, and what the next steps will be toward giving your topic coverage. Good sources for help in developing your news media profile are the yellow pages, locally-published media directories, or media profiles already available from communications/public relations professionals.

HOW TO WRITE A NEWS RELEASE

Your next step is to prepare a news release on the survey results. A sample news release is included in Appendix B. The following guidelines may assist you in preparing a news release:

1. Use standard-size 8 1/2 by 11 white paper, and type the release double spaced on one side only. The first page should contain the name and address of your school/organization (letterhead is fine). If special News Release paper is available, use it.
2. Name a contact person and his/her office and home phone numbers in the upper right hand corner of the first page. Ideally, this is the person who prepared the news release. Make sure the contact person has agreed to handle possible follow-up calls from the media.
3. Write FOR IMMEDIATE RELEASE in the upper left hand corner of the first page unless you have planned a certain day and time to announce the survey results, perhaps at a news conference or some other event. If that is the case, write FOR RELEASE (DATE and TIME). The media are accustomed to respecting your release time.
4. Give the news release a brief two or three line title, centered in all caps and bold for emphasis.
5. Be brief with what you write – one to three pages, double spaced. Most releases do not exceed two pages, but questionnaire data are hard to summarize and may take an additional page.
6. Write in the active voice and use short sentences and paragraphs.
7. Write MORE at the bottom of each page except the last one to let the reporter know there is more than one page to the release. Type -30- or ## in the center of the last page below the last paragraph.
8. Proofread carefully. Reporters are wary of releases that contain typographical errors, misspellings, or crossouts.

TIPS FOR WRITING YOUR NEWS RELEASE

1. Traditionally, news releases are written in the "inverted pyramid style." This means that the more important information comes first in case the reporter doesn't have space or time for the entire release and wants to "cut" it from the bottom.

2. Include at least two of the five W's (Who, What, Where, When, and Why) in the lead (first) paragraph. Your lead paragraph should grab the reporter's attention and make him/her want to read and report the news the release contains.
3. The second paragraph should answer the other W's.
4. Identify your spokesperson no later than the third paragraph.
5. Use quotes to make an emotional point or state an opinion. A good news release contains two to four quotes. Remember to obtain the quoted person's permission, and let him/her know when the news will be released so that he/she can be prepared to respond to any media calls for additional details.
6. The last paragraph should include background information on your school or organization – a "commercial" for the work you are doing. Include purpose, size, non-profit status or other pertinent information.
7. Double-check names, dates, places, numbers, and quotes for accuracy. Your credibility as a source of information is jeopardized when details of a news release are inaccurate.

Send an original copy of the news release to all appropriate names on your media list. Follow-up by phone is important to make sure the release arrived, answer any questions, provide more information, and offer spokespeople to be interviewed by phone or in person.

End your conversation by thanking the reporter or editor for his/her time and interest. And, when the story appears in print or on the air, phone or write the reporter/editor a brief but sincere "thank you." Remember, a well written news release containing valid and interesting data should receive wide distribution in the news media.

SPECIALIZED PUBLICATIONS AND NEWS CONFERENCES

In addition to the news media in your community, there will be a number of specialized publications that will be interested in your survey data. They

include school and school system newsletters and other publications, community magazines, club and organization newsletters, and church bulletins. Don't forget to send them an original copy of your news release.

A News Conference gives your group the opportunity to release important information to all the news media at once. Here are some tips for setting up a news conference:

- Schedule the news conference for a *slow news time*. You will be more likely to get a good turnout of reporters.
- Select a location appropriate for your announcement. In the case of a student drug use report that has implications for the entire community, you may want to consider the school, City Hall, or some youth oriented site in the community.
- Develop a good presentation. Include your key spokespeople, but also include parents and young people who represent the populations affected by the survey announcement.
- Develop a Media Alert to let reporters/editors know about the conference, and notify them 5 to 7 days in advance.
- Phone the media to remind them to schedule the news conference on their calendars.
- Develop an information packet to distribute to the media at the conference and to others who are unable to attend. Include your news release, fact sheets and brochures, and recent news clippings on the drug problem. You may want to provide biographies of your leaders and/or spokespeople.

EDITORIALS, LETTERS TO THE EDITOR, AND PUBLIC SERVICE ANNOUNCEMENTS

Editorials in newspapers and on radio and television express definite opinions on important issues that face the community. Editorials may be produced

by the media from materials you provide to them, or you may be asked to read your own editorial on radio or television as a "community comment." Opinion pages in newspapers and letters to the editor are other good ways to express your viewpoint on the problem of early adolescent alcohol and drug use in the community.

Radio and television make time available to local nonprofit groups for free announcements that benefit the community by providing needed information or linking individuals with services. Your student drug use report will be of interest to Public Service Directors of radio and television who may decide to air public service announcements (PSA's) to heighten the community awareness about prevalence and patterns of elementary school students' use of gateway drugs.

5.4.3 Presentations to School/Community Groups

An excellent means of reaching the community leadership is through presentations to school, parent, civic, business, and religious groups. These groups are concerned with community issues, particularly those related to the safety and welfare of youth. Often these organizations will invite prevention leaders to speak at their meetings. While media coverage will help to make known your prevention efforts, you will want to contact appropriate groups and organizations in your community to offer a program on student drug and alcohol abuse and strategies for combating it.

The interests, needs, and abilities of your audience should be kept in mind when preparing your presentation. For example, parents are concerned about drug use that may affect their children and their children's friends; business leaders are mindful of the need for a drug-free work force that includes workers' children and future workers.

Select a poised, articulate spokesperson who is thoroughly familiar with the student data. The graphs, tables, and narrative discussion of the data in this report should assist the speaker in presenting pertinent and meaningful information. Such presentations are easy to prepare and deliver, and

will make the presentation more interesting and informative to the audience. Necessary arrangements should be made with the organization's program chairman. Background information (perhaps a news release) could help the group to promote your presentation among its membership.

GUIDELINES FOR PRESENTATION OF STUDENT DRUG USE RESULTS

Length of Presentation

An important consideration in preparing a presentation is the length of time you are expected to address the group. Usually civic and business groups have a limited time available for a program – as little as 5 or 10 minutes in some cases. This means only a fraction of the information may be presented. Once again, concentrate on the type of audience and what you think they will be interested in and need to hear. It is more important to leave the audience wanting to know more than having them feeling uncomfortable by exceeding your allotted time. If possible, leave a few minutes for questions at the end of your presentation, and always promise to provide additional information through print materials or a return appearance.

Matching Survey Results to the Audience

In structuring your presentation, keep in mind your audience. If the presentation is to teachers and administrators, you may want to emphasize students' perceptions of the harmful effects of gateway drug use. Teachers and administrators will be interested in how often students say they talk to teachers about the harmful effects of drug use. Elementary students' perceptions of where and how they get gateway drugs are important to determine if such perceptions are realistic.

If the presentation is targeted to parents, frequency of use and availability of drugs are important data to share. Help parents to realize their responsibility for their child's actions regarding gateway drug use and the importance of becoming involved in community drug prevention programs. Civic and business groups, law enforcement officers, and court officials will be particularly interested in the current use and availability of gateway drugs to minors.

Organizing Survey Results

Graphs are very effective in communicating the meaning of data. They enable audiences to "see" the relationship you are explaining. Bar graphs located in this report can be utilized in describing gateway drug use. However, you can lose the audience's attention with too many graphs. Tables are also effective if they are kept simple.

Short sentences or phrases called *bullets* are an excellent way to communicate your findings. Bullets can stand alone, be included in a list of findings, or accompany a graph or table. The following are examples of *bullets* that can be used in presentations:

- ONE IN FIVE STUDENTS IN GRADES SEVEN AND EIGHT REPORTED USING BEER AND/OR WINE COOLERS WITHIN THE PAST YEAR
- ONLY ONE PERCENT OF (–YOUR SCHOOL NAME–) STUDENTS IN GRADES FOUR THROUGH SIX REPORTED USING MARIJUANA WITHIN THE PAST YEAR
- OVER ONE-THIRD OF STUDENTS IN UPPER ELEMENTARY SCHOOL REPORTED THAT BEER AND WINE COOLERS WERE EASY TO GET BY THEIR PEERS AND NEARLY ONE-FOURTH INDICATED LIQUOR WAS EASY TO GET
- ONE-FOURTH OF SEVENTH GRADE STUDENTS IN –YOUR SCHOOL NAME– REPORTED MARIJUANA AS EASILY ACCESSIBLE TO THEIR PEERS

A combination of graphics, tables and bullets are suggested in a presentation to add variety and keep audience attention. It should be kept in mind that a good presentation is:

- straightforward
- easy to understand

- relevant to the interests of the audience
- supportive of local drug efforts.

Using Visual Aids

When presenting statistical data, it is advisable to use some visual aids. These may range from a simple handout to more elaborate aids, depending upon the resources and time available to the school or other organizations concerned with drug abuse prevention. A single visual aid may be used, or combination aids may be chosen when preparing for a presentation. Often the time parameters may determine what and how many visual aids can be used. However, you should be cautious not to use too many visual aids or rely too heavily on the aids so that the information presented and flow of the presentation is diminished.

The following are types of presentation aids that you may want to consider:

1. **PowerPoint Presentations** – have become popular, but require special equipment, (i.e. laptop computer with projector). One of the advantages of a PowerPoint Presentation is that handouts can be generated directly from the presentation without the need to prepare them separately;
2. **Handouts** – are useful in addition to other types of aids and are easy to transport, and provide a *take-home* product, but can be expensive to produce, may be difficult to utilize with large audiences, and may distract attention from your presentation;
3. **Overhead transparencies** – are easy and inexpensive to make, can be viewed by large audiences, but can be cumbersome to use and require an on-site projector and screen;
4. **Flip charts and poster boards** – are easy to use, fairly easy to transport, and require no special equipment, but are sometimes expensive

and time consuming to make and can only be viewed by a relatively small audience;

5. **Slides** – are easy to use and can be viewed by large audiences, but are difficult and expensive to make, and require an on-site projector and screen;
6. **Videos** – provide a *canned*, consistent approach to a topic, utilize *expertise* of presenter(s) on tape, and are easy to use, but are very time consuming and expensive to make, require technical expertise for quality product, require on-site play-back equipment, and may be difficult to use with large audiences.

YOUR NOTES:

5.4.4 Sample Press Release

FOR RELEASE *(Time)*
(Date)

(Contact Name)
(Phone)

MOST DRUG AND ALCOHOL USE OCCURS OUTSIDE SCHOOL ENVIRONMENT

(City), (State), (Date) – Students in grades ____ in *(Name of School System)* use drugs and alcohol at nights and weekends, but few of them report ever taking drugs or alcohol during school hours.

"The results of our survey indicates that we have a community drug problem in *(Locality)*, not just a school drug problem," said *(Name & Title of School Official)*.

More than (approximate # students surveyed) students were surveyed in grades ____ through ____ to determine the extent and nature of drug use by adolescents in this community. Nationally, Pride Surveys, the research group that developed the Questionnaire used in this survey, found that students report drug use primarily at two specific times: "Week Nights" and "Weekends". Very little use is reported during school.

*** MORE ***

** Page 2 **

Although few drugs are consumed during school hours, the survey detected both drug and alcohol use outside of school, according to *(Last Name of School Official)*.

Alcohol remained the "drug of choice" of the young people surveyed in *(Locality)*.

____ percent of the senior high students (grades ____) drank beer in the past year;

* ____ percent reported liquor use;

* ____ percent drank wine coolers.

In junior high (grades ____), ____ percent drank beer; ____ percent drank liquor; and ____ percent drank wine coolers.

Cocaine and Marijuana

Local students reported less use of cocaine than marijuana, but drug prevention specialists like Dr. Thomas J. Gleaton, Jr., president of Pride Surveys cautions that any use of cocaine is disturbing, particularly at young ages.

Marijuana use during the past year was reported by ____ percent of the students in senior high, and ____ percent in junior high. Cocaine was reported by ____ percent of the senior high students, and

*** MORE ***

** Page 3 **

_____ percent of the junior high students.

When

The most popular times for marijuana use were: weekends, _____ percent; week nights, _____ percent; and after school, _____ percent.

The Pride Questionnaire

The Pride Questionnaire has undergone continuous development since 1982 and provides reliable and accurate information for monitoring adolescent drug use. Pride Surveys is America's largest survey of adolescent drug use. It is based in Marietta, Ga (1-800-279-6361). For additional information on national trends, visit the Pride Surveys website at www.pridesurveys.com.

##

Chapter 6

Drug-Free Communities Support Program Core Measures

6.1 Drug-Free Communities Support Program

The Drug-Free Communities Support Program, administered by the Center for Substance Abuse Prevention, requests specific data which is typically referred to as the Core Measures of which there are currently four (30 Day Use, Perception of Risk, Parental Disapproval and Friends Disapproval). The drug categories measured are tobacco, alcohol, marijuana and prescription drugs. The first set of four tables found on the following page examines these measures broken down by grade level. The second set of four tables examines these measures broken down by gender. The meaning of the *pct* column will vary with each table and is described below. The *n* column represents the number of students who responded to the question (i.e. sample size).

30-Day Use The question *During the past 30 days?* is used to measure this statistic by reporting the percentage of students who responded *Yes* to the question.

Perception of Risk The question *How much do you think people risk harming themselves physically or in other ways if they...* is used to measure this statistic by reporting the percentage of students who report that using the drug is *Moderate Risk* or *Great Risk* to their health.

Perception of Parental Disapproval The questions *How wrong do your parents feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their parents would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Perception of Friends Disapproval The questions *How wrong do your friends feel it would be for you to use ...?* is used to measure this statistic by reporting the percentage of students who report that their friends would feel it is *Wrong* or *Very Wrong* to use tobacco, alcohol, marijuana and prescription drugs.

Table 6.1: Core Measure for 30 Day Use by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	0.6	539	1.5	534	0.4	532	1.3	533
Grade 7	0.0	0	0.0	0	0.0	0	0.0	0
Grade 8	5.7	493	10.6	491	4.3	488	1.6	490
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	6.6	455	13.9	453	7.1	448	2.0	452
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	14.8	298	34.2	298	18.9	297	4.7	297
Combined	5.9	1,785	12.7	1,776	6.3	1,765	2.1	1,772

Table 6.2: Core Measure of Perception of Risk by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	79.3	526	68.9	524	75.3	518	81.5	524
Grade 7	0.0	0	0.0	0	0.0	0	0.0	0
Grade 8	82.4	488	68.9	486	64.0	484	84.3	484
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	82.9	450	68.2	444	49.6	448	87.6	444
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	85.0	293	66.8	295	39.1	294	86.3	292
Combined	82.0	1,757	68.4	1,749	59.5	1,744	84.6	1,744

Table 6.3: Core Measure of Parental Disapproval by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	94.7	531	93.7	527	95.4	527	94.9	529
Grade 7	0.0	0	0.0	0	0.0	0	0.0	0
Grade 8	92.6	484	88.8	481	91.3	482	95.4	481
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	89.2	444	89.8	443	86.2	442	95.9	443
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	81.1	291	80.8	291	78.6	290	96.2	291
Combined	90.5	1,750	89.2	1,742	89.1	1,741	95.5	1,744

Table 6.4: Core Measure of Friends Disapproval by Grade

Grade	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Grade 6	90.6	530	88.4	526	93.9	523	92.3	522
Grade 7	0.0	0	0.0	0	0.0	0	0.0	0
Grade 8	78.3	475	75.2	476	76.8	475	87.2	469
Grade 9	0.0	0	0.0	0	0.0	0	0.0	0
Grade 10	64.5	440	63.6	437	59.8	438	83.7	436
Grade 11	0.0	0	0.0	0	0.0	0	0.0	0
Grade 12	53.5	286	57.8	289	50.7	288	84.1	289
Combined	74.5	1,731	73.4	1,728	73.3	1,724	87.4	1,716

Table 6.5: Core Measure for 30 Day Use by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	6.7	811	12.7	810	7.4	802	1.7	803
Female	4.8	825	12.5	818	5.5	816	2.7	820
Combined	5.7	1,636	12.6	1,628	6.4	1,618	2.2	1,623

Table 6.6: Core Measure of Perception of Risk by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	82.4	802	64.8	800	57.5	800	85.0	791
Female	82.5	812	73.0	805	61.5	805	84.5	808
Combined	82.5	1,614	68.9	1,605	59.5	1,605	84.7	1,599

Table 6.7: Core Measure of Parental Disapproval by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	88.8	788	87.6	783	89.9	783	95.0	783
Female	92.1	815	91.1	812	88.7	814	96.0	815
Combined	90.5	1,603	89.4	1,595	89.3	1,597	95.5	1,598

Table 6.8: Core Measure of Friends Disapproval by Sex

Sex	Cigarettes		Alcohol		Marijuana		Presc Drugs	
	pct	n	pct	n	pct	n	pct	n
Male	69.8	778	68.5	778	71.2	774	84.0	770
Female	78.3	808	77.9	807	74.4	808	89.4	804
Combined	74.1	1,586	73.3	1,585	72.8	1,582	86.8	1,574